TE Internal #: 2388168-1

TPA (Terminal Position Assurance), Yellow, Nylon 6, 4 Position, -40 –

120 °C [-40 – 248 °F], Automotive Connector Locks & Position

Assurance

View on TE.com >



Connectors > Automotive Connectors > Automotive Connector Accessories > Automotive Connector Locks & Position Assurance > Unsealed Locks and Position Assurance











Connector & Contact Retention Accessory Type: TPA (Terminal Position Assurance)

Primary Product Color: Yellow

Primary Product Material: Nylon 6

Number of Positions: 4

Operating Temperature Range: -40 - 120 °C [-40 - 248 °F]

All Unsealed Locks and Position Assurance (9)

Features

Product Type Features

Troduct Type realures	
Sealable	No
Connector & Contact Retention Accessory Type	TPA (Terminal Position Assurance)
Configuration Features	
Number of Positions	4
Body Features	
Primary Product Color	Yellow
Primary Product Material	Nylon 6
Usage Conditions	
Operating Temperature Range	-40 - 120 °C[-40 - 248 °F]
Industry Standards	
UL Flammability Rating	UL 94HB



Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts









Customers Also Bought





















Documents

Product Drawings

TPA REC HSG,4POS,AMP MCP 6.3/4.8K

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_2388168-1_A.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_2388168-1_A.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_2388168-1_A.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Product Specifications

TPA (Terminal Position Assurance), Yellow, Nylon 6, 4 Position, -40 – 120 °C [-40 – 248 °F], Automotive Connector Locks & Position Assurance



Product Specification

English