




**Part Number :** 1300610040  
**Product Description :** BradPower A-Size (7/8"-M22) Single-Ended Cordset, 3 Poles, Female, (90°) to Pigtail, 14 AWG, PVC Cable, 2.0m (6.56') Length  
**Series Number :** 130061  
**Status :** New Business Not Supported  
**Product Category :** Circular Industrial Cordsets  
**Engineering Number :** 103001A46M020



Documents & Resources

Product Environment Compliance

Compliance

GADSL/IMDS	Not Relevant
China RoHS	Not Reviewed per SJ/T 11365-2006
EU ELV	Not Relevant
Low-Halogen Status	Not Reviewed per IEC 61249-2-21
REACH SVHC	Not Reviewed per D(2024)4144-DC (27 June 2024)
EU RoHS	Compliant with Exemption 6(c) per EU 2015/863

Multiple Part Product Compliance Statements

- Eu RoHS
- REACH SVHC
- Low-Halogen

Multiple Part Industry Compliance Documents

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

EU RoHS Certificate of Compliance

## Part Details

### General

Status	New Business Not Supported
Category	Circular Industrial Cordsets
Series	130061
Description	BradPower A-Size (7/8"–M22) Single-Ended Cordset, 3 Poles, Female, (90°) to Pigtail, 14 AWG, PVC Cable, 2.0m (6.56') Length
IP Rating	IP67
Product Name	BradPower A-Size
Protocol	FF
Region	Europe
Type	Single Ended
UPC	78678884650

### Agency

UL	E258922
----	---------

### Electrical

Current - Maximum per Contact	15.0A
Voltage - Maximum	600V

### Physical

Cable Diameter	14.22mm (.560")
Cable Length	2.0m (6.56')
Color - Cable Jacket	Gray
Connector End A	BradPower A-Size (7/8"–M22)
Connector End B	Pigtail
Coupling Style	Threaded
Gender	Female-Pigtail
Keyway	Single
LED Indicator	No
Material - Cable Jacket	PVC
Material - Connector Body	PVC

Material - Contact	Copper Alloy
Material - Coupling Nut	Black Epoxy Coated Zinc
Material - Plating Mating	Gold
Net Weight	1.000/g
Orientation	90° to Pigtail
Poles	3
Temperature Range - Operating	-20° to +90°C
Wire/Cable Type	Unshielded-Stranded
Wire Size (AWG)	14

---

This document was generated on Oct 21, 2024