

https://www.phoenixcontact.com/us/products/1580525



Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



HEAVYCON ADVANCE panel mounting base for B32 motor housing, for increased environmental requirements, EMC conductive, for Allen screw locking

Commercial data

Item number	1580525
Packing unit	6 pc
Minimum order quantity	1 pc
Product key	BF7AAA
GTIN	4046356463218
Weight per piece (including packing)	839.183 g
Weight per piece (excluding packing)	839.183 g
Country of origin	DE



https://www.phoenixcontact.com/us/products/1580525



Technical data

Product properties

Product type	Housing with screw locking
Housing type	Panel mounting base
Application	Standard
Туре	B32
Fixing screws	M6 (5 mm Allen screw)
Shielded	yes
Pg screw connection	none

Dimensions

Dimensional drawing	7
Width	94 mm
Height	84.3 mm
Length	137.8 mm

Material specifications

Seal material	NBR, conductive
Housing material	die-cast aluminum
Housing surface material	uncoated

Environmental and real-life conditions

Ambient conditions

Degree of protection	IP66
	IP68 (0.2 bar/24 h)
	IP69K
Enclosure rating (NEMA)	4
	4X
	6P
	12
Ambient temperature (operation)	-40 °C 125 °C

Mechanical properties

Mechanical data

Locking type	Nut

Mounting

Fixing screws	M6 (5 mm Allen screw)





https://www.phoenixcontact.com/us/products/1580525



Drawings


Dimensional drawing





Dimensional drawing

Dimensional drawing



Fixing holes



1580525

https://www.phoenixcontact.com/us/products/1580525

Classifications

ECLASS

ECLASS-11.0	27440202
ECLASS-13.0	27440202



https://www.phoenixcontact.com/us/products/1580525



Environmental product compliance

EU REACH SVHC

REACH candidate substance (CAS No.)

No substance above 0.1 wt%



https://www.phoenixcontact.com/us/products/1580525



Accessories

SF-BIT-HEXB 5-89 - Screw insert

1208911

https://www.phoenixcontact.com/us/products/1208911



Screw bit, hexagonal with ball head, E6.3-1/4" drive, size: Hex 5 x 89 mm, hardened, suitable for holder according to DIN 3126-F 6.3/ISO 1173

SF-M BH - Screwdriver

1212070

https://www.phoenixcontact.com/us/products/1212070



Bit screwdriver, with 1/4" quick-action chuck, handle length 119 mm, 2-component handle, with non-slip grip, suitable for bits according to DIN 3126-C 6.3 and E 6.3/ISO 1173, magnetic

Phoenix Contact 2024 © - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com