



PRODUCT NUMBER
SEE SHEET 3



2.35 ϕ OF EVEN COLUMNS
2.25 ϕ OF ODD COLUMNS




SECTION AA-AA

spec ref		---		dr		Lin-Soe Ngwe		2013/01/25		projection		MM		size		A2		scale		10:1					
tolerance std		ASME Y14.5M		eng		Art Lin		2016/11/10						ecn no		ELX-DG-25255-1									
TOLERANCES UNLESS OTHERWISE SPECIFIED				chr		Heaven Cen		2016/11/17						rel level		Released									
				appr		Pei-Ming Zheng		2016/11/18		product family		-													
surface		✓		linear		0.X		±.3		Amphenol FCI		title		AirMax VS2 R.A. HEADER		dwg no		10124151		rev		D			
				0.XX		±.15																			
				0.XXX		±.050																			
				angular		0°		±2°		www.fci.com		cat. no.		-		Product- Customer Drw		sheet 1 of 3							
PDS: Rev :D																						STATUS: Released		Printed: Nov 22, 2016	

Amphenol
FCI

© 2016 APCI



SEE DETAIL B

NOTE 13

NOMINAL OUTLINE OF CONNECTOR NOTE 7

ROW ID

70X 1.4

5X 2.100

COLUMNS 1, 3, 5, 7 & 9

9X 2

9

COLUMN ID

75X 1.4

5X (0.10)

ODD AND EVEN COLUMN OFFSET

5X 2.000

COLUMNS 2, 4, 6, 8 & 10

RECOMMENDED PCB LAYOUT
FOR DIFFERENTIAL APPLICATIONS
COMPONENT SIDE
(TWO ADJACENT FOOTPRINTS SHOWN)
NOTES 8 & 12

SCALE 8:1

spec ref		---		dr		Lin-Soe Ngwe		2013/01/25		projection		MM		size		A2		scale		8:1											
tolerance std		TOLERANCES UNLESS OTHERWISE SPECIFIED		eng		Art Lin		2016/11/10				MM		ecn no		ELX-DG-25255-1															
ASME Y14.5M				chr		Heaven Cen		2016/11/17						rel level		Released															
		appr		Pei-Ming Zheng		2016/11/18		product family												-											
surface		✓		linear		0.X		±.3				title		AirMax VS2 R.A. HEADER										dwg no		10124151		rev		D	
						0.XX		±.15						5 Pair, 150 pos, 2mm, 10Col, Small Press Fit																	
						0.XXX		±.050																							
-		✓		angular		0°		±2°		www.fci.com		cat. no.		-		Product - Customer Drw										sheet 2 of 3					

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[FCI / Amphenol:](#)

[10124151-101LF](#) [10124151-102LF](#)