



Connectors > Automotive Connectors > Automotive Housings > DEUTSCH DTP Housings



Connector System: **Wire-to-Wire**

Number of Positions: **4**

Connector & Housing Type: **Housing for Female Terminals**

Centerline (Pitch): **6.7 mm [.264 in]**

Sealable: **Yes**

[All DEUTSCH DTP Housings \(34\)](#)

Features

Product Type Features

Mixed & Hybrid Connector	No
Connector Shape	Rectangular
Connector System	Wire-to-Wire
Connector & Housing Type	Housing for Female Terminals
Sealable	Yes
Connector & Contact Terminates To	Wire & Cable
Primary Locking Feature	Integrated in Housing

Configuration Features

Blank Cavity Position	0
Number of Positions	4
Number of Rows	2

Electrical Characteristics

Operating Voltage	200 VAC
-------------------	---------



Nominal Voltage Architecture200 V

Body Features

Cable Exit Angle180°

Primary Product ColorGray

Contact Features

Contact SizeSize 12

Contact TypeSocket

Mating Pin Diameter.24 mm[.094 in]

Contact Current Rating (Max)25 A

Mechanical Attachment

Terminal Position AssuranceNo

Strain ReliefWithout

Mating Alignment TypePolarized

Mating AlignmentWith

Connector Mounting TypeCable Mount (Free-Hanging)

Housing Features

Housing MaterialPA GF

Centerline (Pitch)6.7 mm[.264 in]

Dimensions

Connector Height34.6 mm[1.36 in]

Product Width22 mm[.866 in]

Product Length24.4 mm[.96 in]

Row-to-Row Spacing10.2 mm[.4 in]

Compatible Insulation Diameter Range3.4 – 4.9 mm[.134 – .195 in]

Usage Conditions

Operating Temperature (Max)125 °C[257 °F]

Operating Temperature Range-55 – 125 °C[-67 – 257 °F]

Operation/Application

Circuit ApplicationPower

Industry Standards

Degree of ProtectionIP68, IP6K9K

Compatible With Agency/Standards ProductsSAE J2030



UL Flammability Rating	UL 94V-0
------------------------	----------

Packaging Features

Packaging Quantity	1
Packaging Method	Package

Other

Serviceable	Yes
Connector Position Assurance Capable	No

Product Compliance

For compliance documentation, visit the product page on [TE.com](#)>



EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUNE 2024 (241) SVHC > Threshold: Octamethylcyclotetrasiloxane (D4) (.5% in Component Part) Dodecamethylcyclohexasiloxane (D6) (.5% in Component Part) Decamethylcyclopentasiloxane (D5) (.5% in Component Part) Article Safe Usage Statements: Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>




Compatible Parts

 TE Part # CAT-D486-CH8172 DEUTSCH DTP Housings	 TE Part # CAT-D48-SP729 DEUTSCH Sealing Plugs	 TE Part # CAT-D486-H342 DEUTSCH DTP Headers	 TE Part # CAT-D48-ST273 DEUTSCH Solid Contacts
 TE Part # WP-4S WEDGE LOCK, 4P, PLG, ORG, DTP	 TE Part # DT-RT1 EXT TOOL, FRONT RELEASE	 TE Part # DTP4S-BT BOOT, 4P, PLG, ST, GRY	 TE Part # 1062-12-0144 SOC, SF, SIZE 12, 12-14, AU/SN
 TE Part # 1062-12-0222 SOC, SF, SIZE 12, 10, NI/NI	 TE Part # B90-DTP04 BKSHL, 4P, BLK, PLG, RA-U, SIDE B, NW 16	 TE Part # DTP15-4P HDR, 4P, BLK, ST, SN/NI/CU	 TE Part # DTP4S-BT-EN BOOT, 4P, PLG, ST, LONG, GRY
 TE Part # 180-DTP04 BKSHL, 4P, BLK, PLG, ST, SIDE AB, NW 16	 TE Part # 1062-12-0166 SOC, SF, SIZE 12, 12-14, NI/SN	 TE Part # 1062-12-0244 SOC, SF, SIZE 12, 10, AU/SN	 TE Part # A90-DTP04 BKSHL, 4P, BLK, PLG, RA-U, SIDE A, NW 16
 TE Part # A90-DTP04-952B BKSHL, 4P, BLK, PLG, RA-D, SIDE A, NW 16	 TE Part # B90-DTP04-952B BKSHL, 4P, BLK, PLG, RA-D, SIDE B, NW 16		

Also in the Series | DEUTSCH DT



Automotive Connector Caps & Covers (19)



Automotive Connector Locks & Position Assurance (87)



Automotive Housings (705)



Connector Backshells (61)



Connector Seals & Cavity Plugs (6)



Connector Strain Relief (28)



Insertion & Extraction Tools (3)




Other Automotive Connector Accessories (28)



PCB Headers & Receptacles (106)

Also in the Series | **DEUTSCH DTP**



Automotive Connector Locks & Position Assurance (4)




Automotive Housings (34)



Connector Backshells (1)



Insertion & Extraction Tools (3)



PCB Headers & Receptacles (5)



Customers Also Bought



TE Part #WP-2P
DEUTSCH DTP Wedgelocks



TE Part #W12S
Wedgelocks: DEUTSCH DT



TE Part #DT04-2P
DEUTSCH DT Receptacle Connectors



TE Part #DT06-2S
PLG, 2P, GRY, N



TE Part #1062-12-0222
SOC, SF, SIZE 12, 10, NI/NI



TE Part #DTP04-4P-L012
REC, 4P, GRY, N, FLANGE



TE Part #1060-20-0122
PIN, SF, SIZE 20, 16-22, NI/NI

Documents

Product Drawings

PLG, 4P, GRY, N

English

CAD Files

Customer View Model

ENG_CVM_CVM_DTP06-4S_99.2d_dxf.zip

English

3D PDF

3D

Customer View Model

ENG_CVM_CVM_DTP06-4S_99.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_DTP06-4S_99.3d_stp.zip

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

ICT Terminals and Connectors Catalogue

English

CONNECTOR SELECTOR

English

Product Specifications

Engineering Report



English

[Agency Approvals](#)

[UL Report](#)

English