



Switches > Toggle Switches > Toggle Switch 1-Pole, Sealed, Lever, Toggle

Configuration (Pole-Throw): **Single Pole - Double Throw**

Bushing Thread Size: **M12 x .75**

Contact Base Material: **Copper**

Switch Contact Plating Material: **Silver Tin Oxide**

Process Sealed: **Yes**

[All Toggle Switch 1-Pole, Sealed, Lever, Toggle \(43\)](#)

Features

Product Type Features

|                        |                        |
|------------------------|------------------------|
| Switch Connection Type | Quick Connect Terminal |
| Sealed Device          | Yes                    |
| Toggle Style           | Lever                  |
| Switch Type            | Toggle                 |

Configuration Features

|                            |                            |
|----------------------------|----------------------------|
| Configuration (Pole-Throw) | Single Pole - Double Throw |
| Operating Function         | On Off On                  |

Electrical Characteristics

|                        |        |
|------------------------|--------|
| Contact Current Rating | 15 A   |
| Operating Voltage      | 28 VDC |

Body Features

|                     |  |
|---------------------|--|
| Actuator Finish     | Thermoplastic                          |
| Bushing Thread Size | M12 x .75                              |
| Sealing Method      | Strippable Transparent Protective Seal |
| Product Orientation | Horizontal                             |
| Bushing Style       | Threaded                               |

Contact Features

|                       |        |
|-----------------------|--------|
| Contact Base Material | Copper |
|-----------------------|--------|



Switch Contact Plating Material

Silver Tin Oxide

Mechanical Attachment

Product Mount Type

Panel

Housing Features

Process Sealed

Yes

Operation/Application

Opposite Keyway Toggle Position

2-3 (Momentary)

Center Toggle Position

0

Keyway Toggle Actuation Position

1-2 (Momentary)

Industry Standards

IP Rating

IP6K5

Product Compliance

For compliance documentation, visit the product page on [TE.com](#)>

|   |   |
|---|---|
| EU RoHS Directive 2011/65/EU                  | Compliant with Exemptions   |
| EU ELV Directive 2000/53/EC                   | Compliant with Exemptions   |
| China RoHS 2 Directive MIIT Order No 32, 2016 | Restricted Materials Above Threshold  |
| EU REACH Regulation (EC) No. 1907/2006        | Current ECHA Candidate List: JUNE 2024 (241)<br>Candidate List Declared Against: JAN 2021 (211)<br>SVHC > Threshold:<br>Pb (3.5% in Component part)<br><b>Article Safe Usage Statements:</b><br>Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location. |
| Halogen Content                               | Not Yet Reviewed for halogen content  |
| Solder Process Capability                     | Not reviewed for solder process capability  |

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>



### Compatible Parts

TE Part # K1042044  
[Toggle Switch 07-4-2-13 933](#)

TE Part # K1014075  
[Toggle Switch 07-1-2-15 934](#)

Also in the Series

KISSLING Series 07

Other Automotive Connector Accessories(1)

Switch Seals & Accessories(7)

Toggle Switches(98)

### Customers Also Bought

TE Part #776164-1  
[35POS,AMPSEAL,SOC HSG ASSY,SLD, COD 1](#)

TE Part #770854-3  
[CONTACT,AMPSEAL AU L/P](#)

TE Part #174047-2  
[040 MULTILOCK PLUG 20P](#)

TE Part #173716-1  
[040 HDIO REC CONT](#)

TE Part #K1159876  
[packaging unit 250 pcs hex nut M30x 1,5](#)

### Documents

Product Drawings

[Toggle Switch 07-1-2-17 934](#)

English

[Toggle Switch 07-1-2-17 934](#)



German

CAD Files

3D PDF

3D

Customer View Model

ENG\_CVM\_CVM\_07-1-2-17-934\_A.2d\_dxf.zip

English

Customer View Model

ENG\_CVM\_CVM\_07-1-2-17-934\_A.3d\_igs.zip

English

Customer View Model

ENG\_CVM\_CVM\_07-1-2-17-934\_A.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

KISSLING TOGGLE SWITCH Series 07

English