



AUXILIARY VIEWS  
SCALE 1:1

NOTES:

1. MATERIAL: SEE TABLE
2. FINISHES: SEE TABLE
3. PRODUCT SPECIFICATION: NOT REQUIRED
4. PACKAGING: NOT REQUIRED
5. MATES WITH: MOST 5.08 [.200] PIN HEADERS
6. "XX" REFERS TO THE QUANTITY OF CIRCUITS
7. ROHS COMPLIANT



5	XX	XX	SCREW, M3.5 X .280	STEEL	ZINC CHROMATE
4	XX	XX	NUT, M3.5, HEX	STEEL	ZINC CHROMATE
3	XX/2	(XX-1)/2	REAR ROW TERM. (LONG)	PHOS. BRONZE	HOT TIN DIP
2	XX/2	(XX+1)/2	FRONT ROW TERM. (SHORT)	PHOS. BRONZE	HOT TIN DIP
1	1	1	BARRIER	THERMOPLASTIC	BLACK
ITEM	QTY. (EVEN NO. OF CIRCUITS)	QTY. (ODD NO. OF CIRCUITS)	DESCRIPTION	MATERIAL NO.	ENGINEERING NO.

FUNCTIONAL SYMBOLS  <div><div><div><div></div></div><div></div></div><div>= 0</div></div> <div><div><div><div></div></div><div></div></div><div>= 0</div></div> <div><div><div><div></div></div><div></div></div><div>= 0</div></div>  DIVISIONAL SYMBOLS	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION											
	DIMENSION UNITS		SCALE		CURRENT REV DESC: REMOVED "OPTIONAL 10A IMPRINTING" FROM SHEET-2			<div>molex</div>				
	MM/INCH		2:1									
	GENERAL TOLERANCES (UNLESS SPECIFIED)							5.08/.200 PLUG ASSY, RWE WITH CLOSED ENDS (9408XX)				
		MM	INCH									
	4 PLACES	±	---	±	---	EC NO: 790249 DRWN: ABENJAMINLW 2024/06/21 CHK'D: DACHAMMER 2024/06/24 APPR: JFMURPHY 2024/07/01 INITIAL REVISION: DRWN: JAFARMER 2024/07/28 APPR: grobertson 2004/12/08			PRODUCT CUSTOMER DRAWING			
	3 PLACES	±	---	±	0.005							
	2 PLACES	±	0.13	±	0.01							
	1 PLACE	±	0.3	±	---							
	0 PLACES	±	---	±	---							
ANGULAR TOL ± 2.0 °				DOCUMENT NUMBER		DOC TYPE		DOC PART	REVISION			
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				SD-39940-004		PSD		001	F2			
				MATERIAL NUMBER		CUSTOMER		SHEET NUMBER				
				SEE TABLE		GENERAL MARKET		1 OF 2				
THIRD ANGLE PROJECTION		DRAWING		SERIES								
		B-SIZE		39940								

10	9	8	7	6	5	4	3	2	1