

Part Number: 2147192040

Product Description: Zero-Hachi Receptacle Housing, 0.80mm Pitch, Single Row, Friction Lock, 4 Circuits, Black

Series Number: 214719

**Status:** Active

**Product Category:** Connector Housings



#### **Documents & Resources**

### **Drawings**

Drawing 2147192040\_sd.pdf

#### 3D Models and Design Files

2D Drawing DXF 2147192040.dxf

2D Drawing DXF (PDF) 2147192040.pdf

3D Model 2147192040\_stp.zip

#### **Specifications**

Packaging Specification 2147199200-SPK-200.pdf Product Specification 2147190000-PS-000.pdf Product Specification 2147190000-PS-001.pdf

## **Product Environment Compliance**

### Compliance

| GADSL/IMDS         | Not Relevant                                       |
|--------------------|--|
| China RoHS         | <b>©</b>   |
| EU ELV             | Not Relevant                                       |
| Low-Halogen Status | Low-Halogen per IEC 61249-2-21                     |
| REACH SVHC         | Not Contained per D(2024)4144-DC<br>(27 June 2024) |
| EU RoHS            | Compliant per EU 2015/863                          |

### **Multiple Part Product Compliance Statements**

- Eu RoHS
- REACH SVHC
- Low-Halogen

Multiple Part Industry Compliance Documents

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

## EU RoHS Certificate of Compliance

## **Part Details**

### General

| Status         | Active  |
|----------------|---|
| Category       | Connector Housings  |
| Series         | 214719  |
| Description    | Zero-Hachi Receptacle Housing,<br>0.80mm Pitch, Single Row, Friction<br>Lock, 4 Circuits, Black |
| Application    | Signal, Wire-to-Board   |
| Product Family | Zero-Hachi Connector System   |
| Product Name   | Zero-Hachi  |
| UPC            | 195842347953  |

# Agency

| UL | E29179 |
|----|--------|
|    |        |

# Physical

| Circuits (maximum)       | 4                      |
|--------------------------|------------------------|
| Circuits (maximum)       | <del>_</del>           |
| Color - Resin            | Black                  |
| Gender                   | Receptacle             |
| Glow-Wire Capable        | No                     |
| Keying to Mating Part    | None                   |
| Lock to Mating Part      | Yes                    |
| Material - Resin         | Liquid Crystal Polymer |
| Net Weight               | 14.750/mg              |
| Number of Rows           | 1                      |
| Packaging Type           | Bag                    |
| Panel Mount              | No                     |
| Pitch - Mating Interface | 0.80mm                 |

| Pitch - Termination Interface | 0.80mm         |
|-------------------------------|----------------|
| Polarized to Mating Part      | Yes            |
| Temperature Range - Operating | -40° to +105°C |

### Mates With / Use With

# Mates with Part(s)

| Description                                  | Part Number   |
|--|---------------|
| Zero-Hachi Right-Angle Single Row<br>Headers | <u>214721</u> |

# Use with Part(s)

| Description                          | Part Number |
|--------------------------------------|-------------|
| Zero-Hachi Female Crimp<br>Terminals | 214720      |

This document was generated on Sep 26, 2024