

 Live Product Chat US Only
8:30am - 5pm ET, Mon - Fri



Product Highlights:

- [View all Features](#) | [Find Similar Products](#)

$$(6 - 1437387 - 7)$$

Quick Links

[Check Pricing & Availability](#)
[Search for Tooling](#)
[Product Feature Selector](#)
[Contact Us About This Product](#)

Product Drawings:

- ? None Available

Catalog Pages/Data Sheets:

- ? None Available

Product Specifications:

- ? None Available

Application Specifications:

- ? None Available

Instruction Sheets:

- ? None Available

CAD Files:

- ? None Available

Additional Information:

- ## ? Product Line Information

Related Products:

- ## ? Tooling

Product Type Features:

- ? Product Type = Terminal Block
- ? Number of Circuits = 1
- ? Integrated Fuse = No
- ? Color = Natural
- ? Screw Size = M5
- ? Screw Material = Steel
- ? UL Recognized = File No. E60677

Mechanical Attachment:

- ? Screw Plating = Bright Zinc/Chrome

Electrical Characteristics:

- ? Current Rating (Amps.) = 65
- ? Voltage Rating (VAC) = 300
- ? Wire Protector Material = Stainless Steel

Body Related Features:

- ? Centerline (mm [in]) = 14.50 [0.571]
 ? Wire Range (mm [AWG]) = 2.00 - 14.00; [14 - 6]
 ? Wire Protection = With
 ? Ground = Without
 ? Series = TSB2000
 ? Flammability Rating = UL 94V -2
 ? CSA File No. = LR28387

Contact Related Features:

- ? Contact Material = Brass
- ? Contact Mating Area Plating Material = Tin

Housing Related Features:

- ? Housing Material = Polyamide

Industry Standards:

- ? RoHS/ELV Compliance = ELV compliant
- ? Lead Free Solder Processes = Not relevant for lead free process
- ? RoHS/ELV Compliance History = Always was ELV compliant

Conditions for Usage:

- ? Temperature Range (°C) = -35 – +100

Other:

- ? Brand = Buchanan