




Connectors > Automotive Connectors > Automotive Connector Accessories > Automotive Connector Locks & Position Assurance



Connector & Contact Retention Accessory Type: **TPA (Terminal Position Assurance)**

Primary Product Material: **PA GF**

Operating Temperature Range: **-40 – 140 °C [-40 – 284 °F]**

Features

Product Type Features

Sealable	No
Connector & Contact Retention Accessory Type	TPA (Terminal Position Assurance)

Body Features

Primary Product Material	PA GF
--------------------------	-------

Usage Conditions

Operating Temperature Range	-40 – 140 °C[-40 – 284 °F]
-----------------------------	----------------------------

Industry Standards

UL Flammability Rating	UL 94HB
------------------------	---------

Packaging Features

Packaging Method	Carton
------------------	--------

Other

Serviceable	Yes
-------------	-----

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241)



Candidate List Declared Against: JUNE 2024 (241)
Does not contain REACH SVHC

Halogen Content	BFR/CFR/PVC Free, but Br/Cl >900 ppm in other sources.
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # CAT-M8793-CH8172
MQS, CONNECTOR HOUSING



TE Part # 4-1719273-5
COVER FAM. SEAL, 180

Customers Also Bought



TE Part #3-1719434-1
4 POS DIA 2.5 SOCKET CONNECTOR HSG



TE Part #2-927770-1
TIMER, RECEPTACLE AND TAB



TE Part #1241396-1
AMP MCP 2.8K, CONTACT, SWS



TE Part #1241608-1
MQS1,5 Sn rec CB unseal. 0,75-1,5



Documents

Product Drawings
RETAINER FOR 60POS SOCKET HSG
English

CAD Files
3D PDF
3D
Customer View Model
ENG_CVM_CVM_1-1355118-1_C_c-1-1355118-1-c.2d_dxf.zip
English
Customer View Model
ENG_CVM_CVM_1-1355118-1_C_c-1-1355118-1-c.3d_igs.zip
English
Customer View Model
ENG_CVM_CVM_1-1355118-1_C_c-1-1355118-1-c.3d_stp.zip
English

By downloading the CAD file I accept and agree to the Terms and Conditions of use.