



Connectors > Connector Accessories > Connector Hardware



Hardware Accessory Function: Latching, Locking & Retention, Mounting

Connector Hardware Accessory Type: Mounting Screw

Primary Product Material: Stainless Steel

Operating Temperature (Max): 130 °C [266 °F]

Operating Temperature Range: -55 – 130 °C [-67 – 266 °F]

Features

Product Type Features

Hardware Accessory Function	Latching, Locking & Retention, Mounting
Connector Hardware Accessory Type	Mounting Screw

Body Features

Primary Product Material	Stainless Steel
--------------------------	-----------------

Mechanical Attachment

Thread Size	M4 x 0.7-6G
-------------	-------------

Dimensions

Product Length	21.33 mm[.84 in]
Product Height	5.08 mm[.2 in]

Usage Conditions

Operating Temperature (Max)	130 °C[266 °F]
Operating Temperature Range	-55 – 130 °C[-67 – 266 °F]

Packaging Features

Packaging Quantity	1
--------------------	---



Packaging Method

Package

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # 213974-1
METRIMATE 30P RCPT HOUSING



TE Part # 211150-1
METRIMATE SKT HSG 25P



TE Part # 208209-2
METRIMATE PIN HSG 19 POSN



TE Part # 208210-2
METRIMATE SOCKET 19 POSN



TE Part # 211758-1
PLUG HSG,12 POSN,METRIMATE

TE Part # 211759-1
RECEPT HSG,12 POSN,METRIMATE

TE Part # 213973-1
METRIMATE 30P PLUG HOUSING

TE Part # 208211-3
SCREW,SHOULDER,SPECIAL

TE Part # 211149-1
PIN HSG,25 POSN,METRIMATE

Also in the Series

AMP Metrimate

Connector Caps & Covers(4)

Connector Hardware(4)

Insertion & Extraction Tools(1)

PCB Headers & Receptacles(83)

Rectangular Connector Housings(35)

Rectangular Contact Inserts(4)

Standard Rectangular Connectors(5)


Customers Also Bought

TE Part #163086-2
LOOSE PIECE PIN TYPEIII+
CONTACT SIZE 16

TE Part #66597-2
III+ PIN,18-14,30AU/FL,STRIP

TE Part #1-66360-4
III+ SKT,18-14,30AU/FL,LP


TE Part #211150-1
METRIMATE SKT HSG 25P



TE Part #1-770969-0
06P MINI UMN L R/A HDR ASSY SN



TE Part #211758-1
PLUG HSG,12 POSN,METRIMATE



TE Part #925324-2
FF 250 PLUG HSG 1P NYLON CLEAR



TE Part #6648405-1
CONTACT,SKT,SIZE #0



TE Part #211149-1
PIN HSG,25 POSN,METRIMATE

TE Part #1520204-1
8690K2=10 AMP TOGGLE DPDT

Documents

Product Drawings

SCREW SHOULDER, SPEC

English

CAD Files

Customer View Model

ENG_CVM_208211-1_M.3d_igs.zip

English

Customer View Model

ENG_CVM_208211-1_M.3d_stp.zip

English

Customer View Model

ENG_CVM_208211-1_M.2d_dxf.zip

English

3D PDF

English

3D PDF

3D

Customer View Model

ENG_CVM_CVM_208211-1_S.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_208211-1_S.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_208211-1_S.3d_stp.zip

English



By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages
METRIMATE_PIN_SOCKET_CATALOG
English

Product Specifications
Application Specification
English