



Bilingual DANGER Do Not Operate Without Guards In Place Sign

# Bilingual DANGER Do Not Operate Without Guards In Place Sign







## **Product Highlights**

Sign Size (H x W):

7" x 10"

Material:

Polyester

Part Number:

125189

ADD TO CART





#### **Add To Favorites**

# Overview

B-302 is an indoor/outdoor high performance pressure sensitive safety sign, and is surface printed polyester with a polyester overlaminate.

- Weathers up to 8 years outdoors, even longer indoors, and withstands wide temperature variations (up to 230°F)
- Flexible material conforms to most surfaces while protected graphics hold up to harsh environments, abrasion, and repeated spills and cleanings
- Permanent, pressure sensitive adhesive forms a long-lasting bond to even the most difficult surfaces and shapes
- Cold temperature adhesive allows the signage to be applied at 0°F (-18°C)

# **Specifications**

Material Number	B-302
Country of Origin	US - All trade information (i.e. Country of Origin, Harmonized Schedule code, and/or Export Control Classification Number) and related assistance provided by Brady Corporation and its affiliates is provided for informational purposes only and is subject to change without notice. Any use of such information by you is without recourse to Brady Corporation or its affiliates and is at your own risk. This information is not provided as legal advice or as a substitute for obtaining specific legal advice. If you have any questions regarding your specific situation, you should consult your attorney.
Catalog Page #	59
Dimensions	7 in H x 10 in W x 0.006 in D
UOM	Each
Illumination	Not Illuminated
Indoor or Outdoor Use	Outdoor Use
Laminated	Laminated
Maximum Service Temperature °F	230 °F
Minimum Service Temperature °F	-40 °F

PSPA Photoluminescence Class	Not Illuminated
Product Number	125189
UPC	754473728168
Reverse Legend	No Reverse Text
Sign Size (H x W)	7" x 10"
Thickness	0.01 in
UNSPSC	55121704
Adhesive Type	Acrylic
Color	Black/Red on White
Header	DANGER/PELIGRO
Language	English, Spanish
Material	Polyester
Meets Industry Standards - Signs	ANSI Z53.1-1967
Mounting Type	Self-Adhesive
Reflective Type	Non-Reflective
Resistance Properties	Abrasion-Resistant, Chemical-Resistant
Reverse Header	No Reverse Header
Shape	Rectangle
Text Legend	DO NOT OPERATE WITHOUT GUARDS IN PLACE/NO OPERAR SIN LOS PROTECTORES DE SEGURIDAD

## **Solutions**

Floor Marking Guide GHS Label Compliance Lockout Tagout

Arc Flash Labeling Requirements

Compliance

Cable and Wire Label Options

Product and Barcode Labeling

## **Services**

Lockout Tagout Services
Arc Flash Services
Confined Space Services
Software Programming &
Integration
Label Template & File
Conversion

Printer Use & Training
Printer Preventative

Maintenance

Services

Toll and Custom Coating
Authentication & Tracking

## Help

Contact Us
Website Feedback
Knowledge Center
Printer Drivers & Firmware
Brady Software Updates
Safety Data Sheets
Technical Data Sheets
WEEE-RoHS Compliance
Product Certification
Printer Registration

### Resources

Find a Distributor

Design Custom Safety
Signs

Create Custom THT Labels
Printer Selection Tool
Label Selection Tool
Digital Catalog
Request a Catalog
Interactive Facility Map
EPA e-Manifest Update

Sites 6555 W. **About Distributor Good Hope** Careers Rd. **Portal** Investors  $Internation a {\color{blue}Milwaukee},$ Privacy WI 53223 Policy Sites Phone: 888-Terms and Safety 250-3082 **Conditions Services &** Hours: 7am-Terms of Software 6pm CT Use **Brand** Monday -ISO **Protection** Thursday; **Certificates Solutions** Friday 7am-

5pm CT

manufacturer of complete solutions that identify and protect people, products and places. Brady's products help customers increase safety, security, productivity and performance and include high-performance labels, signs, safety devices, printing systems and software.











VISA





2019 © Brady Worldwide, Inc.