




Terminals & Splices > Quick Disconnects



Quick Disconnect Terminal Type: **Tab**

Wire Size: **1624 – 4107 CMA**

Mating Tab Width: **6.35 mm [.25 in]**

Features

Configuration Features

Connection Capacity	Single
Compatible With Wire & Cable Type	Discrete Wire

Contact Features

Quick Disconnect Terminal Type	Tab
Mating Tab Width	6.35 mm[.25 in]
Mating Tab Thickness	.81 mm[.032 in]
Terminal Orientation	Straight
Contact Base Material	Brass
Terminal Plating Material	Unplated
Crimp Type	F-Crimp
Barrel Type	Open

Termination Features

Product Terminates To	Wire & Cable
-----------------------	--------------

Dimensions

Wire Size	1624 – 4107 CMA
-----------	-----------------

Usage Conditions

--	--



Insulation Option	Uninsulated
Operating Temperature Range	-40 – 110 °C[-40 – 230 °F]

Packaging Features

Packaging Method	Reel
------------------	------

Product Compliance

For compliance documentation, visit the product page on [TE.com](#)>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts

TE Part # 2150412-1
OCEAN_2.0_Applicator-E-140F180F-REM

TE Part # 2150412-2
OCEAN_2.0_Applicator-E-140F180F-REA

TE Part # 7-2150412-7
OCEAN_2.0_SPARE_PART_KIT-140F180F

TE Part # 90120
DAHT 250 FASTON REC 14-10 ASSY



Also in the Series

FASTON 250



Compression Connectors(4)



Crimp Terminal Housings(132)



Insertion & Extraction Tools(6)



Magnet Wire Terminals(1)



PCB Terminals(134)



Quick Disconnects(426)



Splices(4)

Customers Also Bought




TE Part #2213800-1
COOLSPlice NEW STANDARD



TE Part #8-34124-1
TERM,SOLIS R 16-14 1/4



TE Part #2-34109-2
SOLIS R 22-16 COMM 22-18MIL 10




TE Part #180940
FF 250 TAB HSG 3P NYLON NAT



TE Part #62223-1
250 FASTON REC 18-14 AWG BR



TE Part #2-33458-3
TERMINAL,SOLIS R 12-10 1/4




TE Part #172075-1
POSITIVE LOCK 187 HOUSING RECEPTACLE



TE Part #HDP24-24-21PE-L015
REC, 21P, BLK, E, THD, 12/16, P



TE Part #NB08082001
HTAT-48/13-0-STK



TE Part #931901-000
2021D0309-0

Documents

Product Drawings
250 FASTON,TAB,18-14 AWG,BR
English

CAD Files
3D PDF
3D
Customer View Model
ENG_CVM_CVM_41411_AJ.2d_dxf.zip
English
Customer View Model
ENG_CVM_CVM_41411_AJ.3d_igs.zip
English
Customer View Model
ENG_CVM_CVM_41411_AJ.3d_stp.zip
English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages
FASTON Tabs
English

Agency Approvals
Agency Approval Document
English