







- NOTES
- 材質及び仕上げ(めっき仕様) : TABLE 1, TABLE 2 参照
MATERIAL AND FINISHES (PLATING SPECIFICATION) : SEE TABLE 1 AND TABLE 2
 - 製品仕様書、コネクタ取扱説明書、適合嵌合相手はSHEET 5をご参照下さい。
PLEASE REFER TO SHEET 5 FOR PRODUCT SPECIFICATION, APPLICATION SPECIFICATION AND MATE WITH.
 - 偶数極に適用
APPLY TO EVEN CIRCUIT
 - 本製品は金めっき品である。
錫めっき品は5055750001 PSD 000をご参照下さい。
THIS IS GOLD PLATING PRODUCT.
PLEASE REFER TO 5055750001 PSD 000 FOR TIN PLATING PRODUCT.
 - 端子テール部及びネイルの平坦度 : 0.1mm以下
TAIL AND NAIL COPLANARITY TO BE 0.1mm MAXIMUM.
 - 発注番号 : SHEET 5参照
ORDER NUMBER : PLEASE REFER TO SHEET 5

505575****	番号 NO.	ハウジングカラー HOUSING COLOR
極数 CIRCUIT SIZE	0	ナチュラル(白) NATURAL (WHITE)
	1	黒 BLACK

番号 NO.	接点部金めっき厚 CONTACT GOLD PLATING THICKNESS [MICROMETER MINIMUM]	カバーテープ COVER TAPE
9	0.1	有 WITH
3	0.38	
5	0.76	
6	0.1	無 WITHOUT
2	0.38	
4	0.76	


34.53	30	36	16
32.53	28	34	15
30.53	26	32	14
28.53	24	30	13
26.53	22	28	12
24.53	20	26	11
22.53	18	24	10
20.53	16	22	9
18.53	14	20	8
16.53	12	18	7
14.53	10	16	6
12.53	8	14	5
10.53	6	12	4
8.53	4	10	3
6.53	2	8	2
C	B	A	極数 CIRCUIT SIZE

番号 NO.	部品 PART	材質 MATERIAL
①	ハウジング HOUSING	ポリアミド (PA), ガラス充填, UL94V-0, 色 : SHEET 5 参照 POLYAMIDE (PA), GLASS FILLED, UL94V-0, COLOR : SEE SHEET 5
②	ターミナル TERMINAL	黄銅 BRASS
		金めっき (接点部) : SHEET 5 参照 GOLD PLATING (CONTACT) : SEE SHEET 5
		ニッケルめっき (下地めっき) : 2.0 MICROMETER MINIMUM NICKEL PLATING (UNDERPLATING)
③	ネイル NAIL	リン青銅 PHOSPHOR BRONZE
		錫めっき : 1.0 MICROMETER MINIMUM MATTE TIN PLATING
		ニッケルめっき (下地めっき) : 1.0 MICROMETER MINIMUM NICKEL PLATING (UNDERPLATING)
④	カバーテープ COVER TAPE	ポリイミド POLYIMIDE
DOCUMENT STATUS P1 RELEASE DATE 2023/11/06 03:04:33		




THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION											
DIMENSION UNITS		SCALE		CURRENT REV DESC:			molex				
mm		NTS									
GENERAL TOLERANCES (UNLESS SPECIFIED)				MICRO-LOCK PLUS 2.0 W/B SINGLE ROW VERTICAL SMT PLUG ASSEMBLY GOLD PLATING							
ANGULAR TOL ± 3.0 °											
4 PLACES		± 0.2		EC NO: 767521		PRODUCT CUSTOMER DRAWING					
3 PLACES		± 0.2		DRWN: SOKUMURA01 2023/10/31							
2 PLACES		± 0.2		CHK'D: SAKIYAMA 2023/11/02							
1 PLACE		± 0.2		APPR: AIDA 2023/11/06		DOCUMENT NUMBER 5055750002-SD					
0 PLACES		± 0.2		INITIAL REVISION:						DOC TYPE	
DRWN: SOKUMURA01 2019/07/17				2023/08/04		PSD		000		B	
APPR: MARAI						MATERIAL NUMBER		CUSTOMER		SHEET NUMBER	
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				THIRD ANGLE PROJECTION		DRAWING		SERIES			
						A3-SIZE		505575		SEE SHEET 5	
								GENERAL		1 OF 5	

製品形状
PRODUCT SHAPE



基板パターンレイアウト
PCB PATTERN LAYOUT



推奨基板パターンレイアウト
(参考：基板厚1.6mm, メタルマスク厚0.15mm, マスク開口率100%)
RECOMMENDED PCB PATTERN LAYOUT
(REFERENCE: PCB THICKNESS 1.6mm, STENCIL THICKNESS 0.15mm, APERTURE RATIO 100%)

パターン禁止エリア
RESTRICTED AREA
NO PCB COMPONENTS ALLOWED


THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION												
DIMENSION UNITS		SCALE	CURRENT REV DESC:					molex MICRO-LOCK PLUS 2.0 W/B SINGLE ROW VERTICAL SMT PLUG ASSEMBLY GOLD PLATING				
mm	NTS											
GENERAL TOLERANCES (UNLESS SPECIFIED)												
ANGULAR TOL ± 3.0 °			EC NO: 767521 DRWN: SOKUMURA01									

F

カバーテープ無
WITHOUT COVER TAPE


カバーテープ有
WITH COVER TAPE

F




C

嵌合状態図
MATED CONNECTOR



					2 PLACES		± 0.2	APPR: AIDA 2023/11/06		PRODUCT CUSTOMER DRAWING								
					1 PLACE		± 0.2	INITIAL REVISION: DRWN: SOKUMURA01 2019/07/17		5055750002-SD		PSD	000	B				
					0 PLACES		± 0.2	APPR: MARAI 2023/08/04										
					DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIRD ANGLE PROJECTION 		DRAWING A3-SIZE		SERIES 505575		MATERIAL NUMBER SEE SHEET 5		CUSTOMER GENERAL		SHEET NUMBER 3 OF 5	
									3 OF 5									
DOCUMENT STATUS					P1	RELEASE DATE		2023/11/06 03:04:33										



NOTES

7. 梱包数量 : 600個
THE NUMBER OF CONNECTORS : 600 PIECES / REEL
8. トップテープの剥離強度については、IEC 60286-3に準拠
TOP TAPE PEEL FORCE IS DEFINED BY IEC 60286-3.
9. リードテープ長さ
LEAD TAPE LENGTH

引き出し方向
PULL OUT DIRECTION




TABLE 2

番号 NO.	部品 PART	材質 MATERIAL
⑤	エンボステープ EMBOSSSED TAPE	ポリスチレン(PS) POLYSTYLENE(PS)
⑥	トップテープ TOP TAPE	ポリエチレン(PE), その他 POLYETHYLENE(PE), OTHER
⑦	リール REEL	ポリスチレン(PS), [リサイクル材を含む] POLYSTYLENE(PS) [RECYCLY MATERIAL CONTAINED]

DOCUMENT STATUS	P1	RELEASE DATE	2023/11/06	03:04:33
-----------------	----	--------------	------------	----------

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION											
DIMENSION UNITS		SCALE		CURRENT REV DESC:		molex					
mm		NTS									
GENERAL TOLERANCES (UNLESS SPECIFIED)				MICRO-LOCK PLUS 2.0 W/B SINGLE ROW VERTICAL SMT PLUG ASSEMBLY GOLD PLATING							
ANGULAR TOL ± 3.0 °											
4 PLACES		±	0.2	EC NO: 767521		PRODUCT CUSTOMER DRAWING					
3 PLACES		±	0.2	DRWN: SOKUMURA01 2023/10/31							
2 PLACES		±	0.2	CHK'D: SAKIYAMA 2023/11/02							
1 PLACE		±	0.2	APPR: AIDA 2023/11/06		DOCUMENT NUMBER 5055750002-SD					
0 PLACES		±	0.2	INITIAL REVISION:						DOC TYPE PSD	
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				DRWN: SOKUMURA01 2019/07/17		SHEET NUMBER					
				APPR: MARAI 2023/08/04		THIRD ANGLE PROJECTION		DRAWING		SERIES	
						A3-SIZE		505575		SEE SHEET 5	
						CUSTOMER		GENERAL		4 OF 5	

	10	9	8	7	6	5	4	3	2	1																																																																																																																														
F	△₂ 適合製品及び各種仕様書 APPLICABLE PRODUCTS AND VARIOUS SPECIFICATIONS <table><tr><td>梱包仕様書 PACKAGING SPECIFICATION</td><td>5055759200 PS 200</td></tr></table> △₆ 製品一覧 ORDER NUMBER LIST										梱包仕様書 PACKAGING SPECIFICATION	5055759200 PS 200	F																																																																																																																											
梱包仕様書 PACKAGING SPECIFICATION	5055759200 PS 200																																																																																																																																							
E	<table><tr><td>適合嵌合相手シリーズ番号 MATE WITH SERIES NUMBER</td><td>505570</td></tr><tr><td>製品仕様書 PRODUCT SPECIFICATION</td><td>5055700002-PS PS 000</td></tr><tr><td>コネクタ取扱説明書 APPLICATION SPECIFICATION</td><td>5055700001 PS A03</td></tr></table>										適合嵌合相手シリーズ番号 MATE WITH SERIES NUMBER	505570	製品仕様書 PRODUCT SPECIFICATION	5055700002-PS PS 000	コネクタ取扱説明書 APPLICATION SPECIFICATION	5055700001 PS A03	E																																																																																																																							
適合嵌合相手シリーズ番号 MATE WITH SERIES NUMBER	505570																																																																																																																																							
製品仕様書 PRODUCT SPECIFICATION	5055700002-PS PS 000																																																																																																																																							
コネクタ取扱説明書 APPLICATION SPECIFICATION	5055700001 PS A03																																																																																																																																							
D	<table><tr><td colspan="6">発注番号：ORDER NUMBER</td><td rowspan="2">極数 CIRCUIT SIZE</td></tr><tr><td colspan="6">梱包形態：エンボステープ、リール PACKAGING：EMBOSSSED TAPE AND REEL</td></tr></table>										発注番号：ORDER NUMBER						極数 CIRCUIT SIZE	梱包形態：エンボステープ、リール PACKAGING：EMBOSSSED TAPE AND REEL						D																																																																																																																
発注番号：ORDER NUMBER						極数 CIRCUIT SIZE																																																																																																																																		
梱包形態：エンボステープ、リール PACKAGING：EMBOSSSED TAPE AND REEL																																																																																																																																								
C	カバーテープ無 WITHOUT COVER TAPE <table><tr><td>BLACK</td><td>NATURAL(WHITE)</td><td>BLACK</td><td>NATURAL(WHITE)</td><td>BLACK</td><td>NATURAL(WHITE)</td><td>HOUSING COLOR</td></tr><tr><td>5055751641</td><td>5055751640</td><td>5055751621</td><td>5055751620</td><td>5055751661</td><td>5055751660</td><td>16</td></tr><tr><td>5055751541</td><td>5055751540</td><td>5055751521</td><td>5055751520</td><td>5055751561</td><td>5055751560</td><td>15</td></tr><tr><td>5055751441</td><td>5055751440</td><td>5055751421</td><td>5055751420</td><td>5055751461</td><td>5055751460</td><td>14</td></tr><tr><td>5055751341</td><td>5055751340</td><td>5055751321</td><td>5055751320</td><td>5055751361</td><td>5055751360</td><td>13</td></tr><tr><td>5055751241</td><td>5055751240</td><td>5055751221</td><td>5055751220</td><td>5055751261</td><td>5055751260</td><td>12</td></tr><tr><td>5055751141</td><td>5055751140</td><td>5055751121</td><td>5055751120</td><td>5055751161</td><td>5055751160</td><td>11</td></tr><tr><td>5055751041</td><td>5055751040</td><td>5055751021</td><td>5055751020</td><td>5055751061</td><td>5055751060</td><td>10</td></tr><tr><td>5055750941</td><td>5055750940</td><td>5055750921</td><td>5055750920</td><td>5055750961</td><td>5055750960</td><td>9</td></tr><tr><td>5055750841</td><td>5055750840</td><td>5055750821</td><td>5055750820</td><td>5055750861</td><td>5055750860</td><td>8</td></tr><tr><td>5055750741</td><td>5055750740</td><td>5055750721</td><td>5055750720</td><td>5055750761</td><td>5055750760</td><td>7</td></tr><tr><td>5055750641</td><td>5055750640</td><td>5055750621</td><td>5055750620</td><td>5055750661</td><td>5055750660</td><td>6</td></tr><tr><td>5055750541</td><td>5055750540</td><td>5055750521</td><td>5055750520</td><td>5055750561</td><td>5055750560</td><td>5</td></tr><tr><td>5055750441</td><td>5055750440</td><td>5055750421</td><td>5055750420</td><td>5055750461</td><td>5055750460</td><td>4</td></tr><tr><td>5055750341</td><td>5055750340</td><td>5055750321</td><td>5055750320</td><td>5055750361</td><td>5055750360</td><td>3</td></tr><tr><td>5055750241</td><td>5055750240</td><td>5055750221</td><td>5055750220</td><td>5055750261</td><td>5055750260</td><td>2</td></tr><tr><td colspan="6">発注番号：ORDER NUMBER</td><td rowspan="2">極数 CIRCUIT SIZE</td></tr><tr><td colspan="6">梱包形態：エンボステープ、リール PACKAGING：EMBOSSSED TAPE AND REEL</td></tr></table>										BLACK	NATURAL(WHITE)	BLACK	NATURAL(WHITE)	BLACK	NATURAL(WHITE)	HOUSING COLOR	5055751641	5055751640	5055751621	5055751620	5055751661	5055751660	16	5055751541	5055751540	5055751521	5055751520	5055751561	5055751560	15	5055751441	5055751440	5055751421	5055751420	5055751461	5055751460	14	5055751341	5055751340	5055751321	5055751320	5055751361	5055751360	13	5055751241	5055751240	5055751221	5055751220	5055751261	5055751260	12	5055751141	5055751140	5055751121	5055751120	5055751161	5055751160	11	5055751041	5055751040	5055751021	5055751020	5055751061	5055751060	10	5055750941	5055750940	5055750921	5055750920	5055750961	5055750960	9	5055750841	5055750840	5055750821	5055750820	5055750861	5055750860	8	5055750741	5055750740	5055750721	5055750720	5055750761	5055750760	7	5055750641	5055750640	5055750621	5055750620	5055750661	5055750660	6	5055750541	5055750540	5055750521	5055750520	5055750561	5055750560	5	5055750441	5055750440	5055750421	5055750420	5055750461	5055750460	4	5055750341	5055750340	5055750321	5055750320	5055750361	5055750360	3	5055750241	5055750240	5055750221	5055750220	5055750261	5055750260	2	発注番号：ORDER NUMBER						極数 CIRCUIT SIZE	梱包形態：エンボステープ、リール PACKAGING：EMBOSSSED TAPE AND REEL						C
BLACK	NATURAL(WHITE)	BLACK	NATURAL(WHITE)	BLACK	NATURAL(WHITE)	HOUSING COLOR																																																																																																																																		
5055751641	5055751640	5055751621	5055751620	5055751661	5055751660	16																																																																																																																																		
5055751541	5055751540	5055751521	5055751520	5055751561	5055751560	15																																																																																																																																		
5055751441	5055751440	5055751421	5055751420	5055751461	5055751460	14																																																																																																																																		
5055751341	5055751340	5055751321	5055751320	5055751361	5055751360	13																																																																																																																																		
5055751241	5055751240	5055751221	5055751220	5055751261	5055751260	12																																																																																																																																		
5055751141	5055751140	5055751121	5055751120	5055751161	5055751160	11																																																																																																																																		
5055751041	5055751040	5055751021	5055751020	5055751061	5055751060	10																																																																																																																																		
5055750941	5055750940	5055750921	5055750920	5055750961	5055750960	9																																																																																																																																		
5055750841	5055750840	5055750821	5055750820	5055750861	5055750860	8																																																																																																																																		
5055750741	5055750740	5055750721	5055750720	5055750761	5055750760	7																																																																																																																																		
5055750641	5055750640	5055750621	5055750620	5055750661	5055750660	6																																																																																																																																		
5055750541	5055750540	5055750521	5055750520	5055750561	5055750560	5																																																																																																																																		
5055750441	5055750440	5055750421	5055750420	5055750461	5055750460	4																																																																																																																																		
5055750341	5055750340	5055750321	5055750320	5055750361	5055750360	3																																																																																																																																		
5055750241	5055750240	5055750221	5055750220	5055750261	5055750260	2																																																																																																																																		
発注番号：ORDER NUMBER						極数 CIRCUIT SIZE																																																																																																																																		
梱包形態：エンボステープ、リール PACKAGING：EMBOSSSED TAPE AND REEL																																																																																																																																								
B	<table><tr><td colspan="6">発注番号：ORDER NUMBER</td><td rowspan="2">極数 CIRCUIT SIZE</td></tr><tr><td colspan="6">梱包形態：エンボステープ、リール PACKAGING：EMBOSSSED TAPE AND REEL</td></tr></table>										発注番号：ORDER NUMBER						極数 CIRCUIT SIZE	梱包形態：エンボステープ、リール PACKAGING：EMBOSSSED TAPE AND REEL						B																																																																																																																
発注番号：ORDER NUMBER						極数 CIRCUIT SIZE																																																																																																																																		
梱包形態：エンボステープ、リール PACKAGING：EMBOSSSED TAPE AND REEL																																																																																																																																								
A	<table><tr><td>DOCUMENT STATUS</td><td>P1</td><td>RELEASE DATE</td><td>2023/11/06</td><td>03:04:33</td></tr></table>	DOCUMENT STATUS	P1	RELEASE DATE	2023/11/06	03:04:33	<table><tr><td colspan="2">THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION</td></tr><tr><td>DIMENSION UNITS</td><td>SCALE</td></tr><tr><td>mm</td><td>NTS</td></tr><tr><td colspan="2">GENERAL TOLERANCES (UNLESS SPECIFIED)</td></tr><tr><td>ANGULAR TOL</td><td>± 3.0 °</td></tr><tr><td>4 PLACES</td><td>± 0.2</td></tr><tr><td>3 PLACES</td><td>± 0.2</td></tr><tr><td>2 PLACES</td><td>± 0.2</td></tr><tr><td>1 PLACE</td><td>± 0.2</td></tr><tr><td>0 PLACES</td><td>± 0.2</td></tr><tr><td colspan="2">DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS</td></tr></table>	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION		DIMENSION UNITS	SCALE	mm	NTS	GENERAL TOLERANCES (UNLESS SPECIFIED)		ANGULAR TOL	± 3.0 °	4 PLACES	± 0.2	3 PLACES	± 0.2	2 PLACES	± 0.2	1 PLACE	± 0.2	0 PLACES	± 0.2	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		<table><tr><td colspan="2">CURRENT REV DESC:</td></tr><tr><td>EC NO: 767521</td><td rowspan="4">2023/10/31</td></tr><tr><td>DRWN: SOKUMURA01</td></tr><tr><td>CHK'D: SAKIYAMA</td></tr><tr><td>APPR: AIDA</td></tr><tr><td colspan="2">INITIAL REVISION:</td></tr><tr><td>DRWN: SOKUMURA01</td><td>2019/07/17</td></tr><tr><td>APPR: MARAI</td><td>2023/08/04</td></tr><tr><td>THIRD ANGLE PROJECTION</td><td>DRAWING</td></tr><tr><td></td><td>A3-SIZE</td></tr><tr><td>SERIES</td><td>505575</td></tr></table>	CURRENT REV DESC:		EC NO: 767521	2023/10/31	DRWN: SOKUMURA01	CHK'D: SAKIYAMA	APPR: AIDA	INITIAL REVISION:		DRWN: SOKUMURA01	2019/07/17	APPR: MARAI	2023/08/04	THIRD ANGLE PROJECTION	DRAWING		A3-SIZE	SERIES	505575	<table><tr><td colspan="2">DOCUMENT NUMBER</td><td>DOC TYPE</td><td>DOC PART</td><td>REVISION</td></tr><tr><td colspan="2">5055750002-SD</td><td>PSD</td><td>000</td><td>B</td></tr><tr><td colspan="2">MATERIAL NUMBER</td><td colspan="2">CUSTOMER</td><td>SHEET NUMBER</td></tr><tr><td colspan="2">SEE CHART</td><td colspan="2">GENERAL</td><td>5 OF 5</td></tr></table>	DOCUMENT NUMBER		DOC TYPE	DOC PART	REVISION	5055750002-SD		PSD	000	B	MATERIAL NUMBER		CUSTOMER		SHEET NUMBER	SEE CHART		GENERAL		5 OF 5	MICRO-LOCK PLUS 2.0 W/B SINGLE ROW VERTICAL SMT PLUG ASSEMBLY GOLD PLATING PRODUCT CUSTOMER DRAWING																																																																	
DOCUMENT STATUS	P1	RELEASE DATE	2023/11/06	03:04:33																																																																																																																																				
THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																																																																																																																																								
DIMENSION UNITS	SCALE																																																																																																																																							
mm	NTS																																																																																																																																							
GENERAL TOLERANCES (UNLESS SPECIFIED)																																																																																																																																								
ANGULAR TOL	± 3.0 °																																																																																																																																							
4 PLACES	± 0.2																																																																																																																																							
3 PLACES	± 0.2																																																																																																																																							
2 PLACES	± 0.2																																																																																																																																							
1 PLACE	± 0.2																																																																																																																																							
0 PLACES	± 0.2																																																																																																																																							
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS																																																																																																																																								
CURRENT REV DESC:																																																																																																																																								
EC NO: 767521	2023/10/31																																																																																																																																							
DRWN: SOKUMURA01																																																																																																																																								
CHK'D: SAKIYAMA																																																																																																																																								
APPR: AIDA																																																																																																																																								
INITIAL REVISION:																																																																																																																																								
DRWN: SOKUMURA01	2019/07/17																																																																																																																																							
APPR: MARAI	2023/08/04																																																																																																																																							
THIRD ANGLE PROJECTION	DRAWING																																																																																																																																							
	A3-SIZE																																																																																																																																							
SERIES	505575																																																																																																																																							
DOCUMENT NUMBER		DOC TYPE	DOC PART	REVISION																																																																																																																																				
5055750002-SD		PSD	000	B																																																																																																																																				
MATERIAL NUMBER		CUSTOMER		SHEET NUMBER																																																																																																																																				
SEE CHART		GENERAL		5 OF 5																																																																																																																																				