HUM-900-PRC-UFL V ACTIVE

TE Internal #: HUM-900-PRC-UFL RF Module, Parallel / UART Interconnect, 9.6 – 115.2 Kb/s Data Rate, 902 – 928 MHz, 3.6 VDC, Packetized, Transceiver, AES Security, 50 Channel

View on TE.com >



Connectors > RF Connectors > RF Modules > Radio Modules



Radio Module Product Type: RF Module Interconnection Type: Parallel, UART Interface Data Rate: 9.6 – 115.2 Kb/s

Operating Frequency Range: 902 – 928 MHz

Operating Voltage: 3.6 VDC

Features

Product Type Features	
Radio Module Product Type	RF Module
Radio Type	Transceiver
Configuration Features	
Remote Interface	1 - 8 Buttons
Electrical Characteristics	
Operating Voltage	3.6 VDC
TX Current	40.5 mA
RX Current	23.5 mA
Power Down Current (Max)	.5 μΑ
Signal Characteristics	
Interface Data Rate	9.6 – 115.2 Kb/s
Operating Frequency Range	902 – 928 MHz
Number of Channels	50
RF Data Rate	19.2 – 153.6 Kb/s

Parallel, UART

Body Features

Interconnection Type



Product Width	20.65 mm[.813 in]
Product Length	11.43 mm[.45 in]
Usage Conditions	
Operating Temperature Range	-40 - 85 °C[-40 - 185 °F]
Line of Sight Distance	1300 m[4300 ft]
Operation/Application	
Wireless Data Type	Packetized
Modulation	2FSK
RX Sensitivity	-94 dBm
TX Power	9.5 dBm
Industry Standards	
Module Security	AES
Module Protocol	FHSS
Regulatory Type	FCC/IC

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Not Yet Reviewed
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JAN 2024 (240) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits



as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulations, TE's information on SVHC in articles for this part number is still based on the European Chemical Agency (ECHA) 'Guidance on requirements for substances in articles' (Version: 2, April 2011), applying the 0.1% weight on weight concentration threshold at the finished product level. TE is aware of the European Court of Justice ruling of September 10th, 2015 also known as O5A (Once An Article Always An Article) stating that, in case of 'complex object', the threshold for a SVHC must be applied to both the product as a whole and simultaneously to each of the articles forming part of its composition. TE has evaluated this ruling based on the new ECHA "Guidance on requirements for substances in articles" (June 2017, version 4.0) and will be updating its statements accordingly.

Compatible Parts



Customers Also Bought



TE Part #5103310-8
A/L LOW PRO HDR 40P RA BLACK



TE Part #5-103414-4 06 MODII HDR SRST SHRD LF



TE Part #2-1419108-9 RTD14012F











Documents

Product Drawings

Module HUM-PRC 900MHz FHSS FM XCVR FCC

English

Datasheets & Catalog Pages

HumPRC TM Series 900MHz Remote Control RF Transceiver Module

English