






10		9		8		7		6		5		4		3		2		1	
PART NUMBER		CKTS	QUANTITY PER BAG	BAGS PER CARTON	PARTS PER CARTON (SPQ)	MOISTURIZATION METHOD 		PANEL LOCK		 BUBBLE PAPER: 88596-1546  BAG: 96713-0003 (DETAILS REFER TO SHEET 2)  INNER CARTON 313005940 OR 885961537 2CELL DIVIDER QTY(2)  BUBBLE PAPER: 88596-1546  CARTON: 88596-1483									
215922-02*1		2	3000	4	12000	NO MOISTURIZATION		WITHOUT											
215922-04*1		4	2600	4	10400														
215922-06*1		6	2000	4	8000														
215922-08*1		8	1700	4	6800														
215922-10*1		10	1400	4	5600														
215922-12*1		12	1000	4	4000														
215922-1401		14	800	4	3200														
215922-1601		16	800	4	3200														
215922-1801		18	600	4	2400														
215922-2001		20	600	4	2400														
215922-2201		22	600	4	2400	SEE SHEET 2		WITH											
215922-2401		24	450	4	1800														
215922-02*0		2	2000	4	8000														
215922-04*0		4	1800	4	7200														
215922-06*0		6	1600	4	6400														
215922-08*0		8	1100	4	4400														
215922-10*0		10	1000	4	4000														
215922-12*0		12	900	4	3600														
215922-1400		14	800	4	3200														
215922-1600		16	700	4	2800														
215922-1800		18	600	4	2400														
215922-2000		20	600	4	2400														
215922-2200		22	400	4	1600														
215922-2400		24	350	4	1400														

TBD: NO PRODUCTION, TO BE ADDED AFTER BEING PRODUCED.

LEGEND

206461 - X X X X

0 - PANEL MOUNT

1 - FREE HANGING

POLARIZATION / COLOR

0- BLACK

1 - NATURAL

2 - RED

3 - BLUE

4- YELLOW

CKT SIZE 02-24

NOTES:

1.

MOISTURIZATION METHOD DESCRIPTIONG REFER TO SHEET 2.

2.

STANDARD PAKAGE QUANTITY(SPQ) SEE ABOVE CHART.

3.

PACKAGE WAY FOLOW RIGHT ILLUSTRATION.


4.

ALL PAKAGE MATERIAL AND PRODUCT COMPLIANT TO


RoHS DIRECTIVE 2011/65/EU AND ELV DIRECTIVE 2000/53/EV.

DOCUMENT STATUS		P1	RELEASE DATE	2023/07/19	06:20:25	7		6		5		4		3		2		1	
FORMAT: master-tb-prod-A3		9		8		7		6		5		4		3		2		1	
REVISION: J1																			
DATE: 2021/05/01																			

FUNCTIONAL SYMBOLS		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION											
 = 0		DIMENSION UNITS	SCALE	CURRENT REV DESC:									

FUNCTIONAL SYMBOLS  = 0  = 0  = 0 DIVISIONAL SYMBOLS	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION	SCALE 1:1	CURRENT REV DESC:						
	mm								
	GENERAL TOLERANCES (UNLESS SPECIFIED)		EC NO: 736922 DRWN: VENKAS5 CHK'D: VENKAS5 APPR: MRAMAKRISHNA INITIAL REVISION: DRWN: GLLI APPR: XQZHANG THIRD ANGLE PROJECTION 			PACKING SPEC FOR MICRO-FIT PLUS WTW HSG			
	ANGULAR TOL	± °				PRODUCT CUSTOMER DRAWING			
	4 PLACES	±				DOCUMENT NUMBER			
	3 PLACES	± 0.1				2023/01/18			
	2 PLACES	± 0.3				2023/02/03			
	1 PLACE	± 0.5				2023/02/03			
	0 PLACES	±				2021/10/28			
	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS					2021/11/15			
DRAWING		A3-SIZE	SERIES		215922	MATERIAL NUMBER		CUSTOMER	
								SHEET NUMBER	
								1 OF 2	

FREE HANGING PLUG PARTS





DIM'A'	DIM'B'	CKT SIZE
3.85	5.45	2
6.85	8.45	4
9.85	11.45	6
12.85	14.45	8
15.85	17.45	10
18.85	20.45	12
21.85	23.45	14
24.85	26.45	16
27.85	29.45	18
30.85	32.45	20
33.85	35.45	22
36.85	38.45	24

- NOTES:
- 1. MATERIAL: PA66, 94V-0, COLOR : SEE TABLE IN SHEET 5
 - 2. PRODUCT SPECIFICATION: 2159530000-PS.
 - 3. PACKAGE SPECIFICATION: 2159220000-PK.
 - 4. TO USE WITH TERMINAL OF 2015953-****.
 - 5. TO USE WITH TPA OF 206462-****.
 - 6. TO MATE WITH RECEPTACLE OF 206461-****.
 - 7. PARTS CONFORM TO CLASS 'B' REQUIREMENTS OF COSMETIC SPECIFICATION PS-45499-002.

FUNCTIONAL SYMBOLS	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION														
= 0	DIMENSION UNITS		SCALE		CURRENT REV DESC:					molex					
	mm		1:1												
= 0	GENERAL TOLERANCES (UNLESS SPECIFIED)				EC NO: 760703 DRWN: VENKAS5 2023/02/28 CHK'D: VENKAS5 2023/08/24 APPR: MRAMAKRISHNA 2023/08/24 INITIAL REVISION: DRWN: GLLI 2021/01/29 APPR: XQZHANG 2021/11/15 THIRD ANGLE PROJECTION DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS										
= 0	ANGULAR TOL ± °														
= 0	4 PLACES ±														
DIVISIONAL SYMBOLS	3 PLACES ±														
	2 PLACES ± 0.2														
	1 PLACE ± 0.3														
	0 PLACES ±				DOCUMENT NUMBER					DOC TYPE		DOC PART		REVISION	
					2159220000-SD					PSD		000		B	
					MATERIAL NUMBER			CUSTOMER			SHEET NUMBER				
					A3-SIZE			215922			GENERAL MARKET			1 OF 6	

DOCUMENT STATUS	P1	RELEASE DATE	2023/08/24	11:19:06
-----------------	----	--------------	------------	----------

FREE HANGING PLUG PARTS



TERMINAL AND TPA ORIENTATION

FUNCTIONAL SYMBOLS	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																			
FA = 0 FE = 0 FF = 0	DIMENSION UNITS		SCALE		CURRENT REV DESC:			molex												
	mm		1:1																	
	GENERAL TOLERANCES (UNLESS SPECIFIED)							EC NO: 760703 DRWN: VENKAS5 CHK'D: VENKAS5 APPR: MRAMAKRISHNA			PLUG HOUSING OF MICRO-FIT PLUS WTW DR POWER CONNECTOR									
ANGULAR TOL ± °																				
DIVISIONAL SYMBOLS				EC NO: 760703 DRWN: VENKAS5 CHK'D: VENKAS5 APPR: MRAMAKRISHNA			PRODUCT CUSTOMER DRAWING													
4 PLACES		±										INITIAL REVISION: DRWN: GLLI APPR: XQZHANG			DOCUMENT NUMBER		DOC TYPE		DOC PART	REVISION
3 PLACES		±													2159220000-SD		PSD		000	
2 PLACES		± 0.2																		
1 PLACE		± 0.3		2023/02/28 2023/08/24 2023/08/24			2021/01/29 2021/11/15		SHEET NUMBER		2 OF 6									
0 PLACES		±																		
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				THIRD ANGLE PROJECTION		DRAWING		SERIES		MATERIAL NUMBER		CUSTOMER		SHEET NUMBER						
						A3-SIZE		215922				GENERAL MARKET								

molex

PLUG HOUSING OF MICRO-FIT PLUS WTW DR
POWER CONNECTOR

PRODUCT CUSTOMER DRAWING

DOCUMENT NUMBER
2159220000-SD

DOC TYPE
PSD

DOC PART
000



REVISION
B

CUSTOMER
GENERAL MARKET

SHEET NUMBER
2 OF 6

FORMAT: master-tb-prod-A
REVISION: J1

PANEL MOUNT PLUG PARTS



FUNCTIONAL SYMBOLS	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																		
	DIMENSION UNITS		SCALE		CURRENT REV DESC:														
	mm		1:1																
		GENERAL TOLERANCES (UNLESS SPECIFIED)				EC NO: 760703 DRWN: VENKAS5 2023/02/28 CHK'D: VENKAS5 2023/08/24 APPR: MRAMAKRISHNA 2023/08/24													
ANGULAR TOL ± °																			
4 PLACES		±																	
3 PLACES		±																	
2 PLACES		± 0.2																	
1 PLACE		± 0.3																	
0 PLACES		±																	
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				THIRD ANGLE PROJECTION		DRAWING		SERIES		DOCUMENT NUMBER		DOC TYPE		DOC PART		REVISION			
						A3-SIZE		215922		2159220000-SD		PSD		000		B			
										MATERIAL NUMBER		CUSTOMER				SHEET NUMBER			
												GENERAL MARKET				4 OF 6			

molex

PLUG HOUSING OF MICRO-FIT PLUS WTW DR
POWER CONNECTOR

PRODUCT CUSTOMER DRAWING

2159220000-SD

PSD 000 B

GENERAL MARKET

4 OF 6

10		9		8		7		6		5		4		3		2		1			
FREE HANGING								PANEL MOUNT													
PART NUMBER	CKT	POLARIZATION	COLOR					PART NUMBER	CKT	POLARIZATION	COLOR										
215922-0201	2	A	BLACK					215922-0200	2	A	BLACK										
215922-0211		B	NATURAL					2159220210		B	NATURAL										
215922-0221		C	RED					2159220220		C	RED										
215922-0231		D	BLUE					2159220230		D	BLUE										
215922-0241		E	YELLOW					2159220240		E	YELLOW										
215922-0401	4	A	BLACK					215922-0400	4	A	BLACK										
215922-0411		B	NATURAL					2159220410		B	NATURAL										
215922-0421		C	RED					2159220420		C	RED										
215922-0431		D	BLUE					2159220430		D	BLUE										
215922-0441		E	YELLOW					2159220440		E	YELLOW										
215922-0601	6	A	BLACK					215922-0600	6	A	BLACK										
215922-0611		B	NATURAL					2159220610		B	NATURAL										
215922-0621		C	RED					2159220620		C	RED										
215922-0631		D	BLUE					2159220630		D	BLUE										
215922-0641		E	YELLOW					2159220640		E	YELLOW										
215922-0801	8	A	BLACK					215922-0800	8	A	BLACK										
215922-0811		B	NATURAL					2159220810		B	NATURAL										
215922-0821		C	RED					2159220820		C	RED										
215922-0831		D	BLUE					2159220830		D	BLUE										
215922-0841		E	YELLOW					2159220840		E	YELLOW										
215922-1001	10	A	BLACK					215922-1000	10	A	BLACK										
215922-1011		B	NATURAL					2159221010		B	NATURAL										
215922-1021		C	RED	2159221020	C	RED															
215922-1031		D	BLUE	2159221030	D	BLUE															
215922-1041		E	YELLOW	2159221040	E	YELLOW															
215922-1201	12	A	BLACK	215922-1200	12	A	BLACK														
215922-1211		B	NATURAL	2159221210		B	NATURAL														
215922-1221		C	RED	2159221220		C	RED														
215922-1231		D	BLUE	2159221230		D	BLUE														
215922-1241		E	YELLOW	2159221240		E	YELLOW														
215922-1401	14	A	BLACK	215922-1400	14	A	BLACK														
215922-1601	16	A	BLACK	215922-1600	16	A	BLACK														
215922-1801	18	A	BLACK	215922-1800	18	A	BLACK														
215922-2001	20	A	BLACK	215922-2000	20	A	BLACK														
215922-2201	22	A	BLACK	215922-2200	22	A	BLACK														
215922-2401	24	A	BLACK	215922-2400	24	A	BLACK														
DOCUMENT STATUS		P1	RELEASE DATE	2023/08/24	11:19:06																
FORMAT: master-b-prod-A3		9		8		7		6		5		4		3		2		1			
REVISION: J1																					
DATE: 2021/05/01																					

FUNCTIONAL SYMBOLS	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION													
	DIMENSION UNITS		SCALE		CURRENT REV DESC:				molex					
	mm		1:1											
	GENERAL TOLERANCES (UNLESS SPECIFIED)													
	ANGULAR TOL		±	°	EC NO: 760703 DRWN: VENKAS5 2023/02/28 CHK'D: VENKAS5 2023/08/24 APPR: MRAMAKRISHNA 2023/08/24				PRODUCT CUSTOMER DRAWING					
	4 PLACES		±											
	3 PLACES		±											
	2 PLACES		±	0.2										
	1 PLACE		±	0.3										
	DIVISIONAL SYMBOLS	0 PLACES		±		INITIAL REVISION: DRWN: GLLI 2021/01/29 APPR: XQZHANG 2021/11/15				DOCUMENT NUMBER		DOC TYPE	DOC PART	REVISION
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIRD ANGLE PROJECTION		DRAWING						SERIES		MATERIAL NUMBER		CUSTOMER
				A3-SIZE		215922		2159220000-SD		PSD		000	B	
								GENERAL MARKET		5 OF 6				

FUNCTIONAL SYMBOLS FA= 0 FE= 0 FE= 0 DIVISIONAL SYMBOLS	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION													
	DIMENSION UNITS		SCALE		CURRENT REV DESC:					molex PLUG HOUSING OF MICRO-FIT PLUS WTW DR POWER CONNECTOR				
	mm		1:1											
	GENERAL TOLERANCES (UNLESS SPECIFIED)													
	ANGULAR TOL		± °		EC NO: 760703 DRWN: VENKAS5 2023/02/28 CHK'D: VENKAS5 2023/08/24 APPR: MRAMAKRISHNA 2023/08/24 INITIAL REVISION: DRWN: GLLI 2021/01/29 APPR: XQZHANG 2021/11/15					DOCUMENT NUMBER		DOC TYPE	DOC PART	REVISION
	4 PLACES		±							2159220000-SD		PSD	000	B
	3 PLACES		±											
	2 PLACES		± 0.2											
	1 PLACE		± 0.3											
	0 PLACES		±						MATERIAL NUMBER		CUSTOMER		SHEET NUMBER	
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIRD ANGLE PROJECTION		DRAWING		SERIES				GENERAL MARKET		5 OF 6		

