# PV-1P-100,0/S04-10,0 - Cable reel



https://www.phoenixcontact.com/us/products/1459537



Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.

Cable ring, black PE-X, 1-pos., cable length: 100 m



#### Commercial data

Item number	1459537
Packing unit	1 pc
Minimum order quantity	1 pc
Product key	ABLBDX
Catalog page	Page 425 (C-2-2013)
GTIN	4046356618830
Weight per piece (including packing)	22.22 g
Weight per piece (excluding packing)	22.22 g
Country of origin	DE

# PV-1P-100,0/S04-10,0 - Cable reel



https://www.phoenixcontact.com/us/products/1459537



### Technical data

#### Product properties

Number of positions	1
Shielded	no

#### Electrical properties

Nominal current I <sub>N</sub>	≤ 98 A (up to +60 °C)
rtommar current in	= 00 / (up to :00 0)

#### **Dimensions**

Width	6.35 mm
Height	6.35 mm
Length	100 m

#### Material specifications

Outer sheath, material	PE-X
Conductor material	Tin-plated Cu litz wires

#### Cable/line

Cable length	10 m

#### PV1-F cables [S04]

1 1 1 000103 [004]	
Shielded	no
Cable weight	127 kg/km
Cable type	PV1-F cables
Cable type (abbreviation)	S04
External cable diameter	6.90 mm ±0.2 mm
Outer sheath, material	PE-X
External sheath, color	black-gray RAL 7021
Material, inner sheath	PE-X
Conductor structure, voltage supply	80x 0.40 mm
AWG power supply	8
Thickness, insulation	≥ 0.50 mm (Inner sheath)
Cable resistance	1.95 Ω/m (at 20 °C)
Smallest bending radius, fixed installation	34.5 mm
Smallest bending radius, movable installation	69 mm

### Standards and regulations

Flame resistance	IEC 60332-1-2
Other resistance	Resistance to acids and alkalis
	Resistant to salt water
	Resistant to ozone

# PV-1P-100,0/S04-10,0 - Cable reel



https://www.phoenixcontact.com/us/products/1459537



### Environmental product compliance

#### EU RoHS

Fulfills EU RoHS substance requirements	Yes, No exemptions
China RoHS	
Environment friendly use period (EFUP)	EFUP-50
	An article-related China RoHS declaration table can be found in the download area for the respective article under "Manufacturer declaration". For all articles with EFUP-E, no China RoHS declaration table issued and required.
EU REACH SVHC	
REACH candidate substance (CAS No.)	No substance above 0.1 wt%

Phoenix Contact 2024 © - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com