




Connectors > Terminal Blocks & Strips > PCB Terminal Blocks



Terminal Block Connector Type: **Plug**
Connector System: **Wire-to-Board**
Number of Positions: **4**
Centerline (Pitch): **5 mm [.197 in]**
Number of Rows: **1**

Features

Product Type Features

Wire Protection	With
Terminal Block Connector Type	Plug
Connector System	Wire-to-Board
Connector & Contact Terminates To	Wire & Cable

Configuration Features

Stacked Levels	Without
Wire Entry Location	Side
Stacking Configuration	Side Stackable
Number of Positions	4
Number of Rows	1
Wire Entry Angle	90°

Electrical Characteristics

Operating Voltage	300 VAC
-------------------	---------

Body Features

--	--



Primary Product Color	Green
Product Orientation	Vertical

Contact Features

Contact Mating Area Plating Material	Tin
Contact Base Material	Phosphor Bronze
Contact Current Rating (Max)	15 A

Mechanical Attachment

Screw Plating Material	Nickel
Screw Material	Brass
Thread Size	M3

Housing Features

Housing Material	PA 66
Centerline (Pitch)	5 mm [.197 in]

Dimensions

Wire Size	.05 – 3 mm²
-----------	-------------

Usage Conditions

Operating Temperature Range	-40 – 105 °C [-40 – 221 °F]
-----------------------------	-----------------------------

Operation/Application

Circuit Application	Power & Signal
---------------------	----------------

Packaging Features

Packaging Quantity	150
Packaging Method	Box

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant with Exemptions
EU ELV Directive 2000/53/EC	Compliant with Exemptions
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUNE 2024 (241) SVHC > Threshold: Pb (.55% in Component Part)











Article Safe Usage Statements:
Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.

Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer


This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts

 TE Part # 282811-4 TERMI-BLOK HEADER ASSY90 4P.	 TE Part # 282822-4 TERMI-BLOK HEADER,ASSY90 4P.	 TE Part # 796642-4 4POS 5.0MM CE VRT HDR,TRM BLK	 TE Part # 796644-4 4POS 5.0MM CE R/A HDR,TRM BLK
 TE Part # 1986300-4 Plug, 5.0mm, Gn, Sws & WE same side, 4p	 TE Part # 796864-4 4 POS TERMI-BLOK HDR RT ANGLE	 TE Part # 2342079-4 4POS HDR 90 DEG,HT,5.00MM PITCH, TL 2.6MM	 TE Part # 2342082-4 4POS HDR ST, HT, 5.00MM PITCH, TL 2.6MM
 TE Part # 282812-4 TERMI-BLOK HEADER,ASSY 4P. 5	 TE Part # 796643-4 4POS 5.0MM CE VRT HDR,TRM BLK	 TE Part # 1546625-4 4P TERMI-BLOK VERT PLUG,BLACK	 TE Part # 796645-4 4POS 5.0MM CE R/A HDR,TRM BLK



Customers Also Bought




TE Part #8-215079-6
MICRO-MATCH FOB.16P




TE Part #3-1630019-3
HSC200 6R0 5%



TE Part #52949-1
PG SPR SPD 22-16COMM 22-18MIL6




TE Part #282844-4
TERMI-BLOK PCB MOUNT 90 4P.



TE Part #796642-4
4POS 5.0MM CE VRT HDR,TRM BLK



TE Part #2176331-2
CRGP 2512 12R 1%



TE Part #6-2176380-1
RQ 0805 4K87 0.1% 10PPM 5K RL



TE Part #2-320571-2
PIDG R 22-16 COMM 22-18MIL 1/4



TE Part #2328118-1
LUMAWISE ENDURANCE N
SHORTING CAP

Documents

Product Drawings

TERMI-BLOK VERTICAL PLUG STACK

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_284046-4_E.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_284046-4_E.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_284046-4_E.3d_stp.zip

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.



Datasheets & Catalog Pages

Eurostyle Terminal Blocks Focus Product Stock List

English

BUCHANAN TERMINAL BLOCKS CATALOG - EUROSTYLE TERMINAL BLOCKS

English

BUCHANAN PCB TERMINAL BLOCKS

English

1-1773458-1_EURO_STYLE_TERMINAL_BLOCKS_QRG

English

Product Specifications

Application Specification

English

Agency Approvals

UL

English