TE Internal #: 2379397-6 Mini Cool Edge I/O (MCIO), Cable Plug Assembly, Vertical, Cable-

to-Board, SFF-TA-1016 Standard, 74 Position, Surface Mount,

Internal I/O Connectors

View on TE.com >




Connectors > PCB Connectors > Internal I/O Connectors











Internal I/O Connector Type: Mini Cool Edge I/O (MCIO)

Connector Mates With: Cable Plug Assembly

PCB Mount Orientation: Vertical
Connector System: Cable-to-Board
Industry Standard: SFF-TA-1016

Features

Product Type Features

Connector & Contact Terminates To	Printed Circuit Board
Internal I/O Connector Type	Mini Cool Edge I/O (MCIO)
Connector Mates With	Cable Plug Assembly
Connector System	Cable-to-Board

Configuration Features

Number of Rows	2
PCB Mount Orientation	Vertical
Number of Positions	74

Contact Features

Contact Mating Area Plating Material	Gold
Contact Underplating Material	Nickel
PCB Contact Termination Area Plating Material	Tin
Contact Base Material	Copper Alloy
Contact Current Rating (Max)	1 A



Contact Mating Area Plating Material Thickness	.076 μm[30 μin]
Termination Features	
Termination Method to PCB	Surface Mount
Mechanical Attachment	
Connector Mounting Type	Board Mount
Housing Features	
Centerline (Pitch)	.6 mm[.023 in]
Usage Conditions	
Operating Temperature Range	-55 – 85 °C[-67 – 185 °F]

Operation/Application

Circuit Application	Signal	

Industry Standards

Industry Standard	SFF-TA-1016

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides



on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-onreach

Compatible Parts





CA, MCIO x8 Lateral push 30AWG 0.5

TE Part # 2366550-2 CA, MCIO x8 Lateral push 30AWG 1.0 m

TE Part # 2366780-2 CA, MCIO x8 STR-RA push 30AWG 1.0

Customers Also Bought



8 CIRC DIN RCPT GRND SHLD







TE Part #1-1123723-4 3.96 EP HDR ASSY 4P(NATURAL)







TE Part #5646572-1 Z-PACK A/B RECPT ASSY 95P 2MM

Documents

Product Drawings

MCIO INTERGRATED CONN, V/T,8X, SMT TYPE

English

Product Specifications

Application Specification

English