




ASSEMBLY PROCEDURE:

1. PRESS ITEM 3 INTO ITEM 1 UNTIL ITEM 3 BOTTOMS
3. PRESS ITEM 2 INTO ITEM ITEM 3 PER DIMENSION SHOWN.
4. PACKAGE CONNECTOR WITH ITEMS 5.
5. SLIDE ITEM 4 OVER ITEM 1 UNTIL ITEM 4 SLIPS INTO GROOVE IN ITEM 1.
6. CENTER CONTACT MUST WITHSTAND 13.35 N(3.0 LBS) OF AXIAL FORCE.

ITEM 2 MUST BE ORIENTED AS SHOWN WITHIN $\pm 5^\circ$

LABEL WITH EACH BAG FOR 73415-2162:

P/N 73415-2162
MOLEX
DATE: YY/WW

73415-2162	73415-2161, ONE PER BAG
73415-2161	BULK
73415-2160	BULK
PART NO.	PACKAGING

5	89674-0711	CAP	1	5	89674-0712	CAP	1
4	89674-5202	SNAP RING	1	4	89674-5203	SNAP RING	1
3	89672-5000	INSULATOR	1	3	89672-5000	INSULATOR	1
2	89665-2504	CONTACT	1	2	89665-2505	CONTACT	1
1	89696-3921	BODY	1	1	89696-3922	BODY	1
PART NO. DESCRIPTION QTY				PART NO. DESCRIPTION QTY			

PART # 73415-2160

PART # 73415-2161

CHG: REDREW IN SD
FROM IN/MM TO MM/IN
EC NO: URF2007-0264
DRAWN: TELAHERTY 2007/01/09
CHKD: SHAH 2007/01/09
APPR: JIM ENEER 2007/01/09
A2

QUALITY SYMBOLS
=0
=0

GENERAL TOLERANCES (UNLESS SPECIFIED)

	mm	INCH
4 PLACES	± .005	± .0005
3 PLACES	± .005	± .0005
2 PLACES	± .005	± .0005
1 PLACE	± .005	± .0005

ANGULAR $\pm 2^\circ$
DRAFT WHERE APPLICABLE
MUST REMAIN WITHIN DIMENSIONS

DIMENSION STYLE
MM/IN

DRAWN BY DATE
TEF 2002/01/24
CHECKED BY DATE
SSS 2002/01/24
APPROVED BY DATE
GMH 2002/01/24

MATERIAL NO.
SIZE
C

SEE TABLE

SCALE

DESIGN UNITS
METRIC


THIRD ANGLE PROJECTION

TITLE
MMCX PLUG, R/A FOR
SR086 CABLE, 50 OHMS
MMCX-PC/RA

MOLEX INCORPORATED

DOCUMENT NO. E-73415-216

SHEET NO. 1 OF 1



AS-89678-3200	CABLE ASSY INSTRUT.
ES-73599-0000-015	INTERFACE
PS-89675-1930	ELECTRO/MECH PERFORM.
SPECIFICATION	DESCRIPTION

73415-2162	73415-2161, ONE PER BAG
73415-2161	PER COMMERIAL REQUIREMENTS, BULK
73415-2160	PER MILITARY REQUIREMENTS, BULK
PART NO.	PLATING AND PACKAGING

CHG: REDREW IN SD
CHANGED ALL DIMS
FROM IN/MM TO MM/IN
LOADED INTO WM
ADDED P/N
73415-2162
EC NO: URF2007-0264
DRAWN: TELAHERTY 2007/01/09
CHKD: SHAH 2007/01/09
APPR: JIM ENEER 2007/01/09
A1

QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)	DIMENSION STYLE	SCALE	DESIGN UNITS	THIRD ANGLE PROJECTION
▽=0	mm INCH	MM/IN		METRIC	
▽=0	4 PLACES ± --- ± ---	DRAWN BY DATE	TITLE		
	3 PLACES ± --- ± ---	TEF 2000/06/15	MMCX PLUG, R/A FOR		
	2 PLACES ± --- ± ---	CHECKED BY DATE	SR086 CABLE, 50 OHMS		
	1 PLACE ± --- ± ---	SSS 2000/06/15	MMCX-PC/RA		
	ANGULAR ± 2 °	APPROVED BY DATE	MOLEX INCORPORATED		
		GMH 2000/06/15	SD-73415-216		
	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	MATERIAL NO.	DOCUMENT NO.	SHEET NO.	
		SEE TABLE		1 OF 1	
		SIZE C	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION		

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Molex:

[89674-0712](#) [89674-1615](#) [89674-0805](#) [89674-1525](#)