

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number:

0638278600

Status:

Active

Overview:

Application Tooling

Description:

Hand Crimp Tool for Ditto Wing Hermaphroditic Interconnects Terminal, 24–26 AWG

Documents:

RoHS Certificate of Compliance (PDF)

| General                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|--------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Product Family                 | Application Tooling                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| Series                         | 207129                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| Comments                       | See Tooling Specification (PDF) Above, See Tooling Specification (PDF) Above                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| Function                       | Crimp                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| Geographic Area                | Global                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| Level of Automation            | Manual                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| More Detailed Tech Information | applicationtooling@molex.com                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| Overview                       | Application Tooling                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| Product Name                   | Ditto                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| Tool Type                      | Hand Crimp Tool                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| UPC                            | 889056290098                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| Warranty Disclaimer            | CAUTION: Molex tooling crimp specifications are valid only when used with Molex terminals and tooling manufactured by Molex and sold by Molex or authorized distributors ("Molex Tooling"). When using tooling other than Molex Tooling with Molex specific connector systems listed in our ATS documents, the Molex tooling qualification does not apply and the responsibility for full qualification of the connector system is that of the customer. Molex accepts no liability for connector performance or tooling support where tooling other than Molex Tooling is used or where Molex Tooling is modified. |

Material Info

Reference - Drawing Numbers

Application Tooling Documents

ATS-638278600-001



Series image - Reference only

|                                                               |               |
|---------------------------------------------------------------|---------------|
| EU ELV                                                        |               |
| Not Relevant                                                  |               |
| EU RoHS                                                       | China RoHS    |
| Compliant                                                     |               |
| REACH SVHC                                                    |               |
| Not Contained Per - ED/30/2017 (7 July 2017)                  |               |
| Halogen-Free                                                  |               |
| Status                                                        |               |
| Not Relevant                                                  |               |
| For more information, please visit <a href="#">Contact US</a> |               |
| China ROHS                                                    | Not Relevant  |
| ELV                                                           | Not Relevant  |
| RoHS Phthalates                                               | Not Contained |

Search Parts in this Series

207129 Series

| Application Tooling Description                                                                                            | FAQ Product # |
|----------------------------------------------------------------------------------------------------------------------------|---------------|
| 1.57mm Diameter, Standard .062" Pin and Socket Crimp Terminal, Female, with Tin (Sn) Plated Brass Contact, 18-24 AWG, Reel | 2061101       |
| 1.57mm Diameter, Standard .062" Pin and Socket Crimp Terminal, Female, with Tin (Sn) Plated Brass Contact, 18-24 AWG, Bag  | 2061103       |
| 1.57mm Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 4529, Female, with Tin (Sn) Plated                   | 2061104       |

Phosphor Bronze  
Contact, 18-24 AWG,  
Reel  
1.57mm Diameter, 2061118  
Standard .062" Pin  
and Socket Crimp  
Terminal, Series  
1561, Female, with  
Tin (Sn) Plated Brass  
Contact, Without  
Locking Tabs,  
18-24 AWG, Reel  
Packaged  
1.57mm Diameter, 2061131  
Standard .062" Pin  
and Socket Crimp  
Terminal, Series  
1855, Female, with  
Tin (Sn) Plated Brass  
Contact, 24-30 AWG,  
Reel  
1.57mm Diameter, 2061132  
Standard .062" Pin  
and Socket Crimp  
Terminal, Series  
1855, Female, with  
Tin (Sn) Plated Brass  
Contact, 24-30 AWG,  
Bag  
1.57mm Diameter, 2061141  
Standard .062" Pin  
and Socket Crimp  
Terminal, Series  
1855, Female, with  
Tin (Sn) Plated  
Brass Contact,  
24-30 AWG, Without  
Locking Tabs, Reel  
Packaged  
1.57mm Diameter, 2061143  
Standard .062" Pin  
and Socket Crimp  
Terminal, Series  
1855, Female, with  
Tin (Sn) Plated Brass  
Contact, 24-30 AWG,  
Reel Packaged with  
Interleaf Paper  
1.57mm Diameter, 2062101  
Standard .062" Pin  
and Socket Crimp  
Terminal, Series  
1560, Male, with Tin  
(Sn) Plated Brass  
Contact, 18-24 AWG,  
Reel  
1.57mm Diameter, 2062103  
Standard .062" Pin  
and Socket Crimp  
Terminal, Series  
1560, Male, with Tin  
(Sn) Plated Brass  
Contact, 18-24 AWG,  
Bag

|  |                                                                                                                                                                                                      |
|--|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  | 1.57mm Diameter, <a href="#">2062131</a><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Series<br>1854, Male, with Tin<br>(Sn) Plated Brass<br>Contact, 24-30 AWG,<br>Reel                   |
|  | 1.57mm Diameter, <a href="#">2062132</a><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Series<br>1854, Male, with Tin<br>(Sn) Plated Brass<br>Contact, 24-30 AWG,<br>Bag                    |
|  | 1.57mm Diameter, <a href="#">2065100</a><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Female,<br>with 0.38µm Gold<br>(Au) Plated Brass<br>Contact, 18-24 AWG,<br>Reel                      |
|  | 1.57mm Diameter, <a href="#">2065101</a><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Female,<br>with 0.76µm Gold<br>(Au) Plated Brass<br>Contact, 18-24 AWG,<br>Reel                      |
|  | 1.57mm Diameter, <a href="#">2065102</a><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Female,<br>with 0.76µm Gold<br>(Au) Plated Brass<br>Contact, 18-24 AWG,<br>Bag                       |
|  | 1.57mm Diameter, <a href="#">2065103</a><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Female,<br>with 0.38µm Gold<br>(Au) Plated Brass<br>Contact, 18-24 AWG,<br>Bag                       |
|  | 1.57mm Diameter, <a href="#">2065104</a><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Series<br>1561, Female,<br>with 1.27µm Gold<br>Max. Insulation<br>Diameter, Loose in<br>Bag Packaged |
|  | 1.57mm Diameter, <a href="#">2065105</a><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Series<br>1561, Female, with<br>1.27µm Gold Max.<br>Insulation Diameter,<br>Reel                     |

|  |                                                                                                                                                                                                    |
|--|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  | 1.57mm Diameter, <a href="#">2065108</a><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Female,<br>with Selective Gold<br>(Au) Plated Brass<br>Contact, 18-24 AWG,<br>Reel                 |
|  | 1.57mm Diameter, <a href="#">2065109</a><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Female,<br>with Selective Gold<br>(Au) Plated Brass<br>Contact, 18-24 AWG,<br>Bag                  |
|  | 1.57mm Diameter, <a href="#">2065130</a><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Series<br>1855, Female,<br>with 0.38µm Gold<br>(Au) Plated Brass<br>Contact, 24-30 AWG,<br>Reel    |
|  | 1.57mm Diameter, <a href="#">2065135</a><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Series<br>1855, Female,<br>with 0.38µm Gold<br>(Au) Plated Brass<br>Contact, 24-30 AWG,<br>Bag     |
|  | 1.57mm Diameter, <a href="#">2065138</a><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Series<br>1855, Female,<br>with 0.76µm Gold<br>(Au) Plated Brass<br>Contact, 24-30 AWG,<br>Reel    |
|  | 1.57mm Diameter, <a href="#">2065139</a><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Series<br>1855, Female,<br>with 0.76µm Gold<br>(Au) Plated Brass<br>Contact, 24-30 AWG,<br>Bag     |
|  | 1.57mm Diameter, <a href="#">2065147</a><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Series<br>1855, Female, with<br>Selective Gold<br>(Au) Plated Brass<br>Contact, 24-30 AWG,<br>Reel |
|  | 1.57mm Diameter, <a href="#">2065148</a><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Series                                                                                             |

|  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|--|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  | 1855, Female, with<br>Selective Gold<br>(Au) Plated Brass<br>Contact, 24-30 AWG,<br>Bag<br>1.57mm Diameter, <a href="#">2066100</a><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Series<br>1560, Male, with<br>Gold (Au) Plated<br>Brass Contact, 18-24<br>AWG, Reel<br>1.57mm Diameter, <a href="#">2066101</a><br>Standard .062"<br>Pin and Socket<br>Crimp Terminal,<br>Series 1560, Male,<br>with .76µm Selective<br>Gold (Au) Plated<br>Brass Contact,<br>18-24 AWG, Reel<br>Packaged<br>1.57mm Diameter, <a href="#">2066102</a><br>Standard .062"<br>Pin and Socket<br>Crimp Terminal,<br>Series 1560, Male,<br>with .76µm Selective<br>Gold (Au) Plated<br>Brass Contact, 18-24<br>AWG, Bag Packaged<br>1.57mm Diameter, <a href="#">2066103</a><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Series<br>1560, Male, with<br>Gold (Au) Plated<br>Brass Contact, 18-24<br>AWG, Bag<br>1.57mm Diameter, <a href="#">2066104</a><br>Standard .062"<br>Pin and Socket<br>Crimp Terminal,<br>Series 1560, Male,<br>with Selective<br>1.27µm Select Gold<br>(Au) Plated Brass<br>Contact, 18-24 AWG,<br>Bag Packaged<br>1.57mm Diameter, <a href="#">2066118</a><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Series<br>1560, Male, with<br>Selective Gold<br>(Au) Plated Brass<br>Contact, Tin/Lead<br>Plated Crimp Area,<br>18-24 AWG, Reel<br>1.57mm Diameter, <a href="#">2066119</a><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Series<br>1560, Male, with |
|--|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

|  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|--|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  | Selective Gold<br>(Au) Plated Brass<br>Contact, Tin/Lead<br>Plated Crimp Area,<br>18-24 AWG, Bag<br>1.57mm Diameter, <u>2066122</u><br>Standard .062"<br>Pin and Socket<br>PC Tail Terminal,<br>Series 1778, Male,<br>with Selective Gold<br>(Au) Plated Brass<br>Contact, Bag<br>1.57mm Diameter, <u>2066130</u><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Series<br>1854, Male, with<br>Gold (Au) Plated<br>Brass Contact, 24-30<br>AWG, Reel<br>1.57mm Diameter, <u>2066135</u><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Series<br>1854, Male, with<br>Gold (Au) Plated<br>Brass Contact, 24-30<br>AWG, Bag<br>1.57mm Diameter, <u>2066138</u><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Series<br>1854, Male, with<br>Selective Gold<br>(Au) Plated Brass<br>Contact, 24-30 AWG,<br>Reel<br>1.57mm Diameter, <u>2066139</u><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Series<br>1854, Male, with<br>Selective Gold<br>(Au) Plated Brass<br>Contact, 24-30 AWG,<br>Bag<br>1.57mm Diameter, <u>2066143</u><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Series<br>1854, Male, with<br>Selective Gold<br>(Au) Plated Brass<br>Contact, Tin (Sn)<br>Plated Crimp Area,<br>24-30 AWG, Reel<br>1.57mm Diameter, <u>2066144</u><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Series<br>1854, Male, with<br>Selective Gold<br>(Au) Plated Brass<br>Contact, Tin (Sn) |
|--|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

|  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |  |
|--|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
|  | Plated Crimp Area,<br>24-30 AWG, Bag<br>1.57mm Diameter, <a href="#">2067103</a><br>Standard .062" Pin<br>and Socket PC Tail<br>Terminal, Series<br>1779, Female,<br>with 2.54µm Tin<br>(Sn) Plated Brass<br>Contact, Bag<br>Packaged<br>1.57mm Diameter, <a href="#">2067104</a><br>Standard .062" Pin<br>and Socket PC Tail<br>Terminal, Series<br>1779, Female,<br>with .76µm Selective<br>Gold (Au) Plated<br>Brass Contact, Bag<br>Packaged<br>1.57mm Diameter, <a href="#">2068103</a><br>Standard .062" Pin<br>and Socket PC Tail<br>Terminal, Series<br>1778, Male, with Tin<br>(Sn) Plated Brass<br>Contact, Bag<br>Claspcon Crimp <a href="#">2081101</a><br>Terminal Socket, Tin<br>(Sn) Plated Brass<br>Contact, 16-24 AWG,<br>Reel<br>MLX Crimp Terminal <a href="#">2082008</a><br>42023, 14-20 AWG,<br>Bag Selective Gold<br>(Au)<br>2.36mm Diameter, <a href="#">2091102</a><br>Standard .093" Pin<br>and Socket Crimp<br>Terminal, Series<br>1189, Female, with<br>Tin (Sn) Plated Brass<br>Contact, 14-20 AWG,<br>Reel<br>2.36mm Diameter, <a href="#">2091104</a><br>Standard .093" Pin<br>and Socket Crimp<br>Terminal, Series<br>1189, Female, with<br>Tin (Sn) Plated Brass<br>Contact, 14-20 AWG,<br>Bag<br>2.36mm Diameter, <a href="#">2091117</a><br>Standard .093" Pin<br>and Socket Crimp<br>Terminal, Series<br>1381, Female, with<br>Tin (Sn) Plated Brass<br>Contact, 18-22 AWG,<br>Reel<br>2.36mm Diameter, <a href="#">2091119</a><br>Standard .093" Pin<br>and Socket Crimp<br>Terminal, Series<br>1381, Female, with |  |
|--|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|

|  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|--|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  | Tin (Sn) Plated Brass<br>Contact, 18-22 AWG,<br>Bag<br>2.36mm Diameter, <u>2091122</u><br>Standard .093" Pin<br>and Socket Crimp<br>Terminal, Series<br>2273, Female, with<br>Tin (Sn) Plated<br>Contact, Low<br>Engagement Force,<br>18-22 AWG, Reel<br>2.36mm Diameter, <u>2091123</u><br>Standard .093" Pin<br>and Socket Crimp<br>Terminal, Series<br>2273, Female, with<br>Tin (Sn) Plated<br>Contact, Low<br>Engagement Force,<br>18-22 AWG, Bag<br>2.36mm Diameter, <u>2091134</u><br>Standard .093" Pin<br>and Socket PC Tail<br>Terminal, Series<br>1377, Female, with<br>Tin (Sn) Plated<br>Contact, Bag<br>2.36mm Diameter, <u>2091155</u><br>Standard .093" Pin<br>and Socket Crimp<br>Terminal, Series<br>41483, Female, with<br>Tin (Sn) Plated Brass<br>Contact, 14-18 AWG<br>with Large Insulation<br>Diameter, Chain<br>2.36mm Diameter, <u>2091205</u><br>Standard .093" Pin<br>and Socket Crimp<br>Terminal, Series<br>4550, Female, with<br>Tin (Sn) Plated<br>Phosphor Bronze<br>Contact, 14-20 AWG,<br>Reel<br>2.36mm Diameter, <u>2091206</u><br>Standard .093" Pin<br>and Socket Crimp<br>Terminal, Series<br>4550, Female, with<br>Tin (Sn) Plated<br>Phosphor Bronze<br>Contact, 14-20 AWG,<br>Bag<br>2.36mm Diameter, <u>2091615</u><br>Standard .093"<br>Pin and Socket<br>Crimp Terminal,<br>Series 42477,<br>Female, with Tin<br>(Sn) Plated Contact,<br>High Current/Low<br>Engagement Force,<br>14-18 AWG, Reel |
|--|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

|  |                                                                                                                                                                                                      |
|--|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  | 2.36mm Diameter, <a href="#">2092101</a><br>Standard .093" Pin<br>and Socket Crimp<br>Terminal, Series<br>1190, Male, with Tin<br>(Sn) Plated Brass<br>Contact, 14-20 AWG,<br>Reel                   |
|  | 2.36mm Diameter, <a href="#">2092103</a><br>Standard .093" Pin<br>and Socket Crimp<br>Terminal, Series<br>1190, Male, with Tin<br>(Sn) Plated Brass<br>Contact, 14-20 AWG,<br>Bag                    |
|  | Vertical Solder Relief <a href="#">2092105</a><br>(VSR) Direct-Solder<br>Crimp Terminal,<br>Series 4706, Male,<br>Tin (Sn) Plated Brass<br>Contact, 16-18 AWG,<br>11.20mm Terminal<br>Progression    |
|  | 2.36mm Diameter, <a href="#">2092116</a><br>Standard .093" Pin<br>and Socket Crimp<br>Terminal, Series<br>1380, Male, with Tin<br>(Sn) Plated Brass<br>Contact, 18-22 AWG,<br>Reel                   |
|  | 2.36mm Diameter, <a href="#">2092117</a><br>Standard .093" Pin<br>and Socket Crimp<br>Terminal, Series<br>1380, Male, with Tin<br>(Sn) Plated Brass<br>Contact, without<br>Dents, 18-22 AWG,<br>Reel |
|  | 2.36mm Diameter, <a href="#">2092118</a><br>Standard .093" Pin<br>and Socket Crimp<br>Terminal, Series<br>1380, Male, with Tin<br>(Sn) Plated Brass<br>Contact, 18-22 AWG,<br>Bag                    |
|  | 2.36mm Diameter, <a href="#">2092133</a><br>Standard .093" Pin<br>and Socket PC Tail<br>Terminal, Series<br>1376, Male, with Tin/<br>Lead (Sn/Pb) Plated<br>Contact, With Detent,<br>Bag Packaged    |
|  | 2.36mm Diameter, <a href="#">2092134</a><br>Standard .093" Pin<br>and Socket PC Tail<br>Terminal, Series<br>1376, Male, with Tin<br>(Sn) Plated Contact,<br>Without Detent, Bag<br>Packaged          |

|  |                                                                                                                                                                                                                     |
|--|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  | 2.36mm Diameter, <a href="#">2092166</a><br>Standard .093" Pin<br>and Socket Crimp<br>Terminal, Series<br>4549, Male, with<br>Tin (Sn) Plated<br>Phosphor Bronze<br>Contact, 14-20 AWG,<br>Reel Packaged            |
|  | 2.36mm Diameter, <a href="#">2092167</a><br>Standard .093" Pin<br>and Socket Crimp<br>Terminal, Series<br>4549, Male, with<br>Tin (Sn) Plated<br>Phosphor Bronze<br>Contact, 14-20 AWG,<br>Bag Packaged             |
|  | 2.36mm Diameter, <a href="#">2092170</a><br>Standard .093" Pin<br>and Socket Crimp<br>Terminal, Series<br>1190, Male, with Tin<br>(Sn) Plated Brass<br>Contact, 14-18 AWG,<br>Large Insulation<br>Crimp, Reel       |
|  | 2.36mm Diameter, <a href="#">2092171</a><br>Standard .093" Pin<br>and Socket Crimp<br>Terminal, Series<br>1190, Male, with Tin<br>(Sn) Plated Brass<br>Contact, 14-18 AWG,<br>Large Insulation<br>Crimp, Bag        |
|  | 2.36mm Diameter, <a href="#">2092611</a><br>Standard .093" Pin<br>and Socket Crimp<br>Terminal, Series<br>42478, Male, with Tin<br>(Sn) Plated Contact,<br>High Current/Low<br>Engagement Force,<br>14-18 AWG, Reel |
|  | 2.36mm Diameter, <a href="#">2095100</a><br>Standard .093" Pin<br>and Socket Crimp<br>Terminal, Series<br>1189, Female, with<br>Gold (Au) Plated<br>Brass Contact, 14-20<br>AWG, Reel                               |
|  | 2.36mm Diameter, <a href="#">2095101</a><br>Standard .093" Pin<br>and Socket Crimp<br>Terminal, Series<br>1190, Male, with Tin<br>(Sn) Plated Brass<br>Contact, 14-20 AWG,<br>Chain                                 |
|  | 2.36mm Diameter, <a href="#">2095102</a><br>Standard .093" Pin<br>and Socket Crimp<br>Terminal, Series                                                                                                              |

|  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |  |
|--|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
|  | 1189, Female, with<br>Selective Gold<br>(Au) Plated Brass<br>Contact, 14-20 AWG,<br>Reel<br>2.36mm Diameter, <a href="#">2095106</a><br>Standard .093" Pin<br>and Socket Crimp<br>Terminal, Series<br>1189, Female, with<br>Gold (Au) Plated<br>Brass Contact, 14-20<br>AWG, Bag<br>2.36mm Diameter, <a href="#">2095111</a><br>Standard .093" Pin<br>and Socket Crimp<br>Terminal, Series<br>1189, Female, with<br>Selective Gold<br>(Au) Plated Brass<br>Contact, 14-20 AWG,<br>Bag<br>2.36mm Diameter, <a href="#">2095130</a><br>Standard .093" Pin<br>and Socket Crimp<br>Terminal, Series<br>1381, Female, with<br>Selective Gold<br>(Au) Plated Brass<br>Contact, 18-22 AWG,<br>Reel<br>2.36mm Diameter, <a href="#">2095132</a><br>Standard .093" Pin<br>and Socket PC Tail<br>Terminal, Series<br>1377, Female, with<br>Gold (Au) Plated<br>Contact, Bag<br>2.36mm Diameter, <a href="#">2095133</a><br>Standard .093" Pin<br>and Socket Crimp<br>Terminal, Series<br>1381, Female, with<br>Selective Gold<br>(Au) Plated Brass<br>Contact, 18-22 AWG,<br>Bag<br>2.36mm Diameter, <a href="#">2095142</a><br>Standard .093" Pin<br>and Socket Crimp<br>Terminal, Series<br>1381, Female, with<br>Gold (Au) Plated<br>Brass Contact, 18-22<br>AWG, Bag<br>2.36mm Diameter, <a href="#">2095143</a><br>Standard .093" Pin<br>and Socket Crimp<br>Terminal, Series<br>1381, Female, with<br>Gold (Au) Plated<br>Brass Contact, 18-22<br>AWG, Reel<br>2.36mm Diameter, <a href="#">2095169</a><br>Standard .093" Pin |  |
|--|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|

|  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|--|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  | and Socket Crimp<br>Terminal, Series<br>4550, Female, with<br>Gold (Au) Plated<br>Phosphor Bronze<br>Contact, 14-20 AWG,<br>Reel<br>2.36mm Diameter, <a href="#">2095170</a><br>Standard .093" Pin<br>and Socket Crimp<br>Terminal, Series<br>4550, Female, with<br>Gold (Au) Plated<br>Phosphor Bronze<br>Contact, 14-20 AWG,<br>Bag<br>2.36mm Diameter, <a href="#">2096100</a><br>Standard .093" Pin<br>and Socket Crimp<br>Terminal, Series<br>1190, Male, with<br>Gold (Au) Plated<br>Brass Contact, 14-20<br>AWG, Reel<br>2.36mm Diameter, <a href="#">2096101</a><br>Standard .093" Pin<br>and Socket Crimp<br>Terminal, Series<br>1190, Male, with<br>Selective Gold<br>(Au) Plated Brass<br>Contact, 14-20 AWG,<br>Reel<br>2.36mm Diameter, <a href="#">2096102</a><br>Standard .093" Pin<br>and Socket Crimp<br>Terminal, Series<br>1189, Female, with<br>Tin (Sn) Plated Brass<br>Contact, 14-20 AWG,<br>Reel<br>2.36mm Diameter, <a href="#">2096106</a><br>Standard .093" Pin<br>and Socket Crimp<br>Terminal, Series<br>1190, Male, with<br>Gold (Au) Plated<br>Brass Contact, 14-20<br>AWG, Bag<br>2.36mm Diameter, <a href="#">2096110</a><br>Standard .093" Pin<br>and Socket Crimp<br>Terminal, Series<br>1190, Male, with<br>Selective Gold<br>(Au) Plated Brass<br>Contact, 14-20 AWG,<br>Bag<br>2.36mm Diameter, <a href="#">2096122</a><br>Standard .093" Pin<br>and Socket Crimp<br>Terminal, Series<br>1380, Male, with<br>Gold (Au) Plated |
|--|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

|  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|--|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  | Brass Contact, 18-22<br>AWG, Reel<br>2.36mm Diameter, <a href="#">2096123</a><br>Standard .093" Pin<br>and Socket Crimp<br>Terminal, Series<br>1380, Male, with<br>Gold (Au) Plated<br>Brass Contact, 18-22<br>AWG, Bag<br>2.36mm Diameter, <a href="#">2096125</a><br>Standard .093" Pin<br>and Socket Crimp<br>Terminal, Series<br>1380, Male, with<br>Selective Gold<br>(Au) Plated Brass<br>Contact, 18-22 AWG,<br>Reel<br>2.36mm Diameter, <a href="#">2096126</a><br>Standard .093" Pin<br>and Socket Crimp<br>Terminal, Series<br>1380, Male, with<br>Selective Gold<br>(Au) Plated Brass<br>Contact, 18-22 AWG,<br>Bag<br>2.36mm Diameter, <a href="#">2096132</a><br>Standard .093"<br>Pin and Socket<br>PC Tail Terminal,<br>Series 1376, Male,<br>with Gold (Au)<br>Plated Contact,<br>Without Detent, Bag<br>Packaged<br>2.36mm Diameter, <a href="#">2098103</a><br>Standard .093" Pin<br>and Socket Crimp<br>Grounding Terminal,<br>Series 1973, Male,<br>with Tin (Sn) Plated<br>Brass Contact, 18-22<br>AWG, Reel<br>2.36mm Diameter, <a href="#">2098104</a><br>Standard .093" Pin<br>and Socket Crimp<br>Grounding Terminal,<br>Series 1973, Male,<br>with Tin (Sn) Plated<br>Brass Contact, 18-22<br>AWG, Bag<br>2.36mm Diameter, <a href="#">2098108</a><br>Standard .093" Pin<br>and Socket Crimp<br>Grounding Terminal,<br>Series 1973, Male,<br>with Tin (Sn) Plated<br>Brass Contact, 14-18<br>AWG, Reel<br>2.36mm Diameter, <a href="#">2098109</a><br>Standard .093" Pin<br>and Socket Crimp<br>Grounding Terminal, |
|--|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

Series 1973, Male,  
with Tin (Sn) Plated  
Brass Contact, 14-18  
AWG, Bag  
Mini-Fit Jr. 3044052  
Receptacle Housing,  
Single Row, 5  
Circuits, UL 94V-2,  
Natural  
1.57mm Diameter 3061011  
Standard .062"  
Pin and Socket  
Receptacle Housing,  
1 Circuits, Natural  
1.57mm Diameter 3061022  
Standard .062"  
Pin and Socket  
Receptacle Housing,  
2 Circuits, with Pre-  
bent Mounting Ears,  
Natural  
1.57mm Diameter 3061023  
Standard .062"  
Pin and Socket  
Receptacle Housing,  
2 Circuits, without  
Mounting Ears,  
Natural  
1.57mm Diameter 3061031  
Standard .062"  
Pin and Socket  
Receptacle Housing,  
3 Circuits, with  
Standard Mounting  
Ears  
1.57mm Diameter 3061032  
Standard .062"  
Pin and Socket  
Receptacle Housing,  
3 Circuits, without  
Mounting Ears,  
Natural  
1.57mm Diameter 3061038  
Standard .062"  
Pin and Socket  
Receptacle Housing,  
3 Circuits, with Pre-  
bent Mounting Ears,  
Natural  
1.57mm Diameter 3061041  
Standard .062"  
Pin and Socket  
Receptacle Housing,  
4 Circuits, with  
Standard Mounting  
Ears  
1.57mm Diameter 3061042  
Standard .062"  
Pin and Socket  
Receptacle Housing,  
4 Circuits, without  
Mounting Ears,  
Natural  
1.57mm Diameter 3061044  
Standard .062"

|  |                                                                                                                                                                                                          |
|--|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  | Pin and Socket<br>Receptacle Housing,<br>Dual Row, without<br>Mounting Ears, PA<br>Polyamide Nylon 6/6,<br>UL 94V-2, 4 Circuits,<br>Natural<br>1.57mm Diameter <u>3061062</u><br>Standard .062"          |
|  | Pin and Socket<br>Receptacle Housing,<br>6 Circuits, without<br>Mounting Ears,<br>Natural<br>1.57mm Diameter <u>3061092</u><br>Standard .062"                                                            |
|  | Pin and Socket<br>Receptacle Housing,<br>9 Circuits, without<br>Mounting Ears,<br>Natural<br>1.57mm Diameter <u>3061121</u><br>Standard .062"                                                            |
|  | Pin and Socket<br>Receptacle Housing,<br>12 Circuits, with<br>Standard Mounting<br>Ears, Natural<br>1.57mm Diameter <u>3061122</u><br>Standard .062"                                                     |
|  | Pin and Socket<br>Receptacle Housing,<br>12 Circuits, without<br>Mounting Ears,<br>Natural<br>1.57mm Diameter <u>3062011</u><br>Standard .062" Pin<br>and Socket Plug<br>Housing, 1 Circuits,<br>Natural |
|  | 1.57mm Diameter <u>3062023</u><br>Standard .062" Pin<br>and Socket Plug<br>Housing, 2 Circuits,<br>without Mounting<br>Ears, Natural                                                                     |
|  | 1.57mm Diameter <u>3062024</u><br>Standard .062"<br>Pin and Socket<br>Plug Housing, 2<br>Circuits, with Pre-<br>bent Mounting Ears,<br>Natural                                                           |
|  | 1.57mm Diameter <u>3062031</u><br>Standard .062" Pin<br>and Socket Plug<br>Housing, 3 Circuits,<br>with Standard<br>Mounting Ears,<br>Natural                                                            |
|  | 1.57mm Diameter <u>3062032</u><br>Standard .062" Pin<br>and Socket Plug<br>Housing, 3 Circuits,                                                                                                          |

|  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|--|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  | without Mounting<br>Ears, Natural<br>1.57mm Diameter <u>3062033</u><br>Standard .062"<br>Pin and Socket<br>Plug Housing, 3<br>Circuits, with Pre-<br>bent Mounting Ears,<br>Natural<br>1.57mm Diameter <u>3062041</u><br>Standard .062" Pin<br>and Socket Plug<br>Housing, 4 Circuits,<br>with Standard<br>Mounting Ears<br>1.57mm Diameter <u>3062042</u><br>Standard .062" Pin<br>and Socket Plug<br>Housing, 4 Circuits,<br>without Mounting<br>Ears, Natural<br>1.57mm Diameter <u>3062044</u><br>Standard .062" Pin<br>and Socket Plug<br>Housing, Dual Row,<br>without Mounting<br>Ears, PA Polyamide<br>Nylon 6/6, UL 94V-2,<br>4 Circuits, Natural<br>1.57mm Diameter <u>3062061</u><br>Standard .062" Pin<br>and Socket Plug<br>Housing, 6 Circuits,<br>without Mounting<br>Ears, Natural<br>1.57mm Diameter <u>3062092</u><br>Standard .062" Pin<br>and Socket Plug<br>Housing, 9 Circuits,<br>without Mounting<br>Ears, Natural<br>1.57mm Diameter <u>3062121</u><br>Standard .062"<br>Pin and Socket<br>Plug Housing, 12<br>Circuits, with Pre-<br>bent Mounting Ears,<br>Natural<br>1.57mm Diameter <u>3062122</u><br>Standard .062" Pin<br>and Socket Plug<br>Housing, 12 Circuits,<br>without Mounting<br>Ears, Natural<br>1.57mm Diameter <u>3066023</u><br>Standard .062"<br>Pin and Socket<br>Receptacle Housing,<br>2 Circuits, without<br>Mounting Ears, Black<br>1.57mm Diameter <u>3066062</u><br>Standard .062"<br>Pin and Socket<br>Receptacle Housing, |
|--|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

|                                                                                                                                  |                |
|----------------------------------------------------------------------------------------------------------------------------------|----------------|
| 6 Circuits, without Mounting Ears, Black                                                                                         |                |
| 1.57mm Diameter                                                                                                                  | <u>3067023</u> |
| Standard .062" Pin and Socket Plug Housing, Black, 2 Circuits, without Mounting Ears, Black                                      |                |
| 1.57mm Diameter                                                                                                                  | <u>3067044</u> |
| Standard .062" Pin and Socket Plug Housing, Dual Row, without Mounting Ears, PA Polyamide Nylon 6/6, UL 94V-2, 4 Circuits, Black |                |
| 1.57mm Diameter                                                                                                                  | <u>3067061</u> |
| Standard .062" Pin and Socket Plug Housing, 6 Circuits, without Mounting Ears, Black                                             |                |
| 2.36mm Diameter                                                                                                                  | <u>3091011</u> |
| Standard .093" Pin and Socket Receptacle Housing, 1 Circuit, Friction Lock, Natural                                              |                |
| 2.36mm Diameter                                                                                                                  | <u>3091022</u> |
| Standard .093" Pin and Socket Receptacle Housing, 2 Circuits, without Mounting Ears, with Ramps, Natural                         |                |
| 2.36mm Diameter                                                                                                                  | <u>3091027</u> |
| Standard .093" Pin and Socket Receptacle Housing, 2 Circuits, with Pre-bent Mounting Ears, with Ramps, Natural                   |                |
| 2.36mm Diameter                                                                                                                  | <u>3091030</u> |
| Standard Receptacle Housing, 3 Circuit, Natural                                                                                  |                |
| 2.36mm Diameter                                                                                                                  | <u>3091031</u> |
| Standard .093" Pin and Socket Receptacle Housing, 3 Circuits, Single Row, Natural                                                |                |
| 2.36mm Diameter                                                                                                                  | <u>3091032</u> |
| Standard .093" Pin and Socket Receptacle Housing, 3 Circuits, Single Row, Natural                                                |                |
| 2.36mm Diameter                                                                                                                  | <u>3091033</u> |
| Standard .093" Pin and Socket Receptacle Housing, 3 Circuits, Single Row, Free-Hanging,                                          |                |

|  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|--|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  | without Passive Lock<br>Ramps, Natural<br>2.36mm Diameter <u>3091041</u><br>Standard .093"<br>Pin and Socket<br>Receptacle Housing,<br>4 Circuits, Single<br>Row, Natural<br>2.36mm Diameter <u>3091042</u><br>Standard .093"<br>Pin and Socket<br>Receptacle Housing,<br>4 Circuits, Single<br>Row, Natural<br>2.36mm Diameter <u>3091049</u><br>Standard .093"<br>Pin and Socket<br>Receptacle Housing,<br>4 Circuits, Dual Row,<br>without Mounting<br>Ears, Natural<br>2.36mm Diameter <u>3091061</u><br>Standard .093"<br>Pin and Socket<br>Receptacle Housing,<br>6 Circuits, Dual Row,<br>Natural<br>2.36mm Diameter <u>3091062</u><br>Standard .093"<br>Pin and Socket<br>Receptacle Housing,<br>6 Circuits, Dual Row,<br>Natural<br>2.36mm Diameter <u>3091063</u><br>Standard .093"<br>Pin and Socket<br>Receptacle Housing,<br>6 Circuits, Dual Row,<br>without Panel Mount<br>Ears, without Friction<br>Lock Ramp<br>2.36mm Diameter <u>3091064</u><br>Standard .093"<br>Pin and Socket<br>Receptacle Housing,<br>6 Circuits, Dual Row,<br>Natural<br>2.36mm Diameter <u>3091081</u><br>Standard .093"<br>Pin and Socket<br>Receptacle Housing,<br>3 Circuits, Single<br>Row, Natural<br>2.36mm Diameter <u>3091091</u><br>Standard .093"<br>Pin and Socket<br>Receptacle<br>Housings, 9 Circuits,<br>3 Rows, Natural<br>2.36mm Diameter <u>3091092</u><br>Standard .093"<br>Pin and Socket<br>Receptacle<br>Housings, 9 Circuits,<br>3 Rows, with Panel |
|--|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

|                                                                                               |                |
|-----------------------------------------------------------------------------------------------|----------------|
| Mount Ears, without<br>Passive Lock Ramp                                                      |                |
| 2.36mm Diameter                                                                               | <u>3091093</u> |
| Standard .093"                                                                                |                |
| Pin and Socket<br>Receptacle                                                                  |                |
| Housings, 9 Circuits,<br>3 Rows, without<br>Panel Mount Ears,<br>without Passive Lock<br>Ramp |                |
| 2.36mm Diameter                                                                               | <u>3091094</u> |
| Standard .093"                                                                                |                |
| Pin and Socket<br>Receptacle                                                                  |                |
| Housings, 9 Circuits,<br>3 Rows, Natural                                                      |                |
| 2.36mm Diameter                                                                               | <u>3091121</u> |
| Standard .093"                                                                                |                |
| Pin and Socket<br>Receptacle Housing,                                                         |                |
| 12 Circuits, 3 Rows,<br>Panel Mountable,<br>without Passive<br>Locking Ramps                  |                |
| 2.36mm Diameter                                                                               | <u>3091125</u> |
| Standard .093"                                                                                |                |
| Pin and Socket<br>Receptacle Housing,                                                         |                |
| 12 Circuits, 3 Rows,<br>Natural                                                               |                |
| 2.36mm Diameter                                                                               | <u>3091126</u> |
| Standard .093"                                                                                |                |
| Pin and Socket<br>Receptacle Housing,                                                         |                |
| 12 Circuits, 3 Rows,<br>Natural                                                               |                |
| 2.36mm Diameter                                                                               | <u>3091151</u> |
| Standard .093"                                                                                |                |
| Pin and Socket<br>Receptacle Housing,                                                         |                |
| 15 Circuits, 3 Rows,<br>with Pre-Bent<br>Mounting Ears,<br>without Lock Ramps                 |                |
| 2.36mm Diameter                                                                               | <u>3091152</u> |
| Standard .093"                                                                                |                |
| Pin and Socket<br>Receptacle Housing,                                                         |                |
| 15 Circuits, 3 Rows,<br>without Mounting<br>Ears, without Lock<br>Ramps                       |                |
| 2.36mm Diameter                                                                               | <u>3091153</u> |
| Standard .093"                                                                                |                |
| Pin and Socket<br>Receptacle Housing,                                                         |                |
| 15 Circuits, 3 Rows,<br>with Pre-bent<br>Mounting Ears, with<br>Lock Ramps                    |                |
| 2.36mm Diameter                                                                               | <u>3091157</u> |
| Standard .093"                                                                                |                |
| Pin and Socket<br>Receptacle Housing,                                                         |                |

|  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |  |
|--|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
|  | 15 Circuits, 3 Rows,<br>without Mounting<br>Ears, with Lock<br>Ramps<br>2.36mm Diameter <u>3091161</u><br>Standard .093"<br>Pin and Socket<br>Receptacle Housing<br>without Mounting<br>Ears, Positive Lock,<br>2 Circuits<br>2.36mm Diameter <u>3092011</u><br>Standard .093" Pin<br>and Socket Plug<br>Housing, 1 Circuit,<br>Friction Lock, Natural<br>2.36mm Diameter <u>3092021</u><br>Standard .093" Pin<br>and Socket Plug<br>Housing, 2 Circuits,<br>with Standard<br>Mounting Ears,<br>Natural<br>2.36mm Diameter <u>3092022</u><br>Standard .093" Pin<br>and Socket Plug<br>Housing, 2 Circuits,<br>without Mounting<br>Ears, Natural<br>2.36mm Diameter <u>3092031</u><br>Standard .093" Pin<br>and Socket Plug<br>Housing, 3 Circuits,<br>Single Row, Natural<br>2.36mm Diameter <u>3092032</u><br>Standard .093" Pin<br>and Socket Plug<br>Housing, 3 Circuits,<br>Single Row, Natural<br>2.36mm Diameter <u>3092041</u><br>Standard .093" Pin<br>and Socket Plug<br>Housing, 4 Circuits,<br>Single Row<br>2.36mm Diameter <u>3092042</u><br>Standard .093" Pin<br>and Socket Plug<br>Housing, 4 Circuits,<br>Single Row<br>2.36mm Diameter <u>3092049</u><br>Standard .093" Pin<br>and Socket Plug<br>Housing, 4 Circuits,<br>Dual Row, without<br>Mounting Ears,<br>Natural<br>2.36mm Diameter <u>3092061</u><br>Standard .093" Pin<br>and Socket Plug<br>Housing, 6 Circuits,<br>Dual Row<br>2.36mm Diameter <u>3092062</u><br>Standard .093" Pin<br>and Socket Plug |  |
|--|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|

|                                                                                                                                                       |                |
|-------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|
| Housing, 6 Circuits,<br>Dual Row                                                                                                                      |                |
| 2.36mm Diameter                                                                                                                                       | <u>3092092</u> |
| Standard .093" Pin<br>and Socket Plug<br>Housings, 9 Circuits,<br>3 Rows                                                                              |                |
| 2.36mm Diameter                                                                                                                                       | <u>3092121</u> |
| Standard .093" Pin<br>and Socket Plug<br>Housing, 12 Circuits,<br>3 Rows                                                                              |                |
| 2.36mm Diameter                                                                                                                                       | <u>3092122</u> |
| Standard .093" Pin<br>and Socket Plug<br>Housing, 12 Circuits,<br>3 Rows                                                                              |                |
| 2.36mm Diameter                                                                                                                                       | <u>3092151</u> |
| Standard .093" Pin<br>and Socket Plug<br>Housing, 15 Circuits,<br>3 Rows, without<br>Mounting Ears, with<br>Pull Tabs, without<br>Lock Windows        |                |
| 2.36mm Diameter                                                                                                                                       | <u>3092159</u> |
| Standard .093" Pin<br>and Socket Plug<br>Housing, 15 Circuits,<br>3 Rows, with Pre-<br>Bent Mounting Ears,<br>without Pull Tabs,<br>with Lock Windows |                |
| 2.36mm Diameter                                                                                                                                       | <u>3092161</u> |
| Standard .093" Pin<br>and Socket Plug<br>Housing without<br>Mounting Ears,<br>Positive Lock, 2<br>Circuits                                            |                |
| 2.36mm Diameter                                                                                                                                       | <u>3096021</u> |
| Standard .093"<br>Pin and Socket<br>Receptacle Housing,<br>2 Circuits, with Pre-<br>bent Mounting Ears,<br>with Ramps, Black                          |                |
| 2.36mm Diameter                                                                                                                                       | <u>3097022</u> |
| Standard .093" Pin<br>and Socket Plug<br>Housing, 2 Circuits,<br>without Mounting<br>Ears, Black                                                      |                |
| 2.36mm Diameter                                                                                                                                       | <u>3097024</u> |
| Standard .093" Pin<br>and Socket Plug<br>Housing, 2 Circuits,<br>without Mounting<br>Ears, Red                                                        |                |
| 2.36mm Diameter                                                                                                                                       | <u>3097032</u> |
| Standard .093" Pin<br>and Socket Plug<br>Housing, 3 Circuits,<br>Single Row, Black                                                                    |                |

|  |                                                                                                                                                                                 |
|--|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  | 3.18mm Diameter, <a href="#">3121022</a><br>HCS125, Pin and<br>Socket Receptacle<br>Housing, 2 Circuits,<br>Single Row, with and<br>without Panel Mount<br>Ears                 |
|  | 3.18mm Diameter, <a href="#">3121026</a><br>HCS125, Pin and<br>Socket Receptacle<br>Housing, Single<br>Row, 2 Circuits,<br>Natural (Translucent)                                |
|  | 3.18mm Diameter, <a href="#">3121036</a><br>HCS125, Pin and<br>Socket Receptacle<br>Housing, Single<br>Row, without Panel<br>Mount Ears, 3<br>Circuits, Natural,<br>Nylon 94V-2 |
|  | 3.18mm Diameter, <a href="#">3121046</a><br>HCS125, Pin and<br>Socket Receptacle<br>Housing, Single<br>Row, 4 Circuits,<br>Natural (Translucent)                                |
|  | 3.18mm Diameter, <a href="#">3122022</a><br>HCS125, Pin<br>and Socket Plug<br>Housing, 2 Circuits,<br>Single Row, with and<br>without Panel Mount<br>Ears                       |
|  | 3.18mm Diameter, <a href="#">3122025</a><br>HCS125, Pin<br>and Socket Plug<br>Housing, Single<br>Row, with Panel<br>Mount Ears, 2<br>Circuits, Natural<br>(Translucent)         |
|  | 3.18mm Diameter, <a href="#">3122026</a><br>HCS125, Pin<br>and Socket Plug<br>Housing, Single<br>Row, without Panel<br>Mount Ears, 2<br>Circuits, Natural<br>(Translucent)      |
|  | 3.18mm Diameter, <a href="#">3122035</a><br>HCS125, Pin<br>and Socket Plug<br>Housing, Single<br>Row, with Panel<br>Mount Ears, 3<br>Circuits, Natural,<br>Nylon 94V-2          |
|  | 3.18mm Diameter, <a href="#">3122036</a><br>HCS125, Pin<br>and Socket Plug<br>Housing, Single<br>Row, without Panel<br>Mount Ears, 3                                            |

|  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|--|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  | Circuits, Natural,<br>Nylon 94V-2<br>3.18mm Diameter, <u>3122045</u><br>HCS125, Pin<br>and Socket Plug<br>Housing, Single<br>Row, with Panel<br>Mount Ears, 4<br>Circuits, Natural<br>(Translucent)<br>3.18mm Diameter, <u>3122046</u><br>HCS125, Pin<br>and Socket Plug<br>Housing, Single<br>Row, without Panel<br>Mount Ears, 4<br>Circuits, Natural<br>(Translucent)<br>Crimp Terminal <u>5121004</u><br>2482, 10-16 AWG,<br>Reel<br>Crimp Terminal <u>5121005</u><br>2482, 10-16 AWG,<br>Bag<br>Crimp Terminal <u>5121006</u><br>2482, 10-16 AWG,<br>Reel<br>Crimp Terminal <u>5121008</u><br>2482, 10-16 AWG,<br>Reel<br>Crimp Terminal <u>5121104</u><br>6482, 14-18 AWG,<br>Reel<br>Flat Blade Appliance <u>6021103</u><br>Motor Switch Crimp<br>Housing, 10 Circuits<br>Flat Blade Appliance <u>6022030</u><br>Water Valve Crimp<br>Housing, 3 Circuit,<br>Natural<br>Flat Blade Appliance <u>6023042</u><br>Defrost Timer Crimp<br>Housing, 4 Circuit, 4<br>Circuits<br>Flat Blade Appliance <u>6023103</u><br>Motor Switch Crimp<br>Housing, 10 Circuit,<br>10 Circuits<br>Flat Blade Appliance <u>6023104</u><br>Dryer Motor Crimp<br>Housing, 10 Circuit<br>KK 254 Cat Ear <u>8500030</u><br>Crimp Terminal<br>4809, 22-30 AWG,<br>Hot Tin Dip, 2.20mm<br>Insulation Crimp,<br>Reel<br>KK 254 Cat Ear <u>8500031</u><br>Crimp Terminal<br>4809, 22-30 AWG,<br>Hot Tin Dip, Reel<br>KK 254 Cat Ear <u>8500032</u><br>Crimp Terminal<br>4809, 22-30 AWG,<br>Hot Tin Dip, Bag |
|--|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

|                                                                                                           |                |
|-----------------------------------------------------------------------------------------------------------|----------------|
| KK 254 Crimp<br>Terminal, 22-30<br>AWG, Hot Tin (Sn)<br>Dip Plating                                       | <u>8500113</u> |
| KK 254 Crimp<br>Terminal, 22-30<br>AWG, Bag, Hot Tin<br>(Sn) Dip Plating                                  | <u>8500114</u> |
| KK 254 Crimp<br>Terminal 4809, 22-30<br>AWG, Hot Tin Dip,<br>Reel                                         | <u>8500135</u> |
| KK 254 Crimp<br>Terminal 4809, 22-30<br>AWG, Tin, Bag                                                     | <u>8500136</u> |
| KK 254 Crimp<br>Terminal, 22-30<br>AWG, Reel, Tin (Sn)<br>Plating, Nickel (Ni)<br>Under Plating           | <u>8500159</u> |
| KK 254 Crimp<br>Terminal, 22-30<br>AWG, Bag, Tin (Sn)<br>Plating, Nickel (Ni)<br>Under Plating            | <u>8500160</u> |
| KK 100 Crp Term<br>Std 22-30 Awg Unplt                                                                    | <u>8510101</u> |
| KK 254 Crimp<br>Terminal, 22-30<br>AWG, Reel, Tin (Sn),<br>Nickel (Ni) Under<br>Plating                   | <u>8510108</u> |
| KK 254 Crimp<br>Terminal 6459,<br>22-30 AWG, Reel,<br>Phosphor Bronze Tin<br>(Sn)                         | <u>8520101</u> |
| KK .100 CRIMP<br>TERMINAL 100MI<br>MATTE TIN                                                              | <u>8520118</u> |
| KK 254 Crimp<br>Terminal 6459,<br>22-30 AWG, Bag,<br>Phosphor Bronze Tin<br>(Sn)                          | <u>8520123</u> |
| 3.96mm Pitch KK<br>Crimp Terminal<br>2878, 18-20 AWG,<br>Bag, Phosphor<br>Bronze, Tin (Sn),<br>Bifurcated | <u>8520127</u> |
| KK 156 TERMINAL<br>CRIMP 1820 AWG                                                                         | <u>8530814</u> |
| KK 254 Crimp<br>Terminal, 22-30<br>AWG, Reel,<br>Selective Gold (Au),<br>Nickel (Ni) Under<br>Plating     | <u>8550101</u> |
| KK 254 Crimp<br>Terminal, 22-30<br>AWG, Bag, Selective<br>Gold (Au), Nickel (Ni)<br>Under Plating         | <u>8550102</u> |

|                        |                |
|------------------------|----------------|
| KK 254 Crimp           | <u>8550110</u> |
| Terminal 4809, 22-30   |                |
| AWG, Selective Gold    |                |
| (Au), Reel             |                |
| KK 254 Crimp           | <u>8550111</u> |
| Terminal 4809, 22-30   |                |
| AWG, Selective Gold    |                |
| (Au), Bag              |                |
| KK 254 Cat Ear         | <u>8550112</u> |
| Crimp Terminal         |                |
| 4809, 22-30 AWG,       |                |
| Selective Gold, Reel   |                |
| KK 254 Crimp           | <u>8550130</u> |
| Terminal, 22-30        |                |
| AWG, Reel,             |                |
| Selective Gold (Au),   |                |
| Nickel (Ni) Under      |                |
| Plating                |                |
| KK 254 Crimp           | <u>8550131</u> |
| Terminal, 22-30        |                |
| AWG, Bag, Selective    |                |
| Gold (Au), Nickel (Ni) |                |
| Under Plating          |                |
| KK 254 Crimp           | <u>8560109</u> |
| Terminal, 22-30        |                |
| AWG, Reel, Gold        |                |
| (Au), Nickel (Ni)      |                |
| Under Plating          |                |
| KK 254 Crimp           | <u>8560110</u> |
| Terminal, 22-30        |                |
| AWG, Bag, Gold         |                |
| (Au), Nickel (Ni)      |                |
| Under Plating          |                |
| KK 254 Crimp           | <u>8560115</u> |
| Terminal 4809, 22-30   |                |
| AWG, Selective Gold    |                |
| (Au), Bag              |                |
| KK 254 Crimp           | <u>8560120</u> |
| Terminal 4809, 22-30   |                |
| AWG, Selective Gold    |                |
| (Au), Reel             |                |
| KK 100 Crp Term        | <u>8650801</u> |
| Std 22-30 Awg          |                |
| SGold                  |                |
| KK 100 Crp Term        | <u>8650811</u> |
| Std 22-30 Awg          |                |
| SGold                  |                |
| KK 100 Crp Term        | <u>8650812</u> |
| Std 22-30 Awg          |                |
| SGold                  |                |
| KK 254 Crimp           | <u>8650813</u> |
| Terminal 6459,         |                |
| 22-30 AWG, Reel,       |                |
| Phosphor Bronze        |                |
| Gold (Au)              |                |
| KK 254 Crimp           | <u>8650814</u> |
| Terminal 6459,         |                |
| 22-30 AWG, Bag,        |                |
| Phosphor Bronze        |                |
| Gold (Au)              |                |
| KK 254 Crimp           | <u>8650815</u> |
| Terminal 6459,         |                |
| 22-30 AWG, Reel,       |                |
| Phosphor Bronze        |                |
| Selective Gold (Au)    |                |

|                                                                                                                                           |                |
|-------------------------------------------------------------------------------------------------------------------------------------------|----------------|
| KK 254 Crimp<br>Terminal 6459,<br>22-30 AWG, Bag,<br>Phosphor Bronze<br>Selective Gold (Au)                                               | <u>8650816</u> |
| KK 100 Crp Term<br>Std 22-30 Awg<br>SGold                                                                                                 | <u>8650817</u> |
| 3.96 and 5.08mm<br>Pitch KK Cat Ear<br>Crimp Terminal,<br>Female, 18-24 AWG,<br>Reel                                                      | <u>8700012</u> |
| SPOX Crimp<br>Terminal, 18-24<br>AWG, Brass, Bag                                                                                          | <u>8701030</u> |
| 3.96mm Pitch KK<br>Crimp Housing, Edge<br>Card Connector,<br>Single-Sided,<br>Polarized, Positive<br>Lock, with Probe<br>Hole, 3 Circuits | <u>9011036</u> |
| KK 396 PC Board<br>Connector, Right<br>Angle, Polyester<br>Connector, 5.00µm<br>Tin (Sn), 2 Circuits                                      | <u>9481024</u> |
| KK 396 PC Board<br>Connector, Right<br>Angle, Polyester<br>Connector, 5.00µm<br>Tin (Sn), 2 Circuits                                      | <u>9481104</u> |
| KK 396 PC Board<br>Connector, Right<br>Angle, Polyester<br>Connector, 5.00µm<br>Tin (Sn), 10 Circuits                                     | <u>9481105</u> |
| KK 396 PC Board<br>Connector, Top<br>Entry, Polyester<br>Connector, Gold (Au)<br>Selective, 10 Circuits                                   | <u>9483024</u> |
| KK 396 PC Board<br>Connector, Bottom<br>Entry, Polyester<br>Connector, Gold (Au)<br>Selective, 2 Circuits                                 | <u>9483025</u> |
| KK 396 PC Board<br>Connector, Right<br>Angle, Polyester<br>Connector, Gold (Au)<br>Selective, 2 Circuits                                  | <u>9483026</u> |
| KK 396 PC Board<br>Connector, Top<br>Entry, Polyester<br>Connector, Gold (Au)<br>Selective, 2 Circuits                                    | <u>9483104</u> |
| KK 396 PC Board<br>Connector, Bottom<br>Entry, Polyester<br>Connector, Gold (Au)<br>Selective, 10 Circuits                                | <u>9483105</u> |
| KK 396 PC Board<br>Connector, Right-<br>Angle, Polyester<br>Connector, Gold (Au)<br>Selective, 10 Circuits                                | <u>9483106</u> |
| KK 396 PC Board<br>Connector, Top                                                                                                         |                |

Entry, Polyester  
Connector, Gold (Au)  
Selective, 10 Circuits  
KK 396 PC Board 9484028  
Connector, Top  
Entry, Polyester  
Connector, 5.00µm  
Tin (Sn), 2 Circuits  
KK 396 PC Board 9484029  
Connector, Bottom  
Entry, Polyester  
Connector, 5.00µm  
Tin (Sn), 2 Circuits  
KK 396 PC Board 9484039  
Connector, Bottom  
Entry, Polyester  
Connector, 5.00µm  
Tin (Sn), 3 Circuits  
KK 396 PC Board 9484099  
Connector, Bottom  
Entry, Polyester  
Connector, 5.00µm  
Tin (Sn), 9 Circuits  
KK 396 PC Board 9484108  
Connector, Top  
Entry, Polyester  
Connector, 5.00µm  
Tin (Sn), 10 Circuits  
KK 396 PC Board 9484109  
Connector, Bottom  
Entry, Polyester  
Connector, 5.00µm  
Tin (Sn), 10 Circuits  
KK 396 PC Board 9484118  
Connector, Top  
Entry, Polyester  
Connector, 5.00µm  
Tin (Sn), 11 Circuits  
KK 396 PC Board 9484149  
Connector, Bottom  
Entry, Polyester  
Connector, 5.00µm  
Tin (Sn), 14 Circuits  
3.96mm Pitch SPOX 9501021  
Crimp Housing,  
Female, with Friction  
Ramp, 2 Circuits,  
Natural  
3.96mm Pitch SPOX 9501023  
Crimp Housing,  
Female, with Friction  
Ramp and Void, 2  
Circuits, Natural  
3.96mm Pitch SPOX 9501031  
Crimp Housing,  
Female, with Friction  
Ramp, 3 Circuits,  
Natural  
3.96mm Pitch SPOX 9501033  
Crimp Housing,  
Female, with Friction  
Ramp and Void, 3  
Circuits, Natural  
3.96mm Pitch SPOX 9501041  
Crimp Housing,

Female, with Friction  
Ramp, 4 Circuits,  
Natural  
3.96mm Pitch SPOX [9501043](#)  
Crimp Housing,  
Female, with Friction  
Ramp and Void, 4  
Circuits, Natural  
3.96mm Pitch SPOX [9501051](#)  
Crimp Housing,  
Female, with Friction  
Ramp, 5 Circuits,  
Natural  
3.96mm Pitch SPOX [9501053](#)  
Crimp Housing,  
Female, with Friction  
Ramp and Void, 5  
Circuits, Natural  
3.96mm Pitch SPOX [9501061](#)  
Crimp Housing,  
Female, with Friction  
Ramp, 6 Circuits,  
Natural  
3.96mm Pitch SPOX [9501063](#)  
Crimp Housing,  
Female, with Friction  
Ramp and Void, 6  
Circuits, Natural  
3.96mm Pitch SPOX [9501071](#)  
Crimp Housing,  
Female, with Friction  
Ramp, 7 Circuits,  
Natural  
3.96mm Pitch SPOX [9501073](#)  
Crimp Housing,  
Female, with Friction  
Ramp and Void, 7  
Circuits, Natural  
3.96mm Pitch SPOX [9501081](#)  
Crimp Housing,  
Female, with Friction  
Ramp, 8 Circuits,  
Natural  
3.96mm Pitch SPOX [9501083](#)  
Crimp Housing,  
Female, with Friction  
Ramp and Void, 8  
Circuits, Natural  
3.96mm Pitch SPOX [9501091](#)  
Crimp Housing,  
Female, with Friction  
Ramp, 9 Circuits,  
Natural  
3.96mm Pitch SPOX [9501101](#)  
Crimp Housing,  
Female, with Friction  
Ramp, 10 Circuits,  
Natural  
3.96mm Pitch SPOX [9501103](#)  
Crimp Housing,  
Female, with Friction  
Ramp and Void, 10  
Circuits, Natural  
3.96mm Pitch SPOX [9501111](#)  
Crimp Housing,

|                                                                                                        |                |
|--------------------------------------------------------------------------------------------------------|----------------|
| Female, with Friction<br>Ramp, 11 Circuits,<br>Natural<br>3.96mm Pitch SPOX                            | <u>9501113</u> |
| Crimp Housing,<br>Female, with Friction<br>Ramp and Void, 11<br>Circuits, Natural<br>3.96mm Pitch SPOX | <u>9501121</u> |
| Crimp Housing,<br>Female, with Friction<br>Ramp, 12 Circuits,<br>Natural<br>KK 3.96mm Crimp            | <u>9503021</u> |
| Terminal Housing,<br>Friction Ramp, 2<br>Circuits, Natural<br>KK 3.96mm Crimp                          | <u>9503031</u> |
| Terminal Housing,<br>Friction Ramp, 3<br>Circuits, Natural<br>KK 3.96mm Crimp                          | <u>9503041</u> |
| Terminal Housing,<br>Friction Ramp, 4<br>Circuits, Natural<br>KK 3.96mm Crimp                          | <u>9503051</u> |
| Terminal Housing,<br>Friction Ramp, 5<br>Circuits, Natural<br>KK 3.96mm Crimp                          | <u>9503061</u> |
| Terminal Housing,<br>Friction Ramp, 6<br>Circuits, Natural<br>KK 3.96mm Crimp                          | <u>9503071</u> |
| Terminal Housing,<br>Friction Ramp, 7<br>Circuits, Natural<br>KK 3.96mm Crimp                          | <u>9503081</u> |
| Terminal Housing,<br>Friction Ramp, 8<br>Circuits, Natural<br>KK 3.96mm Crimp                          | <u>9503091</u> |
| Terminal Housing,<br>Friction Ramp, 9<br>Circuits, Natural<br>KK 3.96mm Crimp                          | <u>9503101</u> |
| Terminal Housing,<br>Friction Ramp, 10<br>Circuits, Natural<br>KK 3.96mm Crimp                         | <u>9503111</u> |
| Terminal Housing,<br>Friction Ramp, 11<br>Circuits, Natural<br>KK 3.96mm Crimp                         | <u>9503121</u> |
| Terminal Housing,<br>Friction Ramp, 12<br>Circuits, Natural<br>KK 3.96mm Crimp                         | <u>9503131</u> |
| Terminal Housing,<br>Friction Ramp, 13<br>Circuits, Natural<br>KK 3.96mm Crimp                         | <u>9503141</u> |
| Terminal Housing,<br>Friction Ramp, 14<br>Circuits, Natural                                            |                |

|  |                                                                                |                |
|--|--------------------------------------------------------------------------------|----------------|
|  | KK 3.96mm Crimp<br>Terminal Housing,<br>Friction Ramp, 15<br>Circuits, Natural | <u>9503151</u> |
|  | KK 3.96mm Crimp<br>Terminal Housing,<br>Friction Ramp, 16<br>Circuits, Natural | <u>9503161</u> |
|  | KK 3.96mm Crimp<br>Terminal Housing,<br>Friction Ramp, 17<br>Circuits, Natural | <u>9503171</u> |
|  | KK 3.96mm Crimp<br>Terminal Housing,<br>Friction Ramp, 18<br>Circuits, Natural | <u>9503181</u> |
|  | KK 3.96mm Crimp<br>Terminal Housing,<br>Friction Ramp, 19<br>Circuits, Natural | <u>9503191</u> |
|  | KK 3.96mm Crimp<br>Terminal Housing,<br>Friction Ramp, 20<br>Circuits, Natural | <u>9503201</u> |
|  | KK 3.96mm Crimp<br>Terminal Housing,<br>Friction Ramp, 21<br>Circuits, Natural | <u>9503211</u> |
|  | KK 3.96mm Crimp<br>Terminal Housing,<br>Friction Ramp, 22<br>Circuits, Natural | <u>9503221</u> |
|  | KK 3.96mm Crimp<br>Terminal Housing,<br>Friction Ramp, 23<br>Circuits, Natural | <u>9503231</u> |
|  | KK 3.96mm Crimp<br>Terminal Housing,<br>Friction Ramp, 24<br>Circuits, Natural | <u>9503241</u> |
|  | KK 3.96mm Crimp<br>Terminal Housing, 2<br>Circuits, Natural                    | <u>9507021</u> |
|  | KK 3.96mm Crimp<br>Terminal Housing, 3<br>Circuits, Natural                    | <u>9507031</u> |
|  | KK 3.96mm Crimp<br>Terminal Housing, 4<br>Circuits, Natural                    | <u>9507041</u> |
|  | KK 3.96mm Crimp<br>Terminal Housing, 5<br>Circuits, Natural                    | <u>9507051</u> |
|  | KK 3.96mm Crimp<br>Terminal Housing, 6<br>Circuits, Natural                    | <u>9507061</u> |
|  | KK 3.96mm Crimp<br>Terminal Housing, 7<br>Circuits, Natural                    | <u>9507071</u> |
|  | KK 3.96mm Crimp<br>Terminal Housing, 8<br>Circuits, Natural                    | <u>9507081</u> |
|  | KK 3.96mm Crimp<br>Terminal Housing, 9<br>Circuits, Natural                    | <u>9507091</u> |

KK 3.96mm Crimp 9507101  
Terminal Housing, 10  
Circuits, Natural  
KK 3.96mm Crimp 9507111  
Terminal Housing, 11  
Circuits, Natural  
KK 3.96mm Crimp 9507121  
Terminal Housing, 12  
Circuits, Natural  
KK 3.96mm Crimp 9507131  
Terminal Housing, 13  
Circuits, Natural  
KK 3.96mm Crimp 9507141  
Terminal Housing, 14  
Circuits, Natural  
KK 3.96mm Crimp 9507151  
Terminal Housing, 15  
Circuits, Natural  
KK 3.96mm Crimp 9507161  
Terminal Housing, 16  
Circuits, Natural  
KK 3.96mm Crimp 9507171  
Terminal Housing, 17  
Circuits, Natural  
KK 3.96mm Crimp 9507181  
Terminal Housing, 18  
Circuits, Natural  
KK 3.96mm Crimp 9507191  
Terminal Housing, 19  
Circuits, Natural  
KK 3.96mm Crimp 9507201  
Terminal Housing, 20  
Circuits, Natural  
KK 3.96mm Crimp 9507211  
Terminal Housing, 21  
Circuits, Natural  
KK 3.96mm Crimp 9507221  
Terminal Housing, 22  
Circuits, Natural  
KK 3.96mm Crimp 9507231  
Terminal Housing, 23  
Circuits, Natural  
KK 3.96mm Crimp 9507241  
Terminal Housing, 24  
Circuits, Natural  
KK 3.96mm Crimp 9508020  
Terminal Housing, 2  
Circuits, Natural  
KK 3.96mm Crimp 9508021  
Terminal Housing,  
Friction Ramp, 2  
Circuits, Natural  
KK 3.96mm Crimp 9508023  
Terminal Housing,  
Friction Ramp, 2  
Circuits, Natural  
KK 3.96mm Crimp 9508030  
Terminal Housing, 3  
Circuits, Natural  
KK 3.96mm Crimp 9508033  
Terminal Housing,  
Friction Ramp, 3  
Circuits, Natural  
KK 3.96mm Crimp 9508041  
Terminal Housing,

|                      |                |
|----------------------|----------------|
| Friction Ramp, 4     |                |
| Circuits, Natural    |                |
| KK 3.96mm Crimp      | <u>9508050</u> |
| Terminal Housing, 5  |                |
| Circuits, Natural    |                |
| KK 3.96mm Crimp      | <u>9508051</u> |
| Terminal Housing,    |                |
| Friction Ramp, 5     |                |
| Circuits, Natural    |                |
| KK 3.96mm Crimp      | <u>9508053</u> |
| Terminal Housing,    |                |
| Friction Ramp, 5     |                |
| Circuits, Natural    |                |
| KK 3.96mm Crimp      | <u>9508063</u> |
| Terminal Housing,    |                |
| Friction Ramp, 6     |                |
| Circuits, Natural    |                |
| KK 3.96mm Crimp      | <u>9508071</u> |
| Terminal Housing,    |                |
| Friction Ramp, 7     |                |
| Circuits, Natural    |                |
| KK 3.96mm Crimp      | <u>9508080</u> |
| Terminal Housing, 8  |                |
| Circuits, Natural    |                |
| KK 3.96mm Crimp      | <u>9508093</u> |
| Terminal Housing,    |                |
| Friction Ramp, 9     |                |
| Circuits, Natural    |                |
| KK 3.96mm Crimp      | <u>9508100</u> |
| Terminal Housing, 10 |                |
| Circuits, Natural    |                |
| KK 3.96mm Crimp      | <u>9508101</u> |
| Terminal Housing,    |                |
| Friction Ramp, 10    |                |
| Circuits, Natural    |                |
| KK 3.96mm Crimp      | <u>9508103</u> |
| Terminal Housing,    |                |
| Friction Ramp, 10    |                |
| Circuits, Natural    |                |
| KK 3.96mm Crimp      | <u>9508111</u> |
| Terminal Housing,    |                |
| Friction Ramp, 11    |                |
| Circuits, Natural    |                |
| KK 3.96mm Crimp      | <u>9508120</u> |
| Terminal Housing, 12 |                |
| Circuits, Natural    |                |
| KK 3.96mm Crimp      | <u>9508123</u> |
| Terminal Housing,    |                |
| Friction Ramp, 12    |                |
| Circuits, Natural    |                |
| KK 3.96mm Crimp      | <u>9508131</u> |
| Terminal Housing,    |                |
| Friction Ramp, 13    |                |
| Circuits, Natural    |                |
| KK 3.96mm Crimp      | <u>9508133</u> |
| Terminal Housing,    |                |
| Friction Ramp, 13    |                |
| Circuits, Natural    |                |
| KK 3.96mm Crimp      | <u>9508141</u> |
| Terminal Housing,    |                |
| Friction Ramp, 14    |                |
| Circuits, Natural    |                |
| 3.96mm Pitch KK      | <u>9524024</u> |
| Crimp Housing,       |                |
| Female, Friction     |                |

|  |                                                                                        |                |
|--|----------------------------------------------------------------------------------------|----------------|
|  | Ramp, 2 Circuits,<br>Natural                                                           |                |
|  | 3.96mm Pitch KK                                                                        | <u>9524034</u> |
|  | Crimp Housing,<br>Female, Friction                                                     |                |
|  | Ramp, 3 Circuits,<br>Natural                                                           |                |
|  | 3.96mm Pitch KK                                                                        | <u>9524044</u> |
|  | Crimp Housing,<br>Female, Friction                                                     |                |
|  | Ramp, 4 Circuits,<br>Natural                                                           |                |
|  | 3.96mm Pitch KK                                                                        | <u>9524054</u> |
|  | Crimp Housing,<br>Female, Friction                                                     |                |
|  | Ramp, 5 Circuits,<br>Natural                                                           |                |
|  | 3.96mm Pitch KK                                                                        | <u>9524064</u> |
|  | Crimp Housing,<br>Female, Friction                                                     |                |
|  | Ramp, 6 Circuits,<br>Natural                                                           |                |
|  | SPOX and KK                                                                            | <u>9652028</u> |
|  | 396 Wire-to-Board<br>Header, Vertical,<br>with Friction Lock, 2<br>Circuits            |                |
|  | SPOX and KK                                                                            | <u>9652029</u> |
|  | 396 Wire-to-Board<br>Header, Vertical, with<br>Friction Lock, with<br>Void, 2 Circuits |                |
|  | SPOX and KK                                                                            | <u>9652038</u> |
|  | 396 Wire-to-Board<br>Header, Vertical,<br>with Friction Lock, 3<br>Circuits            |                |
|  | SPOX and KK                                                                            | <u>9652039</u> |
|  | 396 Wire-to-Board<br>Header, Vertical, with<br>Friction Lock, with<br>Void, 3 Circuits |                |
|  | SPOX and KK                                                                            | <u>9652048</u> |
|  | 396 Wire-to-Board<br>Header, Vertical,<br>with Friction Lock, 4<br>Circuits            |                |
|  | SPOX and KK                                                                            | <u>9652049</u> |
|  | 396 Wire-to-Board<br>Header, Vertical, with<br>Friction Lock, with<br>Void, 4 Circuits |                |
|  | SPOX and KK                                                                            | <u>9652058</u> |
|  | 396 Wire-to-Board<br>Header, Vertical,<br>with Friction Lock, 5<br>Circuits            |                |
|  | SPOX and KK                                                                            | <u>9652068</u> |
|  | 396 Wire-to-Board<br>Header, Vertical,<br>with Friction Lock, 6<br>Circuits            |                |
|  | SPOX and KK                                                                            | <u>9652069</u> |
|  | 396 Wire-to-Board<br>Header, Vertical, with                                            |                |

|  |                                                                                                           |                |
|--|-----------------------------------------------------------------------------------------------------------|----------------|
|  | Friction Lock, with<br>Void, 6 Circuits<br>SPOX and KK                                                    | <u>9652078</u> |
|  | 396 Wire-to-Board<br>Header, Vertical,<br>with Friction Lock, 7<br>Circuits<br>SPOX and KK                | <u>9652079</u> |
|  | 396 Wire-to-Board<br>Header, Vertical, with<br>Friction Lock, with<br>Void, 7 Circuits<br>SPOX and KK     | <u>9652088</u> |
|  | 396 Wire-to-Board<br>Header, Vertical,<br>with Friction Lock, 8<br>Circuits<br>SPOX and KK                | <u>9652089</u> |
|  | 396 Wire-to-Board<br>Header, Vertical, with<br>Friction Lock, with<br>Void, 8 Circuits<br>KK 3.96mm Crimp | <u>9930200</u> |
|  | Terminal Housing,<br>Friction Ramp, 2<br>Circuits, Glow-Wire<br>Capable<br>KK 3.96mm Crimp                | <u>9930300</u> |
|  | Terminal Housing,<br>Friction Ramp, 3<br>Circuits, Glow-Wire<br>Capable<br>KK 3.96mm Crimp                | <u>9930400</u> |
|  | Terminal Housing,<br>Friction Ramp, 4<br>Circuits, Glow-Wire<br>Capable<br>KK 3.96mm Crimp                | <u>9930500</u> |
|  | Terminal Housing,<br>Friction Ramp, 5<br>Circuits, Glow-Wire<br>Capable<br>KK 3.96mm Crimp                | <u>9930600</u> |
|  | Terminal Housing,<br>Friction Ramp, 6<br>Circuits, Glow-Wire<br>Capable<br>KK 3.96mm Crimp                | <u>9930700</u> |
|  | Terminal Housing,<br>Friction Ramp, 7<br>Circuits, Glow-Wire<br>Capable<br>KK 3.96mm Crimp                | <u>9930800</u> |
|  | Terminal Housing,<br>Friction Ramp, 8<br>Circuits, Glow-Wire<br>Capable<br>KK 3.96mm Crimp                | <u>9930900</u> |
|  | Terminal Housing,<br>Friction Ramp, 9<br>Circuits, Glow-Wire<br>Capable<br>KK 3.96mm Crimp                | <u>9931000</u> |
|  | Terminal Housing,<br>Friction Ramp, 10                                                                    |                |

|                                                             |                 |
|-------------------------------------------------------------|-----------------|
| Circuits, Glow-Wire Capable                                 |                 |
| KK 3.96mm Crimp Terminal Housing, Friction Ramp, 11         | <u>9931100</u>  |
| Circuits, Glow-Wire Capable                                 |                 |
| KK 3.96mm Crimp Terminal Housing, Friction Ramp, 12         | <u>9931200</u>  |
| Circuits, Glow-Wire Capable                                 |                 |
| 15 PIN MICRO-D FEMAL ASSY                                   | <u>10008503</u> |
| M8351309B11                                                 |                 |
| 15/C METALSHELL RECEPT.WIRED                                | <u>10008637</u> |
| 15/C METAL SHELL PLUG WIRED                                 | <u>10008638</u> |
| 25/C RECEPT. HARNESS ASSY                                   | <u>10008645</u> |
| 37/C RECEPT. HARNESS ASSY                                   | <u>10008647</u> |
| STAT. 3CKT RECEPT. PIN 1/4 IN 1 FT                          | <u>10008653</u> |
| R/A 3CKT PLUG SOC. INSERT PUR                               | <u>10008654</u> |
| 12 FEET                                                     |                 |
| 15/C M SHELL RECEPT. WIRED                                  | <u>10008655</u> |
| 72.0                                                        |                 |
| 5.08mm Pitch KK Crimp Terminal Housing, 2 Circuits, Natural | <u>10011024</u> |
| 5.08mm Pitch KK Crimp Terminal Housing, 3 Circuits, Natural | <u>10011034</u> |
| 5.08mm Pitch KK Crimp Terminal Housing, 4 Circuits, Natural | <u>10011044</u> |
| 5.08mm Pitch KK Crimp Terminal Housing, 5 Circuits, Natural | <u>10011054</u> |
| 5.08mm Pitch KK Crimp Terminal Housing, 6 Circuits, Natural | <u>10011064</u> |
| 5.08mm Pitch KK Crimp Terminal Housing, 7 Circuits, Natural | <u>10011074</u> |
| 5.08mm Pitch KK Crimp Terminal Housing, 8 Circuits, Natural | <u>10011084</u> |
| 5.08mm Pitch KK Crimp Terminal Housing, 9 Circuits, Natural | <u>10011094</u> |

|                       |                                 |
|-----------------------|---------------------------------|
| 5.08mm Pitch KK       | <a href="#"><u>10011104</u></a> |
| Crimp Terminal        |                                 |
| Housing, 10 Circuits, |                                 |
| Natural               |                                 |
| 5.08mm Pitch KK       | <a href="#"><u>10011114</u></a> |
| Crimp Terminal        |                                 |
| Housing, 11 Circuits, |                                 |
| Natural               |                                 |
| 5.08mm Pitch KK       | <a href="#"><u>10011124</u></a> |
| Crimp Terminal        |                                 |
| Housing, 12 Circuits, |                                 |
| Natural               |                                 |
| 5.08mm Pitch SPOX     | <a href="#"><u>10013026</u></a> |
| Crimp Terminal        |                                 |
| Housing, 2 Circuits,  |                                 |
| Natural               |                                 |
| 5.08mm Pitch SPOX     | <a href="#"><u>10013036</u></a> |
| Crimp Terminal        |                                 |
| Housing, 3 Circuits,  |                                 |
| Natural               |                                 |
| 5.08mm Pitch SPOX     | <a href="#"><u>10013046</u></a> |
| Crimp Terminal        |                                 |
| Housing, 4 Circuits,  |                                 |
| Natural               |                                 |
| 5.08mm Pitch SPOX     | <a href="#"><u>10013056</u></a> |
| Crimp Terminal        |                                 |
| Housing, 5 Circuits,  |                                 |
| Natural               |                                 |
| 5.08mm Pitch SPOX     | <a href="#"><u>10013066</u></a> |
| Crimp Terminal        |                                 |
| Housing, 6 Circuits,  |                                 |
| Natural               |                                 |
| 5.08mm Pitch SPOX     | <a href="#"><u>10013076</u></a> |
| Crimp Terminal        |                                 |
| Housing, 7 Circuits,  |                                 |
| Natural               |                                 |
| 5.08mm Pitch SPOX     | <a href="#"><u>10013086</u></a> |
| Crimp Terminal        |                                 |
| Housing, 8 Circuits,  |                                 |
| Natural               |                                 |
| 5.08mm Pitch SPOX     | <a href="#"><u>10013096</u></a> |
| Crimp Terminal        |                                 |
| Housing, 9 Circuits,  |                                 |
| Natural               |                                 |
| KK PC Board           | <a href="#"><u>10021022</u></a> |
| Connector, Bottom     |                                 |
| Entry Mount Style B,  |                                 |
| 1.00µm Tin (Sn), 2    |                                 |
| Circuits              |                                 |
| KK PC Board           | <a href="#"><u>10021032</u></a> |
| Connector, Bottom     |                                 |
| Entry Mount Style B,  |                                 |
| 1.00µm Tin (Sn), 3    |                                 |
| Circuits              |                                 |
| KK PC Board           | <a href="#"><u>10021042</u></a> |
| Connector, Bottom     |                                 |
| Entry Mount Style B,  |                                 |
| 1.00µm Tin (Sn), 4    |                                 |
| Circuits              |                                 |
| KK PC Board           | <a href="#"><u>10021052</u></a> |
| Connector, Bottom     |                                 |
| Entry Mount Style B,  |                                 |
| 1.00µm Tin (Sn), 5    |                                 |
| Circuits              |                                 |

|                      |                                 |
|----------------------|---------------------------------|
| KK PC Board          | <a href="#"><u>10021062</u></a> |
| Connector, Bottom    |                                 |
| Entry Mount Style B, |                                 |
| 1.00µm Tin (Sn), 6   |                                 |
| Circuits             |                                 |
| KK PC Board          | <a href="#"><u>10021072</u></a> |
| Connector, Bottom    |                                 |
| Entry Mount Style B, |                                 |
| 1.00µm Tin (Sn), 7   |                                 |
| Circuits             |                                 |
| KK PC Board          | <a href="#"><u>10021082</u></a> |
| Connector, Bottom    |                                 |
| Entry Mount Style B, |                                 |
| 1.00µm Tin (Sn), 8   |                                 |
| Circuits             |                                 |
| KK PC Board          | <a href="#"><u>10021092</u></a> |
| Connector, Bottom    |                                 |
| Entry Mount Style B, |                                 |
| 1.00µm Tin (Sn), 9   |                                 |
| Circuits             |                                 |
| KK PC Board          | <a href="#"><u>10021102</u></a> |
| Connector, Bottom    |                                 |
| Entry Mount Style B, |                                 |
| 1.00µm Tin (Sn), 10  |                                 |
| Circuits             |                                 |
| KK PC Board          | <a href="#"><u>10021112</u></a> |
| Connector, Bottom    |                                 |
| Entry Mount Style B, |                                 |
| 1.00µm Tin (Sn), 11  |                                 |
| Circuits             |                                 |
| KK PC Board          | <a href="#"><u>10021122</u></a> |
| Connector, Bottom    |                                 |
| Entry Mount Style B, |                                 |
| 1.00µm Tin (Sn), 12  |                                 |
| Circuits             |                                 |
| 5.08mm Pitch KK      | <a href="#"><u>10061045</u></a> |
| Header, Right        |                                 |
| Angle, Square Pin,   |                                 |
| 4 Circuits, Tin (Sn) |                                 |
| Plating              |                                 |
| KK Header, Right     | <a href="#"><u>10061055</u></a> |
| Angle, Square Pin,   |                                 |
| 5 Circuits, Tin (Sn) |                                 |
| Plating              |                                 |
| KK Header, Vertical, | <a href="#"><u>10081021</u></a> |
| Round Pin, 2         |                                 |
| Circuits, Tin (Sn)   |                                 |
| Plating, Pin Length  |                                 |
| 19.05mm              |                                 |
| KK Header, Vertical, | <a href="#"><u>10081022</u></a> |
| Round Pin, 2         |                                 |
| Circuits, Tin (Sn)   |                                 |
| Plating, Pin Length  |                                 |
| 23.80mm              |                                 |
| KK Header, Vertical, | <a href="#"><u>10081029</u></a> |
| Round Pin, 2         |                                 |
| Circuits, Tin (Sn)   |                                 |
| Plating, Pin Length  |                                 |
| 20.32mm              |                                 |
| KK Header, Vertical, | <a href="#"><u>10081031</u></a> |
| Round Pin, 3         |                                 |
| Circuits, Tin (Sn)   |                                 |
| Plating, Pin Length  |                                 |
| 19.05mm              |                                 |

KK Header, Vertical, [10081039](#)  
Round Pin, 3  
Circuits, Tin (Sn)  
Plating, Pin Length  
20.32mm  
KK Header, Vertical, [10081041](#)  
Round Pin, 4  
Circuits, Tin (Sn)  
Plating, Pin Length  
19.05mm  
KK Header, Vertical, [10081049](#)  
Round Pin, 4  
Circuits, Tin (Sn)  
Plating, Pin Length  
20.32mm  
KK Header, Vertical, [10081051](#)  
Round Pin, 5  
Circuits, Tin (Sn)  
Plating, Pin Length  
19.05mm  
KK Header, Vertical, [10081061](#)  
Round Pin, 6  
Circuits, Tin (Sn)  
Plating, Pin Length  
19.05mm  
KK Header, Vertical, [10081069](#)  
Round Pin, 6  
Circuits, Tin (Sn)  
Plating, Pin Length  
20.32mm  
KK Header, Vertical, [10081071](#)  
Round Pin, 7  
Circuits, Tin (Sn)  
Plating, Pin Length  
19.05mm  
KK Header, Vertical, [10081081](#)  
Round Pin, 8  
Circuits, Tin (Sn)  
Plating, Pin Length  
19.05mm  
KK Header, Vertical, [10081082](#)  
Round Pin, 8  
Circuits, Tin (Sn)  
Plating, Pin Length  
23.80mm  
KK Header, Vertical, [10081089](#)  
Round Pin, 8  
Circuits, Tin (Sn)  
Plating, Pin Length  
20.32mm  
KK Header, Vertical, [10081091](#)  
Round Pin, 9  
Circuits, Tin (Sn)  
Plating, Pin Length  
19.05mm  
KK Header, Vertical, [10081101](#)  
Round Pin, 10  
Circuits, Tin (Sn)  
Plating, Pin Length  
19.05mm  
KK Header, Vertical, [10081102](#)  
Round Pin, 10  
Circuits, Tin (Sn)  
Plating, Pin Length  
23.80mm

KK Header, Vertical, 10081111  
Round Pin, 11  
Circuits, Tin (Sn)  
Plating, Pin Length  
19.05mm  
KK Header, Vertical, 10081112  
Round Pin, 11  
Circuits, Tin (Sn)  
Plating, Pin Length  
23.80mm  
KK Header, Vertical, 10081121  
Round Pin, 12  
Circuits, Tin (Sn)  
Plating, Pin Length  
19.05mm  
KK Header, Vertical, 10085021  
with Polarizing  
Backwall, 2 Circuits,  
Tin (Sn) Plating  
KK Header, Vertical, 10085031  
with Polarizing  
Backwall, 3 Circuits,  
Tin (Sn) Plating  
KK Header, Vertical, 10085041  
with Polarizing  
Backwall, 4 Circuits,  
Tin (Sn) Plating  
KK Header, Vertical, 10085051  
with Polarizing  
Backwall, 5 Circuits,  
Tin (Sn) Plating  
KK Header, Vertical, 10085061  
with Polarizing  
Backwall, 6 Circuits,  
Tin (Sn) Plating  
KK Header, Vertical, 10085071  
with Polarizing  
Backwall, 7 Circuits,  
Tin (Sn) Plating  
KK Header, Vertical, 10085081  
with Polarizing  
Backwall, 8 Circuits,  
Tin (Sn) Plating  
KK Header, Vertical, 10085091  
with Polarizing  
Backwall, 9 Circuits,  
Tin (Sn) Plating  
KK Header, Vertical, 10085101  
with Polarizing  
Backwall, 10 Circuits,  
Tin (Sn) Plating  
KK Header, Vertical, 10085111  
with Polarizing  
Backwall, 11 Circuits,  
Tin (Sn) Plating  
KK Header, Vertical, 10085121  
with Polarizing  
Backwall, 12 Circuits,  
Tin (Sn) Plating  
KK PC Board 10101021  
Connector, Right-  
Angle Mount Style A,  
1.00µm Tin (Sn), 2  
Circuits

|                      |                                 |
|----------------------|---------------------------------|
| KK PC Board          | <a href="#"><u>10101023</u></a> |
| Connector, Top       |                                 |
| Entry Mount Style C, |                                 |
| 1.00µm Tin (Sn), 2   |                                 |
| Circuits             |                                 |
| KK PC Board          | <a href="#"><u>10101031</u></a> |
| Connector, Right-    |                                 |
| Angle Mount Style A, |                                 |
| 1.00µm Tin (Sn), 3   |                                 |
| Circuits             |                                 |
| KK PC Board          | <a href="#"><u>10101033</u></a> |
| Connector, Top       |                                 |
| Entry Mount Style C, |                                 |
| 1.00µm Tin (Sn), 3   |                                 |
| Circuits             |                                 |
| KK PC Board          | <a href="#"><u>10101041</u></a> |
| Connector, Right-    |                                 |
| Angle Mount Style A, |                                 |
| 1.00µm Tin (Sn), 4   |                                 |
| Circuits             |                                 |
| KK PC Board          | <a href="#"><u>10101043</u></a> |
| Connector, Top       |                                 |
| Entry Mount Style C, |                                 |
| 1.00µm Tin (Sn), 4   |                                 |
| Circuits             |                                 |
| KK PC Board          | <a href="#"><u>10101051</u></a> |
| Connector, Right-    |                                 |
| Angle Mount Style A, |                                 |
| 1.00µm Tin (Sn), 5   |                                 |
| Circuits             |                                 |
| KK PC Board          | <a href="#"><u>10101053</u></a> |
| Connector, Top       |                                 |
| Entry Mount Style C, |                                 |
| 1.00µm Tin (Sn), 5   |                                 |
| Circuits             |                                 |
| KK PC Board          | <a href="#"><u>10101061</u></a> |
| Connector, Right-    |                                 |
| Angle Mount Style A, |                                 |
| 1.00µm Tin (Sn), 6   |                                 |
| Circuits             |                                 |
| KK PC Board          | <a href="#"><u>10101063</u></a> |
| Connector, Top       |                                 |
| Entry Mount Style C, |                                 |
| 1.00µm Tin (Sn), 6   |                                 |
| Circuits             |                                 |
| KK PC Board          | <a href="#"><u>10101071</u></a> |
| Connector, Right-    |                                 |
| Angle Mount Style A, |                                 |
| 1.00µm Tin (Sn), 7   |                                 |
| Circuits             |                                 |
| KK PC Board          | <a href="#"><u>10101073</u></a> |
| Connector, Top       |                                 |
| Entry Mount Style C, |                                 |
| 1.00µm Tin (Sn), 7   |                                 |
| Circuits             |                                 |
| KK PC Board          | <a href="#"><u>10101081</u></a> |
| Connector, Right-    |                                 |
| Angle Mount Style A, |                                 |
| 1.00µm Tin (Sn), 8   |                                 |
| Circuits             |                                 |
| KK PC Board          | <a href="#"><u>10101083</u></a> |
| Connector, Top       |                                 |
| Entry Mount Style C, |                                 |
| 1.00µm Tin (Sn), 8   |                                 |
| Circuits             |                                 |

|                                                                                             |                 |
|---------------------------------------------------------------------------------------------|-----------------|
| KK PC Board<br>Connector, Right-<br>Angle Mount Style A,<br>1.00µm Tin (Sn), 9<br>Circuits  | <u>10101091</u> |
| KK PC Board<br>Connector, Top<br>Entry Mount Style C,<br>1.00µm Tin (Sn), 9<br>Circuits     | <u>10101093</u> |
| KK PC Board<br>Connector, Right-<br>Angle Mount Style A,<br>1.00µm Tin (Sn), 10<br>Circuits | <u>10101101</u> |
| KK PC Board<br>Connector, Top<br>Entry Mount Style C,<br>1.00µm Tin (Sn), 10<br>Circuits    | <u>10101103</u> |
| KK PC Board<br>Connector, Right-<br>Angle Mount Style A,<br>1.00µm Tin (Sn), 11<br>Circuits | <u>10101111</u> |
| KK PC Board<br>Connector, Top<br>Entry Mount Style C,<br>1.00µm Tin (Sn), 11<br>Circuits    | <u>10101113</u> |
| KK PC Board<br>Connector, Right-<br>Angle Mount Style A,<br>1.00µm Tin (Sn), 12<br>Circuits | <u>10101121</u> |
| KK PC Board<br>Connector, Top<br>Entry Mount Style C,<br>1.00µm Tin (Sn), 12<br>Circuits    | <u>10101123</u> |
| KK 254 Crimp<br>Housing, High<br>Pressure, 2 Circuits,<br>Natural                           | <u>10112023</u> |
| KK 254 Crimp<br>Housing, High<br>Pressure, 3 Circuits,<br>Natural                           | <u>10112033</u> |
| KK 254 Crimp<br>Housing, High<br>Pressure, 4 Circuits,<br>Natural                           | <u>10112043</u> |
| KK 254 Crimp<br>Housing, High<br>Pressure, 5 Circuits,<br>Natural                           | <u>10112053</u> |
| KK 254 Crimp<br>Housing, High<br>Pressure, 6 Circuits,<br>Natural                           | <u>10112063</u> |
| KK 254 Crimp<br>Housing, High<br>Pressure, 7 Circuits,<br>Natural                           | <u>10112073</u> |

|  |                                                                                                                 |                                 |
|--|-----------------------------------------------------------------------------------------------------------------|---------------------------------|
|  | KK 254 Crimp Housing, High Pressure, 8 Circuits, Natural                                                        | <a href="#"><u>10112083</u></a> |
|  | KK 254 Crimp Housing, High Pressure, 9 Circuits, Natural                                                        | <a href="#"><u>10112093</u></a> |
|  | KK 254 Crimp Housing, High Pressure, 10 Circuits, Natural                                                       | <a href="#"><u>10112103</u></a> |
|  | KK 254 Crimp Housing, High Pressure, 11 Circuit                                                                 | <a href="#"><u>10112113</u></a> |
|  | KK 254 Crimp Housing, High Pressure, 12 Circuits, Natural                                                       | <a href="#"><u>10112123</u></a> |
|  | KK 254 Crimp Housing, High Pressure, 13 Circuits, Natural                                                       | <a href="#"><u>10112133</u></a> |
|  | KK 254 Crimp Housing, High Pressure, 14 Circuits, Natural                                                       | <a href="#"><u>10112143</u></a> |
|  | KK 254 Crimp Housing, High Pressure, 15 Circuits, Natural                                                       | <a href="#"><u>10112153</u></a> |
|  | KK 254 Crimp Housing, High Pressure, 16 Circuits, Natural                                                       | <a href="#"><u>10112163</u></a> |
|  | KK 254 Crimp Housing, High Pressure, 17 Circuits, Natural                                                       | <a href="#"><u>10112173</u></a> |
|  | KK 254 Crimp Housing, High Pressure, 18 Circuits, Natural                                                       | <a href="#"><u>10112183</u></a> |
|  | 2.36mm Diameter Standard .093" Pin and Socket Header, Shrouded, 3 Circuits, 2 Male Terminals                    | <a href="#"><u>10181031</u></a> |
|  | 2.36mm Diameter Standard .093" Pin and Socket Header, Shrouded, 3 Circuits, 3 Male Terminals                    | <a href="#"><u>10181032</u></a> |
|  | 2.36mm Diameter Standard .093" Pin and Socket Header, Shrouded, 3 Circuits, 1 Female Terminal, 2 Male Terminals | <a href="#"><u>10181033</u></a> |
|  | 2.36mm Diameter Standard .093" Pin and Socket Header, Shrouded, 3 Circuits, 1 Female Terminal, 2 Male Terminals | <a href="#"><u>10181034</u></a> |

|  |                                                                                                                                 |                                 |
|--|---------------------------------------------------------------------------------------------------------------------------------|---------------------------------|
|  | 2.36mm Diameter<br>Standard .093" Pin<br>and Socket Header,<br>Shrouded, 3 Circuits,<br>2 Male Terminals, 1<br>Female Terminal  | <a href="#"><u>10181035</u></a> |
|  | 2.36mm Diameter<br>Standard .093" Pin<br>and Socket Header,<br>Shrouded, 3 Circuits,<br>1 Female Terminal, 1<br>Male Terminal   | <a href="#"><u>10181036</u></a> |
|  | 2.36mm Diameter<br>Standard .093" Pin<br>and Socket Header,<br>Shrouded, 3 Circuits,<br>2 Female Terminals,<br>1 Male Terminal  | <a href="#"><u>10181037</u></a> |
|  | 2.36mm Diameter<br>Standard .093" Pin<br>and Socket Header,<br>Shrouded, 3 Circuits,<br>3 Female Terminals                      | <a href="#"><u>10181038</u></a> |
|  | 2.36mm Diameter<br>Standard .093" Pin<br>and Socket Header,<br>Shrouded, 4 Circuits,<br>1 Female Terminal, 1<br>Male Terminal   | <a href="#"><u>10181040</u></a> |
|  | 2.36mm Diameter<br>Standard .093" Pin<br>and Socket Header,<br>Shrouded, 4 Circuits,<br>4 Male Terminals                        | <a href="#"><u>10181041</u></a> |
|  | 2.36mm Diameter<br>Standard .093" Pin<br>and Socket Header,<br>Shrouded, 4 Circuits,<br>4 Female Terminals                      | <a href="#"><u>10181042</u></a> |
|  | 2.36mm Diameter<br>Standard .093" Pin<br>and Socket Header,<br>Shrouded, 4 Circuits,<br>1 Female Terminal, 3<br>Male Terminals  | <a href="#"><u>10181043</u></a> |
|  | 2.36mm Diameter<br>Standard .093" Pin<br>and Socket Header,<br>Shrouded, 4 Circuits,<br>3 Female Terminals,<br>1 Male Terminals | <a href="#"><u>10181044</u></a> |
|  | 2.36mm Diameter<br>Standard .093" Pin<br>and Socket Header,<br>Shrouded, 4 Circuits,<br>2 Male Terminals, 2<br>Female Terminals | <a href="#"><u>10181045</u></a> |
|  | 2.36mm Diameter<br>Standard .093" Pin<br>and Socket Header,<br>Shrouded, 4 Circuits,<br>3 Male Terminals, 1<br>Female Terminal  | <a href="#"><u>10181046</u></a> |
|  | 2.36mm Diameter<br>Standard .093" Pin                                                                                           | <a href="#"><u>10181047</u></a> |

|                                                                                                                                                                                                |                          |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------|
| and Socket Header,<br>Shrouded, 4 Circuits,<br>1 Female Terminal, 3<br>Male Terminals<br>2.36mm Diameter                                                                                       | <a href="#">10181048</a> |
| Standard .093" Pin<br>and Socket Header,<br>Shrouded, 4 Circuits,<br>1 Female Terminal,<br>2 Male Terminals, 1<br>Female Terminal, 1<br>Male Terminal<br>2.36mm Diameter                       | <a href="#">10181049</a> |
| Standard .093" Pin<br>and Socket Header,<br>Shrouded, 4 Circuits,<br>2 Female Terminals,<br>1 Male Terminal, 1<br>Female Terminal,<br>1 Male Terminal, 1<br>Female Terminal<br>2.36mm Diameter | <a href="#">10181050</a> |
| Standard .093" Pin<br>and Socket Header,<br>Shrouded, 4 Circuits,<br>2 Female Terminals,<br>2 Male Terminals<br>2.36mm Diameter                                                                | <a href="#">10181090</a> |
| Standard .093" Pin<br>and Socket Header,<br>Shrouded, 9 Circuits,<br>9 Male Terminals<br>2.36mm Diameter                                                                                       | <a href="#">10181091</a> |
| Standard .093" Pin<br>and Socket Header,<br>3 Rows, Shrouded,<br>Unfilled Polyester,<br>UL 94V-0, 9 Circuits,<br>9 Female Terminals<br>2.36mm Diameter                                         | <a href="#">10181120</a> |
| Standard .093"<br>Pin and Socket<br>Header, Shrouded,<br>12 Circuits, 12 Male<br>Terminals<br>2.36mm Diameter                                                                                  | <a href="#">10181122</a> |
| Standard .093"<br>Pin and Socket<br>Header, 3 Rows,<br>Shrouded, Unfilled<br>Polyester, UL 94V-0,<br>12 Circuits, 12<br>Female Terminals                                                       |                          |

# Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Molex:

63827-8600