




Connectors > Terminal Blocks & Strips > Terminal Block & Strip Accessories > Terminal Block & Strip Conducting Accessories



Conducting Accessory Type: **Short Circuit Bridge**

Number of Poles: **2**

Primary Product Color: **Yellow**

Product Spacing: **8 mm [.315 in]**

Contact Current Rating (Max): **5 A**

Features

Product Type Features

Conducting Accessory Type	Short Circuit Bridge
---------------------------	----------------------

Configuration Features

Number of Poles	2
-----------------	---

Electrical Characteristics

Impulse Withstanding Voltage Rating (IEC)	8000 V
Voltage Rating (IEC)	400 V
Current Rating (IEC)	5 A

Body Features

Plastic & Resin Material Type	Polyamide
Product Weight	2 g[.071 oz]
Primary Product Color	Yellow

Contact Features

Contact Current Rating (Max)	5 A
------------------------------	-----

Dimensions



Tool Size	3.5 mm[.138 in]
Product Depth	13.9 mm[.547 in]
Product Width	8 mm[.315 in]
Product Height	24.6 mm[.968 in]
Product Spacing	8 mm[.315 in]

Usage Conditions

Installation Temperature Range	-5 – 40 °C[23 – 104 °F]
Operating Temperature Range	-55 – 110 °C[-67 – 230 °F]

Industry Standards

IP Rating	IP20
UL Flammability Rating	UL 94V-0

Product Compliance

For compliance documentation, visit the product page on TE.com>


EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) ‘Guidance on requirements for substances in articles’ posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>



Compatible Parts



TE Part # 1SNK508151R0000
ZS10-PE-R1



TE Part # 1SNK508310R0000
ZS10-ST




TE Part # 1SNA115914R0700
D6/8.ST.RS



TE Part # 1SNK508011R0000
ZS10-R1



TE Part # 1SNK508311R0000
ZS10-ST-T4



TE Part # 1SNA115831R0400
D6/8.ST1.RS.IP20

Also in the Series | ENTRELEC SNK



Modular Terminal Blocks(320)



Terminal Block & Strip Conducting Accessories(67)



Terminal Block & Strip Insulating Accessories(31)


Customers Also Bought



TE Part #1SNK506210R0000
ZS6-D2



TE Part #1SNK505910R0000
ES4



TE Part #1SNK506412R0000
ZS4-SF-R1



TE Part #1SNK512010R0000
ZS25



TE Part #1SNA115831R0400
D6/8.ST1.RS.IP20

TE Part #1SNA167933R1600
COR-T-R5-2.2

TE Part #1SNA168401R0300
EV8S

TE Part #1SNA179726R0200
AJS9

TE Part #1SNA116796R1200
SCFCV3

TE Part #1SNA163911R1400
FX M5/M3 NOIR

Documents

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_1SNK900652R0000_D.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_1SNK900652R0000_D.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_1SNK900652R0000_D.3d_stp.zip

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

Catalogue - ENTRELEC terminal-blocks-sna-series

English

ENTRELEC Terminal Block - Master Catalog

ENTRELEC Terminal Block - Master Catalog

English

SC-JB8-2

English

SNK SERIES TERMINAL BLOCKS

English

ENTRELEC Terminal Blocks Catalogue (RUS)

1SNK900652R0000

Short Circuit Bridge, 2 Pole, Yellow, Product Spacing 8 mm [.315 in], ENTRELEC SNK,
Terminal Block & Strip Conducting Accessories

