AMP | AMP CPC

TE Internal #: 183039-1

Housing, 600 VDC, Wire-to-Wire, 14 Position, Wire & Cable, Plug, Socket, Power & Signal, Black, All Plastic, AMP CPC, Circular Power

Connectors

View on TE.com >



Connectors > Power Connectors > Circular Power > Circular Power Connectors











Connector Product Type: Housing

Operating Voltage: 600 VDC

Connector System: Wire-to-Wire

Number of Positions: 14

Sealable: No

Features

Product Type Features

Connector Product Type	Housing
Connector System	Wire-to-Wire
Sealable	No
Connector & Contact Terminates To	Wire & Cable
Connector & Housing Type	Plug
Circular Connector Shell Type	All Plastic

Configuration Features

Reverse Numbering With	out
Number of Positions 14	
Number of Power Positions 0	
Number of Signal Positions 14	

Electrical Characteristics

Operating Voltage	600 VAC

Contact Features



Reverse Gender	No
Contact Type	Socket
Contact Protection	With
Mechanical Attachment	
Mating Alignment Type	Keyed
Mating Alignment	With
Mating Retention Type	Threaded Coupling
Thread Size	15/16-20 UNEF – 2A
Connector Mounting Type	Cable Mount (Free-Hanging)
Mating Retention	With
Panel Mount Feature	Without
Housing Features	
Body Orientation	Straight
Housing Color	Black
Housing Material	Thermoplastic
Circular Connector Shell Size	17
Usage Conditions	
Operating Temperature Range	-55 – 105 °C[-67 – 221 °F]
Fluid Resistance	None
Operation/Application	
Circuit Application	Power & Signal
Shielded	No
Industry Standards	
CSA Rating	Certified
UL Flammability Rating	UL 94V-0
Packaging Features	
Packaging Quantity	100
Packaging Method	Bag

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant	
------------------------------	-----------	--



EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer


This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts




Also in the Series | AMP CPC














Connector Hardware(12)



Connector Strain Relief(60)





Customers Also Bought







RECEPT,SZ 17-14 CPC



CPC PLUG ASSEMBLY SIZE 17-14









Documents

Product Drawings SIZE 17-14 CPC PLUG ASS'YSTD S

English

CAD Files

3D PDF

English

Customer View Model ENG_CVM_183039-1_B1.2d_dxf.zip



English

Customer View Model

ENG_CVM_183039-1_B1.3d_igs.zip

English

Customer View Model

ENG_CVM_183039-1_B1.3d_stp.zip

English

3D PDF

3D

Customer View Model

ENG_CVM_CVM_183039-1_B.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_183039-1_B.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_183039-1_B.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Agency Approvals

UL Report

English