

https://www.phoenixcontact.com/us/products/3260067



Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.

Insertion bridge, pitch: 20 mm, number of positions: 2, length: 65 mm, color: red



Commercial data

Item number	3260067
Packing unit	10 pc
Minimum order quantity	10 pc
Sales key	BE29
Product key	BE2Z2X
Catalog page	Page 136 (C-1-2019)
GTIN	4046356997980
Weight per piece (including packing)	27.3 g
Weight per piece (excluding packing)	27.17 g
Customs tariff number	85366990
Country of origin	PL



https://www.phoenixcontact.com/us/products/3260067



Technical data

Product properties

Product type	Insertion bridge
Number of positions	2
Pitch	20 mm

Electrical properties

Maximum load current	150 A

Connection data

Maximum load current	150 Δ
Maximum load current	130 A

Dimensions

Width	35.3 mm
Height	64.5 mm
Depth	27.9 mm
Length	64.5 mm
Pitch	20 mm

Material specifications

Color	red
Material	Metal
Flammability rating according to UL 94	V0
Coating	tin-plated
Insulating material	PA



https://www.phoenixcontact.com/us/products/3260067



Classifications

ECLASS

ECLASS-11.0	27141140
ECLASS-12.0	27141140
ECLASS-13.0	27250303
ETIM	
ETIM 9.0	EC000489

UNSPSC

UNSPSC 21.0	39121400
-------------	----------



https://www.phoenixcontact.com/us/products/3260067



Environmental product compliance

EU RoHS

Fulfills EU RoHS substance requirements	Yes, No exemptions
China RoHS	
Environment friendly use period (EFUP)	EFUP-E
	No hazardous substances above the limits
EU REACH SVHC	
REACH candidate substance (CAS No.)	No substance above 0.1 wt%

Phoenix Contact 2024 @ - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com