


P	LTR	DESCRIPTION	DATE	DWN	APVD
	A	INITIAL	05JUN2015	DW	CW

TYPE 1: LOW CONSTRUCTION, SIDE ENTRY

TYPE 2: LOW CONSTRUCTION, TOP ENTRY



T1310060105-000	TYPE 1	H6B-TS-G1/2	G1/2	-
T1310060111-000		H6B-TS-PG11	PG11	-
T1310060113-000		H6B-TS-PG13.5	PG13.5	-
T1310060116-000		H6B-TS-PG16	PG16	
T1310060120-000		H6B-TS-M20	M20	
T1310060121-000		H6B-TS-PG21	PG21	
T1310060125-000	TYPE 2	H6B-TS-M25	M25	-
T1320060113-000		H6B-TG-PG13.5	-	PG13.5
T1320060116-000		H6B-TG-PG16	-	PG16
T1320060120-000		H6B-TG-M20	-	M20
T1320060121-000		H6B-TG-PG21	-	PG21
T1320060125-000		H6B-TG-M25	-	M25
T1320060132-000		H6B-TG-M32		M32
PART NUMBER	TYPE	DESCRIPTION	IG1	IG2

NOTES:
I. TECHNICAL CHARACTERISTICS:
HOOD MATERIAL: DIE CAST ALUMINIUM ALLOY
SURFACE: POWDER COATED, GREY
OPERATION TEMPERATURE: -40-+125°C
DEGREE OF PROTECTION: IP65 (MATED)

注释:
I. 技术参数:
上壳材料: 铝合金
表面处理: 粉末涂层, 灰色
工作温度: -40-+125°C
防护等级: IP65(配合)

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:
mm

TOLERANCES UNLESS OTHERWISE SPECIFIED:
0 PLC ±
1 PLC ±
2 PLC ±
3 PLC ±
4 PLC ±
ANGLES ±
FINISH

MATERIAL
-
-

DWN David Wang 05JUN2015
CHK Chris Wang 05JUN2015
APVD Xiang Xu 05JUN2015

PRODUCT SPEC
108-137013
APPLICATION SPEC
114-137013
WEIGHT
-

Customer Drawing

TE Connectivity

NAME
H6B-TS/TG/TSH/TGH-M/PG

SIZE
A2

CAGE CODE
00779

DRAWING NO
T13X00601XX000

RESTRICTED TO
-





SCALE
1:1

SHEET
1

OF
2





REV
A

TYPE 3: HIGH CONSTRUCTION
SIDE ENTRY



SCALE 1:2

TYPE 4: HIGH CONSTRUCTION
TOP ENTRY



SCALE 1:2

NOTES: SEE SHEET I	T1330060113-000	TYPE 3	H6B-TSH-PG13.5	PG13.5	-
	T1330060116-000		H6B-TSH-PG16	PG16	-
	T1330060120-000		H6B-TSH-M20	M20	-
	T1330060121-000		H6B-TSH-PG21	PG21	-
	T1330060125-000		H6B-TSH-M25	M25	-
	T1330060129-000		H6B-TSH-PG29	PG29	-
	T1330060132-000		H6B-TSH-M32	M32	-
	T1340060120-000	TYPE 4	H6B-TGH-M20	-	M20
	T1340060121-000		H6B-TGH-PG21	-	PG21
	T1340060125-000		H6B-TGH-M25	-	M25
	T1340060129-000		H6B-TGH-PG29	-	PG29
	T1340060130-000		H6B-TGH-M30	-	M30
	T1340060132-000		H6B-TGH-M32	-	M32
	T1340067134-000		H6B-TGH-NPT3/4	-	NPT3/4
PART NUMBER	TYPE	DESCRIPTION	IG3	IG4	

THIS DRAWING IS A CONTROLLED DOCUMENT.


DWN David Wang 05JUN2015

CHK Chris Wang 05JUN2015

APVD Xiang Xu 05JUN2015

DIMENSIONS:

mm



MATERIAL

-

-

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC ±-

1 PLC ±-

2 PLC ±-

3 PLC ±-

4 PLC ±-

ANGLES ±-

FINISH

-

-

PRODUCT SPEC

108-137013

APPLICATION SPEC

114-137013

WEIGHT

-

Customer Drawing

TE Connectivity

NAME H6B-TS/TG/TSH/TGH-M/PG

SIZE A2

CAGE CODE 00779

DRAWING NO C-T13X00601XX000

RESTRICTED TO

-

SCALE 1:1

SHEET 2 OF 2

REV A

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[T1330060125-000](#)