





| REVISIONS |     |                 |           |     |      |
|-----------|-----|-----------------|-----------|-----|------|
| P         | LTR | DESCRIPTION     | DATE      | DWN | APVD |
|           | A   | INITIAL RELEASE | 07NOV2016 | DW  | CW   |
|           |     |                 |           |     |      |
|           |     |                 |           |     |      |
|           |     |                 |           |     |      |



TYPE I



TYPE I: H16B HOOD, TOP ENTRY, HIGH CONSTRUCTION  
SCREW CONNECTION, POWDER COATED, GREY  
类型 I: H16B 上壳, 顶出, 高结构, 螺丝连接, 灰色粉末喷涂

NOTES:


I. TECHNICAL CHARACTERISTICS:  
HOOD MATERIAL: DIE CAST ALUMINIUM ALLOY  
SURFACE: POWDER COATED, GREY  
DEGREE OF PROTECTION: IP67 (MATED)

注释:  
I. 技术参数:  
上壳材料: 铝合金  
表面处理: 灰色粉末喷涂  
防护等级: IP67 (配合)



|                                        |                                        |                             |                                         |  |  |  |
|----------------------------------------|----------------------------------------|-----------------------------|-----------------------------------------|--|--|--|
| THIS DRAWING IS A CONTROLLED DOCUMENT. |                                        | DWN 07NOV2016<br>DAVID WANG | TE Connectivity                         |  |  |  |
| DIMENSIONS:                            |                                        | CHK 07NOV2016<br>CHRIS WANG |                                         |  |  |  |
| mm                                     | TOLERANCES UNLESS OTHERWISE SPECIFIED: | APVD 07NOV2016<br>XIANG XU  | NAME H16B-TSH/TGH-S-PG/M                |  |  |  |
|                                        | 0 PLC ±-                               | PRODUCT SPEC                | SIZE CAGE CODE DRAWING NO RESTRICTED TO |  |  |  |
|                                        | 1 PLC ±-                               | 108-137015                  | A200779C-T11X01601XX000                 |  |  |  |
|                                        | 2 PLC ±-                               | APPLICATION SPEC            |                                         |  |  |  |
|                                        | 3 PLC ±-                               | 114-137015                  |                                         |  |  |  |
| MATERIAL                               | 4 PLC ±-                               | WEIGHT                      | SCALE 1:1 SHEET 1 OF 3 REV A            |  |  |  |
| -                                      | ANGLES ±-                              | -                           | CUSTOMER DRAWING                        |  |  |  |
| -                                      | FINISH                                 | -                           |                                         |  |  |  |

|                              |                          |                      |
|------------------------------|--------------------------|----------------------|
| THIS DRAWING IS UNPUBLISHED. | RELEASED FOR PUBLICATION | 20                   |
| © COPYRIGHT 20               | BY -                     | ALL RIGHTS RESERVED. |


| REVISIONS |     |             |      |     |      |
|-----------|-----|-------------|------|-----|------|
| P         | LTR | DESCRIPTION | DATE | DWN | APVD |
|           | -   | SEE SHEET 1 | -    | -   | -    |
|           |     |             |      |     |      |
|           |     |             |      |     |      |
|           |     |             |      |     |      |




TYPE 2



NOTES:  
SEE SHEET 1



TYPE 2: HI6B HOOD, SIDE ENTRY, HIGH CONSTRUCTION  
SCREW CONNECTION, POWDER COATED, GREY  
类型2: HI6B上壳, 侧出, 高结构, 螺丝连接, 灰色粉末喷涂

|                                                                                       |  |                                        |  |                                                                                                       |  |                                                  |  |
|---------------------------------------------------------------------------------------|--|----------------------------------------|--|-------------------------------------------------------------------------------------------------------|--|--------------------------------------------------|--|
| THIS DRAWING IS A CONTROLLED DOCUMENT.                                                |  | DWN 07NOV2016<br>DAVID WANG            |  |  TE Connectivity |  |                                                  |  |
|                                                                                       |  | CHK 07NOV2016<br>CHRIS WANG            |  |                                                                                                       |  |                                                  |  |
| DIMENSIONS:<br>mm                                                                     |  | TOLERANCES UNLESS OTHERWISE SPECIFIED: |  | APVD 07NOV2016<br>XIANG XU                                                                            |  | NAME<br>H16B-TSH/TGH-S-PG/M                      |  |
|  |  | 0 PLC ±-                               |  | PRODUCT SPEC                                                                                          |  | SIZE<br>CAGE CODE<br>DRAWING NO<br>RESTRICTED TO |  |
|                                                                                       |  | 1 PLC ±-                               |  | 108-137015                                                                                            |  |                                                  |  |
|                                                                                       |  | 2 PLC ±-                               |  | APPLICATION SPEC                                                                                      |  |                                                  |  |
|                                                                                       |  | 3 PLC ±-                               |  | 114-137015                                                                                            |  |                                                  |  |
| 4 PLC ±-                                                                              |  | ANGLES ±-                              |  | WEIGHT -                                                                                              |  | A200779                                          |  |
| MATERIAL                                                                              |  | FINISH                                 |  | CUSTOMER DRAWING                                                                                      |  | SCALE 1:1                                        |  |
| -                                                                                     |  | -                                      |  |                                                                                                       |  | SHEET 2 OF 3                                     |  |
| -                                                                                     |  | -                                      |  |                                                                                                       |  | REV A                                            |  |

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

20

© COPYRIGHT 20

BY -

ALL RIGHTS RESERVED.

REVISIONS


| P | LTR | DESCRIPTION | DATE | DWN | APVD |
|---|-----|-------------|------|-----|------|
|   | -   | SEE SHEET 1 | -    | -   | -    |
|   |     |             |      |     |      |
|   |     |             |      |     |      |
|   |     |             |      |     |      |

NOTES:  
SEE SHEET 1

|                   |                        |                                                                                                                  |                            |                            |               |
|-------------------|------------------------|------------------------------------------------------------------------------------------------------------------|----------------------------|----------------------------|---------------|
| T1120160121-000   | HI6B-TSH-S-PG21        | HI6B HOOD,SIDE ENTRY PG21,HIGH CONSTRUCTION,SCREW CONNECTION,POWDER COATED,GREY<br>HI6B上壳,侧出PG21,高结构,螺丝连接,灰色粉末喷涂 | -                          | PG21                       | TYPE 2<br>类型2 |
| T1120160129-000   | HI6B-TSH-S-PG29        | HI6B HOOD,SIDE ENTRY PG29,HIGH CONSTRUCTION,SCREW CONNECTION,POWDER COATED,GREY<br>HI6B上壳,侧出PG29,高结构,螺丝连接,灰色粉末喷涂 | -                          | PG29                       |               |
| T1120160125-000   | HI6B-TSH-S-M25         | HI6B HOOD,SIDE ENTRY M25,HIGH CONSTRUCTION,SCREW CONNECTION,POWDER COATED,GREY<br>HI6B上壳,侧出M25,高结构,螺丝连接,灰色粉末喷涂   | -                          | M25                        |               |
| T1120160132-000   | HI6B-TSH-S-M32         | HI6B HOOD,SIDE ENTRY M32,HIGH CONSTRUCTION,SCREW CONNECTION,POWDER COATED,GREY<br>HI6B上壳,侧出M32,高结构,螺丝连接,灰色粉末喷涂   | -                          | M32                        |               |
| T1120160140-000   | HI6B-TSH-S-M40         | HI6B HOOD,SIDE ENTRY M40,HIGH CONSTRUCTION,SCREW CONNECTION,POWDER COATED,GREY<br>HI6B上壳,侧出M40,高结构,螺丝连接,灰色粉末喷涂   | -                          | M40                        |               |
| T1130160121-000   | HI6B-TGH-S-PG21        | HI6B HOOD,TOP ENTRY PG21,HIGH CONSTRUCTION,SCREW CONNECTION,POWDER COATED,GREY<br>HI6B上壳,顶出PG21,高结构,螺丝连接,灰色粉末喷涂  | PG21                       | -                          | TYPE 1<br>类型1 |
| T1130160129-000   | HI6B-TGH-S-PG29        | HI6B HOOD,TOP ENTRY PG29,HIGH CONSTRUCTION,SCREW CONNECTION,POWDER COATED,GREY<br>HI6B上壳,顶出PG29,高结构,螺丝连接,灰色粉末喷涂  | PG29                       | -                          |               |
| T1130160125-000   | HI6B-TGH-S-M25         | HI6B HOOD,TOP ENTRY M25,HIGH CONSTRUCTION,SCREW CONNECTION,POWDER COATED,GREY<br>HI6B上壳,顶出M25,高结构,螺丝连接,灰色粉末喷涂    | M25                        | -                          |               |
| T1130160132-000   | HI6B-TGH-S-M32         | HI6B HOOD,TOP ENTRY M32,HIGH CONSTRUCTION,SCREW CONNECTION,POWDER COATED,GREY<br>HI6B上壳,顶出M32,高结构,螺丝连接,灰色粉末喷涂    | M32                        | -                          |               |
| T1130160140-000   | HI6B-TGH-S-M40         | HI6B HOOD,TOP ENTRY M40,HIGH CONSTRUCTION,SCREW CONNECTION,POWDER COATED,GREY<br>HI6B上壳,顶出M40,高结构,螺丝连接,灰色粉末喷涂    | M40                        | -                          |               |
| PART NUMBER<br>料号 | PART DESCRIPTION<br>描述 |                                                                                                                  | PG/M THREAD-1<br>PG/M 螺纹孔1 | PG/M THREAD-2<br>PG/M 螺纹孔2 | TYPE<br>类型    |

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:  
mm



TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC ±-  
1 PLC ±-  
2 PLC ±-  
3 PLC ±-  
4 PLC ±-  
ANGLES ±-  
FINISH -  
-

DWN  
DAVID WANG  
07NOV2016

CHK  
CHRIS WANG  
07NOV2016

APVD  
XIANG XU  
07NOV2016

PRODUCT SPEC  
108-137015

APPLICATION SPEC  
114-137015

WEIGHT  
-

CUSTOMER DRAWING

TE Connectivity

NAME  
H16B-TSH/TGH-S-PG/M

SIZE  
A200779

CAGE CODE  
C

DRAWING NO  
T11X01601XX000

RESTRICTED TO  
-

SCALE  
1:1

SHEET  
3

OF  
3

REV  
A

1471-9 (3/13)

# Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[T1130160129-000](#)