







注記
NOTES

- 材質
ウエハー: 耐熱性ナイロン UL94V-0
ピン: 銅合金、ニッケル下地、錫メッキ、金メッキ
フィッティングネール: 銅合金、ニッケル下地、錫メッキ
MATERIAL
WAFER: POLYAMIDE UL94V-0
PIN: COPPER ALLOY, GOLD OR TIN OVER NICKEL PLATE.
FINNTING NAIL: COPPER ALLOY, TIN OVER NICKEL PLATE.
- 色: ナチュラル、黒、赤、青
COLOR: NATURAL, BLACK, RED, BLUE
- 嵌合相手:
ハウジング: 502351-**0*
錫メッキ端子: 50212-8*00, 50372-8*00, 560085-0101
金メッキ端子: 56161-8*81
MATES WITH
HOUSING: 502351-**0*
SN PLATING TERMINAL: 50212-8*00, 50372-8*00, 560085-0101
AU PLATING TERMINAL: 56161-8*81


- エンボス梱包品の詳細はSD-560020-002参照
DETAILED TAPING PACKAGE, SEE SD-560020-002
- 半田付け面のコプラナリティ: 0.1mm MAX.
CO-PLANARITY OF SOLDER TAILS TO BE 0.1mm MAX.
- 一般公差
GENERAL TOLERANCES
10 UNDER: 0.2
10 OVER 30 UNDER: 0.25
30 OVER: 0.3
ANGULAR $\pm 1^\circ$



フィッティングネール
FITTING NAIL






SECTION Z-Z





嵌合図
MATED DRAWING

INITIAL REVISION:		
DRWN	SHSHIBATA	2009/02/18
CHECK	HKOMATSU	2009/02/18
APPR	AKANESHIGE	2009/02/18



THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																											
DIMENSION UNITS		SCALE		CURRENT REV DESC:				molex																			
mm		5:1																									
GENERAL TOLERANCES (UNLESS SPECIFIED) <table><tr><td></td><td>MM</td><td>INCH</td></tr><tr><td>4 PLACES</td><td>±</td><td>±</td></tr><tr><td>3 PLACES</td><td>±</td><td>±</td></tr><tr><td>2 PLACES</td><td>±</td><td>±</td></tr><tr><td>1 PLACE</td><td>±</td><td>±</td></tr><tr><td>0 PLACES</td><td>±</td><td>±</td></tr></table>					MM	INCH	4 PLACES	±	±	3 PLACES	±	±	2 PLACES	±	±	1 PLACE	±	±	0 PLACES	±	±	EC NO: 624787				2.0MM PITCH W/B CONN. WAFER ASSY ST. SMT	
					MM	INCH																					
				4 PLACES	±	±																					
				3 PLACES	±	±																					
				2 PLACES	±	±																					
				1 PLACE	±	±																					
0 PLACES	±	±																									
DRWN: VLOKESHA 2019/07/30																											
CHK'D: GGA 2019/11/11																											
APPR: GGA 2019/11/11																											
INITIAL REVISION:				PRODUCT CUSTOMER DRAWING																							
DRWN: SHSHIBATA 2009/02/18				DOCUMENT NUMBER		DOC TYPE	DOC PART	REVISION																			
APPR: AKANESHIGE 2009/02/19				SD-560020-001		PSD	001	H1																			
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIRD ANGLE PROJECTION		DRAWING		SERIES		MATERIAL NUMBER																			
		A3-SIZE		560020		SEE CHART		CUSTOMER																			
						GENERAL MARKET		SHEET NUMBER																			
								1 OF 4																			





2CKTS





3CKTS





4CKTS





5CKTS





6CKTS



7CKTS



9CKTS



10CKTS

10		9		8		7		6		5		4		3		2		1																	
Sn NATURAL		11.8	29.1	33.7	36.6	560020-1520		15		Au NATURAL		11.8	29.1	33.7	36.6	560020-1530		15																	
		11.8	27.1	31.7	34.6	560020-1420		14				11.8	27.1	31.7	34.6	560020-1430		14																	
		11.8	25.1	29.7	32.6	560020-1320		13				11.8	25.1	29.7	32.6	560020-1330		13																	
		11.8	23.1	27.7	30.6	560020-1220		12				11.8	23.1	27.7	30.6	560020-1230		12																	
		11.8	21.1	25.7	28.6	560020-1120		11				11.8	21.1	25.7	28.6	560020-1130		11																	
		11.8	19.1	23.7	26.6	560020-1020		10				11.8	19.1	23.7	26.6	560020-1030		10																	
		11.8	17.1	21.7	24.6	560020-0920		9				11.8	17.1	21.7	24.6	560020-0930		9																	
		11.8	15.1	19.7	22.6	560020-0800/-0820		8				11.8	15.1	19.7	22.6	560020-0830		8																	
		11.8	13.1	17.7	20.6	560020-0700/-0720		7				11.8	13.1	17.7	20.6	560020-0730		7																	
		11.8	12	15.7	18.6	560020-0600/-0620		6				11.8	12	15.7	18.6	560020-0630		6																	
		9.8	10	13.7	16.6	560020-0500/-0520		5				9.8	10	13.7	16.6	560020-0530		5																	
		7.8	8	11.7	14.6	560020-0400/-0420		4				7.8	8	11.7	14.6	560020-0430		4																	
		5.8	6	9.7	12.6	560020-0300/-0320		3				5.8	6	9.7	12.6	560020-0330		3																	
		6.3		8.0	10.9	560020-0220		2				6.3		8.0	10.9	560020-0230		2																	
PLATING		D	C	B	A	EMBOSSED PACKAGE ORDER NO.		CKTS		PLATING		D	C	B	A	EMBOSSED PACKAGE ORDER NO.		CKTS																	
CONNECTOR SERIES NO. 560020-**08																		CONNECTOR SERIES NO. 560020-**18																	

Sn BLACK		11.8	29.1	33.7	36.6	560020-1521		15		Sn RED							15		Sn BLUE								15																										
		11.8	27.1	31.7	34.6	560020-1421		14									14										14																										
		11.8	25.1	29.7	32.6	560020-1321		13									13										13																										
		11.8	23.1	27.7	30.6	560020-1221		12									12										12																										
		11.8	21.1	25.7	28.6	560020-1121		11									11										11																										
		11.8	19.1	23.7	26.6	560020-1021		10									10										10																										
		11.8	17.1	21.7	24.6	560020-0921		9									9										9																										
		11.8	15.1	19.7	22.6	560020-0821		8				11.8	15.1	19.7	22.6	560020-0822		8			11.8	15.1	19.7	22.6	560020-0823		8																										
		11.8	13.1	17.7	20.6	560020-0721		7									7										7																										
		11.8	12	15.7	18.6	560020-0621		6				11.8	12	15.7	18.6	560020-0622		6			11.8	12	15.7	18.6	560020-0623		6																										
		9.8	10	13.7	16.6	560020-0521		5									5										5																										
		7.8	8	11.7	14.6	560020-0421		4				7.8	8	11.7	14.6	560020-0422		4			7.8	8	11.7	14.6	560020-0423		4																										
		5.8	6	9.7	12.6	560020-0321		3				5.8	6	9.7	12.6	560020-0322		3			5.8	6	9.7	12.6	560020-0323		3																										
		6.3		8.0	10.9	560020-0221		2				6.3		8.0	10.9	560020-0222		2			6.3		8.0	10.9	560020-0223		2																										
PLATING		D	C	B	A	EMBOSSED PACKAGE ORDER NO.		CKTS		PLATING		D	C	B	A	EMBOSSED PACKAGE ORDER NO.		CKTS		PLATING		D	C	B	A	EMBOSSED PACKAGE ORDER NO.		CKTS																									
CONNECTOR SERIES NO. 560020-**28																		CONNECTOR SERIES NO. 560020-**48																		CONNECTOR SERIES NO. 560020-**68																	

10		9		8		7		6		5		4		3		2		1		
DOCUMENT STATUS		P1	RELEASE DATE		2019/11/11		02:36:04													
10		9		8		7		6		5		4		3		2		1		

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																					
DIMENSION UNITS		SCALE		CURRENT REV DESC:						molex											
mm		1:1																			
GENERAL TOLERANCES (UNLESS SPECIFIED)				EC NO: 624787 DRWN: VLOKESHA 2019/07/30 CHK'D: GGA 2019/11/11 APPR: GGA 2019/11/11						PRODUCT CUSTOMER DRAWING											
MM		INCH																			
4 PLACES ±		±		INITIAL REVISION: DRWN: SHSHIBATA 2009/02/18 APPR: AKANESHIGE 2009/02/18						DOCUMENT NUMBER SD-560020-001				DOC TYPE PSD		DOC PART 001		REVISION H1			
3 PLACES ±		±																			
2 PLACES ±		±		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS						THIRD ANGLE PROJECTION		DRAWING A3-SIZE		SERIES 560020		MATERIAL NUMBER SEE CHART		CUSTOMER GENERAL MARKET		SHEET NUMBER 4 OF 4	
1 PLACE ±		±																			
0 PLACES ±		±		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS						THIRD ANGLE PROJECTION		DRAWING A3-SIZE		SERIES 560020		MATERIAL NUMBER SEE CHART		CUSTOMER GENERAL MARKET		SHEET NUMBER 4 OF 4	
ANGULAR TOL ±		°																			

9		8		7		6		5		4		3		2		1	
E																	