




**Part Number :** [5601230204](#)  
**Product Description :** DuraClik ISL Wire-to-Board Receptacle Housing, Single Row, Blue, 2 Circuits  
**Series Number :** 560123  
**Status :** Active  
**Product Category :** Connector Housings



## Documents & Resources


**Drawings**  
[Drawing 5601230204\\_sd.pdf](#)

**3D Models and Design Files**  
[3D Model 5601230204\\_stp.zip](#)

**Specifications**  
[Packaging Specification PK-560123-001-001.pdf](#)  
[Product Specification PS-560123-001-001.pdf](#)  
[Product Specification 5601240131-000.pdf](#)

## Product Environment Compliance

### Compliance

GADSL/IMDS	Compliant
China RoHS	
EU ELV	Compliant per 2000/53/EC
Low-Halogen Status	Not Low-Halogen per IEC 61249-2-21
REACH SVHC	Not Contained per D(2024)4144-DC (27 June 2024)
EU RoHS	Compliant per EU 2015/863

Multiple Part Product Compliance Statements  
- Eu RoHS  
- REACH SVHC  
- Low-Halogen

Multiple Part Industry Compliance Documents  
- IPC 1752A Class C

- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

## EU RoHS Certificate of Compliance

---

### Part Details

#### General

Status	Active
Category	Connector Housings
Series	560123
Description	DuraClik ISL Wire-to-Board Receptacle Housing, Single Row, Blue, 2 Circuits
Application	Automotive, Signal, Wire-to-Board
Product Family	DuraClik Connector System
Product Name	DuraClik
UPC	889056616911

#### Agency

UL	E29179
----	--------

#### Physical

Circuits (maximum)	2
Color - Resin	Blue
Gender	Receptacle
Glow-Wire Capable	No
Keying to Mating Part	None
Lock to Mating Part	Yes
Material - Resin	PBT
Net Weight	0.186/g
Number of Rows	1
Packaging Type	Bag
Panel Mount	No
Pitch - Mating Interface	2.00mm
Polarized to Mating Part	Yes

Stackable	No
Temperature Range - Operating	-40° to +130°C

---

## Mates With / Use With

### Mates with Part(s)

Description	Part Number
DuraClik Right-Angle Single Row Headers	<u>502352</u>
DuraClik Vertical Single Row Headers	<u>560020</u>

### Use with Part(s)

Description	Part Number
DuraClik Wire-to-Board Independent Secondary Lock (ISL) Retainer, 2 Circuits, Gray	<u>5601250200</u>
DuraClik ISL Female Crimp Terminals	<u>560124</u>