



Connectors > Connector Accessories > Connector Seals & Cavity Plugs > DEUTSCH Sealing Plugs



Connector Seal & Plug Type: **Keying Plug**

Primary Product Material: **PBT GF30**

Primary Product Color: **Red**

Operating Temperature (Max): **125 °C [257 °F]**

Contains Lubricant: **No**

[All DEUTSCH Sealing Plugs \(10\)](#)

Features

Product Type Features

Connector Seal & Plug Type	Keying Plug
----------------------------	-------------

Body Features

Primary Product Material	PBT GF30
Primary Product Color	Red

Usage Conditions

Operating Temperature (Max)	125 °C[257 °F]
Operating Temperature Range	-55 – 125 °C[-67 – 257 °F]

Industry Standards

UL Flammability Rating	UL 94V-0
------------------------	----------

Packaging Features

Packaging Method	Box
------------------	-----

Other

--	--



Contains Lubricant	No
--------------------	----

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts




TE Part # CAT-H3930-CH8172
DEUTSCH HD30 Housings



TE Part # CAT-H396-CH8172
DEUTSCH HDP20 Housings




TE Part # CAT-D485-CH8172
DEUTSCH DTM Housings



TE Part # CAT-D781-CH8172
DEUTSCH DRB Housings



 TE Part # CAT-D799-CH8172 DEUTSCH DRC Housings	 TE Part # CAT-ST858-CH8172 DEUTSCH Strike Housings	 TE Part # DTM04-08PC REC, 8P, GRN, N, C	 TE Part # DRCP28-86SB PLG, 86P, BLK, 12/20, B
 TE Part # DRCP28-86SC PLG, 86P, BLK, 12/20, C	 TE Part # DTM04-3P-R011 REC, 3P, BLK, 90DEG, PANEL	 TE Part # DTMH04-2PD REC, 2P, BLK, N, HI TEMP, D	 TE Part # DTMH04-4PD REC, 4P, BLK, N, HI TEMP, D
 TE Part # DTMH06-2SD PLG, 2P, BLK, N, HI TEMP, D	 TE Part # DTMH06-4SB PLG, 4P, BLK, N, HI TEMP, B	 TE Part # DTMH06-4SC PLG, 4P, BLK, N, HI TEMP, C	 TE Part # DTM04-12PA-EE04 REC, 12P, BLK, N, HIGH TEMP, A
 TE Part # DRCP28-86SA PLG, 86P, BLK, 12/20, A	 TE Part # DTMH06-4SA PLG, 4P, BLK, N, HI TEMP, A	 TE Part # 1-2303064-1 12POS, STAMPED 20, PIN HSG ASSY, SLD, COD 1	 TE Part # DRCP24-86PA REC, 86P, BLK, 12/20, A

Also in the Series | **DEUTSCH HD**

 Automotive Connector Caps & Covers (32)	 Automotive Housings(768)	 Connector Backshells(29)	 Connector Seals & Cavity Plugs(10)
--	--	---	---






Connector Strain Relief(5)



Insertion & Extraction Tools(11)



Other Automotive Connector Accessories(11)



PCB Headers & Receptacles(1)

Also in the Series

DEUTSCH HD30



Automotive Connector Caps & Covers (14)



Automotive Housings(359)



Connector Backshells(2)



Connector Seals & Cavity Plugs(11)



Connector Strain Relief(5)



Insertion & Extraction Tools(10)



Other Automotive Connector Accessories(6)

Customers Also Bought



TE Part #HD34-18-20PN-059
REC,20P,AL,N,CBLCLMP BT,DRAIN,16 /20,P,MC



TE Part #SRK02-MDA-32A-001
REC, 32P, BLK, E, FLANGE, A



TE Part #2822362-4
070 EJ MK-2 SENSOR PLUG 2P DARK GREEN



TE Part #0413-003-1605
SEALING PLUG, SIZE 16, BLU




TE Part #144998-5
4P JPT CONNECTOR ASSY



TE Part #2137711-3
CABLE SEAL ASSY



TE Part #2137735-1
UPPER INSERT ASSY



TE Part #1587722-1
CABLE SEAL RETAINER, SIZE A, HVA280-3PM



Documents

Product Drawings

SEALING PLUG, SIZE 20, KEYING, RED

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_0413-216-2005_A.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_0413-216-2005_A.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_0413-216-2005_A.3d_stp.zip

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

CONNECTOR SELECTOR

English

Product Specifications

Application Specification

English

Application Specification

English

Application Specification

English

Instruction Sheets

Instruction Sheet (U.S.)

English