

https://www.phoenixcontact.com/us/products/2905680



Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Connection terminal block for current signals, +20 mA ... -20 mA, for safe switching of limit values, in combination with MACX ...-T-UI... temperature transducers.

Commercial data

Item number	2905680
Packing unit	1 pc
Minimum order quantity	1 pc
Sales key	C430
Product key	CK31ZZ
Catalog page	Page 139 (C-5-2017)
GTIN	4046356987172
Weight per piece (including packing)	39.8 g
Weight per piece (excluding packing)	20 g
Customs tariff number	85366990
Country of origin	DE



https://www.phoenixcontact.com/us/products/2905680



Technical data

Product properties

Product type	Plug
Data management status	
Article revision	02

Electrical properties

Maximum transmission error	1.1 %
Maximan transfer on or	1.1 /0

Connection data

Connection method	Screw connection
Screw thread	M3
Conductor cross section rigid	0.2 mm ² 2.5 mm ²
Conductor cross section flexible	0.2 mm ² 2.5 mm ²
Conductor cross section AWG	24 14

Material specifications

Color	light gray (RAL 7035)
00101	light gray (10 to 1000)

Environmental and real-life conditions

Ambient conditions

Thread type

Ambient temperature (operation)	-20 °C 65 °C
Ambient temperature (storage/transport)	-40 °C 85 °C
Altitude	≤ 2000 m
Permissible humidity (operation)	typ. 5 % 95 % (non-condensing)

Approvals

CE


	Certificate	CE-compliant
Мо	unting	

2905680

https://www.phoenixcontact.com/us/products/2905680



Drawings





https://www.phoenixcontact.com/us/products/2905680



Classifications

UNSPSC 21.0

ECLASS

E	ECLASS-11.0	27371392
E	ECLASS-13.0	27371392
E	ECLASS-12.0	27371392
ETIM	1	
E	ETIM 9.0	EC002498
UNS	PSC	

39121100



https://www.phoenixcontact.com/us/products/2905680



Environmental product compliance

EU RoHS

Fulfills EU RoHS substance requirements	Yes, No exemptions
China RoHS	
Environment friendly use period (EFUP)	EFUP-50
	An article-related China RoHS declaration table can be found in the download area for the respective article under "Manufacturer declaration". For all articles with EFUP-E, no China RoHS declaration table issued and required.
EU REACH SVHC	
REACH candidate substance (CAS No.)	No substance above 0.1 wt%

Phoenix Contact 2024 © - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com