




**Part Number :** [2082982031](#)  
**Product Description :** 1.80mm Pitch Pico-EZmate HC Receptacle Housing, Single Row, 3 Circuits, Black  
**Series Number :** 208298  
**Status :** Active  
**Product Category :** Connector Housings



## Documents & Resources

### Drawings

[Drawing 2082982031\\_sd.pdf](#)

### 3D Models and Design Files

- [2D Drawing DXF 2082982031.dxf](#)
- [2D Drawing DXF \(PDF\) 2082982031.pdf](#)
- [3D Model 2082982031\\_stp.zip](#)

### Specifications

[Application Specification 2082980000-PS-000.pdf](#)

## Product Environment Compliance

### Compliance

GADSL/IMDS	Not Relevant
China RoHS	
EU ELV	Not Relevant
Low-Halogen Status	Low-Halogen per IEC 61249-2-21
REACH SVHC	Not Contained per D(2024)4144-DC (27 June 2024)
EU RoHS	Compliant per EU 2015/863

### [Multiple Part Product Compliance Statements](#)

- Eu RoHS
- REACH SVHC
- Low-Halogen

### [Multiple Part Industry Compliance Documents](#)

- IPC 1752A Class C

- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

## EU RoHS Certificate of Compliance

---

### Part Details

#### General

Status	Active
Category	Connector Housings
Series	208298
Description	1.80mm Pitch Pico-EZmate HC Receptacle Housing, Single Row, 3 Circuits, Black
Application	Signal, Wire-to-Board
Product Family	Pico-EZmate and Pico-EZmate Plus Wire-to-Board Connector Systems
Product Name	Pico-EZmate HC
UPC	195842772458

#### Agency

UL	E29179
----	--------

#### Physical

Circuits (maximum)	3
Color - Resin	Black
Flammability	94V-0
Gender	Receptacle
Glow-Wire Capable	No
Lock to Mating Part	Yes
Material - Resin	Polyamide
Net Weight	39.320/mg
Number of Rows	1
Packaging Type	Bag
Panel Mount	No
Pitch - Mating Interface	1.80mm

Polarized to Mating Part	Yes
Temperature Range - Operating	-40° to +105°C

---

**Mates With / Use With**

**Mates with Part(s)**

Description	Part Number
Pico-EZmate HC Single Row PCB Headers	<u>208294</u>