



Part Number : [348855512](#)
Product Description : .635mm, 1.50mm,
Power CMX Connector, 55 Circuits, Left Wire
Output, Black Coding
Series Number : 34885
Status : Active
Product Category : Connector Housings



Documents & Resources

Drawings


[Drawing 348855512_sd.pdf](#)

Specifications

[Application Specification AS-34885-002-001.pdf](#)

Product Environment Compliance

Compliance

GADSL/IMDS	Compliant
China RoHS	
EU ELV	Compliant per 2000/53/EC
Low-Halogen Status	Low-Halogen per IEC 61249-2-21
REACH SVHC	Contains Lead monoxide per D(2024)4144-DC (27 June 2024)
EU RoHS	Compliant per EU 2015/863

Multiple Part Product Compliance Statements

- Eu RoHS
- REACH SVHC
- Low-Halogen

Multiple Part Industry Compliance Documents

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

Part Details

General

Status	Active
Category	Connector Housings
Series	34885
Description	.635mm, 1.50mm, Power CMX Connector, 55 Circuits, Left Wire Output, Black Coding
Application	Automotive, Power, Wire-to-Board
Comments	Current tested on 0.85mm ² wire for CTX64 and CTX150; 2A for CTX64, 10A for CTX150
More Detailed Tech Information	Sealed, hybrid, high-density, a new generation of CMC, suitable for rugged, powertrain applications in transportation market
Product Family	CMC and CMX Sealed, Hybrid, Modular Connectors
Product Name	CMX
UPC	889056358026

Physical

Circuits Detail	35x0.64mm, 20x1.50mm terminals
Circuits (maximum)	55
Color - Resin	Black
Gender	Receptacle
Glow-Wire Capable	No
Keying to Mating Part	Yes
Lock to Mating Part	Yes
Material - Resin	Polyester
Net Weight	40.342/g
Number of Rows	5
Packaging Type	Carton
Panel Mount	No
Pitch - Mating Interface	2.50mm, 3.70mm
Stackable	No

Temperature Range - Operating	-40° to +120°C
-------------------------------	----------------

Use with Part(s)

Description	Part Number
CMC 0.635mm Blind Cavity Plug	<u>643251010</u>
CMC 1.50mm Blind Cavity Plug	<u>643251023</u>
CTX64 Female Terminals	<u>34803</u>
CTX150 Female Terminals	<u>34805</u>
