



Connectors > Connector Accessories > Connector Seals & Cavity Plugs



Connector Seal & Plug Type: **Interface Seal**
Primary Product Material: **Silicone Rubber**
Primary Product Color: **Blue**
Operating Temperature (Max): **105 °C [221 °F]**
Number of Positions: **2**

Features

Product Type Features

Connector Seal & Plug Type	Interface Seal
----------------------------	----------------

Configuration Features

Number of Positions	2
---------------------	---

Body Features

Primary Product Material	Silicone Rubber
Primary Product Color	Blue

Usage Conditions

Operating Temperature (Max)	105 °C[221 °F]
Operating Temperature Range	-30 – 105 °C[-22 – 221 °F]

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JAN 2024 (240)



SVHC > Threshold:
Octamethylcyclotetrasiloxane (D4) (.5% in Component Part)
Dodecamethylcyclohexasiloxane (D6) (.5% in Component Part)
Decamethylcyclopentasiloxane (D5) (.5% in Component Part)
Article Safe Usage Statements:
Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.








Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
-----------------	---

Solder Process Capability	Not reviewed for solder process capability
---------------------------	--

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) ‘Guidance on requirements for substances in articles’ posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts

 TE Part # 1-2381315-2 Power Versa-Lock PLUG, 1X2 KEY A, GWT	 TE Part # 2-2381315-2 Power Versa-Lock PLUG, 1X2 KEY B, GWT	 TE Part # 3-2378158-2 Power Versa-Lock CAP, 1X2 KEY C	 TE Part # 3-2378159-2 Power Versa-Lock PLUG, 1X2 KEY C
 TE Part # 4-2378158-2 Power Versa-Lock CAP, 1X2 KEY D	 TE Part # 4-2378159-2 Power Versa-Lock PLUG, 1X2 KEY D	 TE Part # 5-2378158-2 Power Versa-Lock CAP, 1X2 KEY E	 TE Part # 5-2378159-2 Power Versa-Lock PLUG, 1X2 KEY E



TE Part # 6-2378158-2
Power Versa-Lock CAP, 1X2 KEY F

TE Part # 6-2378159-2
Power Versa-Lock PLUG, 1X2 KEY F

TE Part # 7-2378158-2
Power Versa-Lock CAP, 1X2 KEY G

TE Part # 7-2378159-2
Power Versa-Lock PLUG, 1X2 KEY G

TE Part # 8-2378158-2
Power Versa-Lock CAP, 1X2 KEY H

TE Part # 8-2378159-2
Power Versa-Lock PLUG, 1X2 KEY H

TE Part # 9-2378158-2
Power Versa-Lock CAP, 1X2 KEY I

TE Part # 9-2378159-2
Power Versa-Lock PLUG, 1X2 KEY I

TE Part # 1-2378158-2
Power Versa-Lock CAP, 1X2 KEY A

TE Part # 1-2378159-2
Power Versa-Lock PLUG, 1X2 KEY A

TE Part # 1-2378159-3
Power Versa-Lock PLUG, 1X3 KEY A

TE Part # 2-2378158-2
Power Versa-Lock CAP, 1X2 KEY B

Also in the Series | **Power Versa-Lock 5.0**

Connector Caps & Covers(4)

Connector Contacts(12)

Connector Hardware(5)





Connector Seals & Cavity Plugs(9)

Insertion & Extraction Tools(2)

Rectangular Power Connectors(77)

Customers Also Bought



 TE Part #1376392-1 5MM POWER KEY 4P PLUG 2ROW NUT	 TE Part #53245-2 TERMINAL,PG SPR SPD 16-14 10	 TE Part #3-2378158-2 Power Versa-Lock CAP, 1X2 KEY C	 TE Part #5-2378159-2 Power Versa-Lock PLUG, 1X2 KEY E
 TE Part #63483-1 FAST,AMPLIVAR .250 TAB 200-566 CMA TPBR	 TE Part #8-2378159-2 Power Versa-Lock PLUG, 1X2 KEY H	 TE Part #1-2378158-2 Power Versa-Lock CAP, 1X2 KEY A	 TE Part #1803161-1 ANVIL, SPECIAL
 TE Part #2-2378159-2 Power Versa-Lock PLUG, 1X2 KEY B	 TE Part #2329908-1 Power Versa-Lock SEAL TAB, 18-20 AWG		

Documents

Product Drawings

Power Versa-Lock INTERFACE SEAL, 1X2

English

CAD Files

Customer View Model

ENG_CVM_CVM_2325347-2_A1.3d_stp.zip

English

Customer View Model

ENG_CVM_CVM_2325347-2_A1.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_2325347-2_A1.3d_igs.zip

English

3D PDF

3D

By downloading the CAD file I accept and agree to the Terms and Conditions of use.

Product Specifications



Engineering Report

English

Instruction Sheets

Instruction Sheet (U.S.)

English