

10

9

8

7

6

5

4

3

2

1

F

F

E

E

D

D

C



C

B

B


A

A




NOTES

1. RE DETAILED DIMENSION, SEE PRODUCT DRAWING.
2. NUMBER OF CONNECTORS : 20000PCS/REEL
3. LEAD TAPE LENGTH.



4. PEELING OFF FORCE OF THE TOP TAPE IS DEFINED BY IEC60286-3.
5. MATERIAL
CARRIER TAPE : POLYSTYRENE OR PET
TOP TAPE : PET , OTHER
REEL : POLYSTYRENE (PS) < RECYCLE MATERIAL CONTAINED >
6. ELV AND RoHS COMPLIANT
7. CONFORM TO 2033909200-SPK_PS200 FOR PACKAGING SPECIFICATION.
8. CONFORM TO 2033909200-SPK_PS201 FOR PACKAGING SPECIFICATION.

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION													
DIMENSION UNITS		SCALE		CURRENT REV DESC:			molex						
mm		1:1											
GENERAL TOLERANCES (UNLESS SPECIFIED)				0.175BB H=0.6 QUADROW PLUG EMBS PACKAGE									
ANGULAR TOL ± 3.0 °													
4 PLACES		± 0.03											
3 PLACES		± 0.03											
2 PLACES		± 0.05											
1 PLACE		± 0.1		PRODUCT CUSTOMER DRAWING									
0 PLACES		± 0.2											
EC NO: 769450				DOCUMENT NUMBER 2033900000-SD						DOC TYPE		DOC PART	REVISION
DRWN: AISHII										2023/11/13			
CHK'D: YKOBAYASHI02										2023/11/24			
APPR: KSASAKI				2023/11/24		PSD				000	F		
INITIAL REVISION:				2020/06/25									
DRWN: DGONDO				2020/07/07									
APPR: YKOBAYASHI02				2020/07/07		SHEET NUMBER 1 OF 2							
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				THIRD ANGLE PROJECTION							DRAWING		SERIES
				A3-SIZE		203390		SEE CHART		GENERAL			

DOCUMENT STATUS	P1	RELEASE DATE	2023/11/24	08:19:45
-----------------	----	--------------	------------	----------

FORMAT: master-b-prod-A3
REVISION: J1
DATE: 2021/05/01

9

8

7

6


5

4



3

2

1



SECTION B-B



SECTION A-A

7.5	3.85	5.325	16	21.4	17.4	2033900363	2033900361	36
7.5	3.5	4.975	16	21.4	17.4	2033900323	2033900321	32
J	I	H	G	F	E	ORDER NO.	ORDER NO.	CIRCUIT
						PACKAGING SPEC: $\triangle_8$	PACKAGING SPEC: $\triangle_7$	

CONNECTOR SERIES No. 2033900***

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION													
DIMENSION UNITS		SCALE		CURRENT REV DESC:			molex						
mm		2:1											
GENERAL TOLERANCES (UNLESS SPECIFIED)													
ANGULAR TOL ± 3.0 °													
4 PLACES ± 0.03													
3 PLACES ± 0.03				EC NO: 769450 DRWN: AISHII 2023/11/13 CHK'D: YKOBAYASHI02 2023/11/24 APPR: KSASAKI 2023/11/24			0.175BB H=0.6 QUADROW PLUG EMBS PACKAGE						
2 PLACES ± 0.05							PRODUCT CUSTOMER DRAWING						
1 PLACE ± 0.1													
0 PLACES ± 0.2				INITIAL REVISION:			DOCUMENT NUMBER		DOC TYPE	DOC PART	REVISION		
DRWN: DGONDO 2020/06/25 APPR: YKOBAYASHI02 2020/07/07							2033900000-SD		PSD	000	F		
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				THIRD ANGLE PROJECTION		DRAWING		SERIES		MATERIAL NUMBER		CUSTOMER	SHEET NUMBER
						A3-SIZE		203390		SEE CHART		GENERAL	

DOCUMENT STATUS	P1	RELEASE DATE	2023/11/24	08:19:45
-----------------	----	--------------	------------	----------

