

1014119

https://www.phoenixcontact.com/us/products/1014119

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Snap-in markers, Sheet, white, unlabeled, can be labeled with: TOPMARK NEO, TOPMARK LASER, BLUEMARK ID COLOR, BLUEMARK ID, BLUEMARK CLED, THERMOMARK PRIME, THERMOMARK CARD 2.0, THERMOMARK CARD, mounting type: insert, lettering field size: 60 x 15 mm, Number of individual labels: 3

Your advantages

- The UCT-EMP... UniCard marking range includes markers for the KMK... marker carriers
- · The markers, which are supplied in uniform sheets, can be marked quickly, easily, and precisely using the card printers
- · The sheets provide additional space for project information and function text that can be helpful during further assembly
- · The multi-section marking strips are easy to fit and can be easily separated if required
- · Marking service: Phoenix Contact can custom-mark all UniCard markers according to your specifications

Commercial data

Item number	1014119
Packing unit	10 pc
Minimum order quantity	10 pc
Sales key	BG10
Product key	BG2318
Catalog page	Page 239 (C-3-2019)
GTIN	4046356783002
Weight per piece (including packing)	8.77 g
Weight per piece (excluding packing)	8.77 g
Customs tariff number	39269097
Country of origin	PL



https://www.phoenixcontact.com/us/products/1014119



Technical data

Product properties

Product type	Device marking
Data management status	
Article revision	02
Marking	
Number of individual labels	3
Number of individual labels per row	1
Identification technology	Thermal transfer for sheets and cards

Mounting

Mounting type	insert
Thread type	()

Material specifications

RoHS compliant	yes
Color	white (RAL 9010)
Material	PC
Flammability rating according to UL 94	V0
Relative insulation material temperature index (Elec., UL 746 B)	130 °C
Fire protection for rail vehicles (DIN EN 45545-2) R22	HL 1 - HL 3
Fire protection for rail vehicles (DIN EN 45545-2) R23	HL 1 - HL 3
Fire protection for rail vehicles (DIN EN 45545-2) R24	HL 1 - HL 3
Components	free from silicone, halogen, and cadmium

Environmental and real-life conditions

Test for substances that would hinder coating with paint or varnish

Result	Test passed
UV resistance	
Specification	ISO 4892-2:2013-03 (following)
Result	Test passed
Test duration	96 h
Wipe resistance of inscriptions	
Specification	DIN EN 61010 1 (V/DE 0411 1):2011 07

Wipe resistance of inscriptions	
Specification	DIN EN 61010-1 (VDE 0411-1):2011-07
	DIN EN 62208 (VDE 0660-511):2012-06 (in parts)
Isopropyl [CAS No. 67-63-0]	Test passed
n-Hexane [CAS No. 110-54-3]	Test passed
Water + Petroleum ether [CAS No. 64742-82-1]	Test passed

Testing in a condensation changing climate in the presence of sulfur dioxide



1014119

https://www.phoenixcontact.com/us/products/1014119

Specification	DIN 50018:2013-05
Result	Test passed
Climate level	AHT 1.0 S
Cycles	2
Salt spray test	
Specification	DIN EN 60068-2-11:2000-02
Result	Test passed
Ambient conditions	
Ambient temperature (operation)	-40 °C 120 °C
Recommended storage conditions	23 °C/50 % relative humidity. Storage in a dry and dark place in the original packaging is recommended.
Recommended ambient temperature (storage/transport)	23 °C
Recommended humidity (storage/transport)	50 %

Dimensions

Width	60 mm
Text field width	60.00 mm
Text field height	15.00 mm
Length	15 mm

Standards and regulations

Wipe resistance	DIN EN 61010-1 (VDE 0411-1)
-----------------	-----------------------------

Notes



1014119

https://www.phoenixcontact.com/us/products/1014119

Classifications

UNSPSC 21.0

ECLASS

ECLASS-11.0	27281106
ECLASS-12.0	27281106
ECLASS-13.0	27281106
ETIM	
ETIM 9.0	EC001288
UNSPSC	

39131700



https://www.phoenixcontact.com/us/products/1014119



Accessories

THERMOMARK CARD 2.0 - Thermal transfer printer

1085267

https://www.phoenixcontact.com/us/products/1085267



Thermal transfer printer for card materials, including Euro/US power cable and USB cable. User manual printed in German and English. Magazine for UCT-TM.. sheets and magazines for US-... cards. One packing unit each UCT-TM 6, US-EMLP (85,6x54), ink ribbon = 50 m

THERMOMARK PRIME 2.0 US - Thermal transfer printer

1472410

https://www.phoenixcontact.com/us/products/1472410



Thermal transfer printer for printing card materials with a print resolution of 300 dpi. Suitable for stationary as well as mobile use thanks a 7" color touch display with integrated "MARKING system app" and a replaceable battery pack.



https://www.phoenixcontact.com/us/products/1014119



BLUEMARK ID - Printer

1003334

https://www.phoenixcontact.com/us/products/1003334



Monochrome printer with UV inkjet technology and integrated "MARKING system app" identification software. 7" touch color display for printing plastic labels in UC, UCT, US, and UM format, as well as metal labels.

BLUEMARK ID COLOR - Printer

1002329

https://www.phoenixcontact.com/us/products/1002329



CMYK multicolor printer with UV inkjet technology, with integrated "MARKING system app" identification software, 7" touch color display for printing plastic labels in UC, UCT, and UM format, as well as metal labels.



1014119

https://www.phoenixcontact.com/us/products/1014119

TOPMARK NEO - Laser marker

1012015

https://www.phoenixcontact.com/us/products/1012015



Laser marking system for the efficient marking of metal or plastic marking material from the LS..., UCT..., UC.../PP..., UM... product families.

THERMOMARK-RIBBON 110/50-TC - Ink ribbon

0801384

https://www.phoenixcontact.com/us/products/0801384



Ink ribbon, for THERMOMARK CARD for printing product groups UCT..., US..., and UM..., length: 50 m, roll length: 50 m, width: 110 mm, color: black



https://www.phoenixcontact.com/us/products/1014119



THERMOMARK-RIBBON 110-TC - Ink ribbon

0801371

https://www.phoenixcontact.com/us/products/0801371



Ink ribbon, for THERMOMARK CARD for printing product groups UCT..., US..., and UM..., length: 300 m, roll length: 300 m, width: 110 mm, color: black

TMP-RIBBON 110 BK 100 - Ink ribbon cartridge

0803374

https://www.phoenixcontact.com/us/products/0803374

Ink ribbon cartridge, for THERMOMARK PRIME for printing product groups UCT. .., US..., and UM..., length: 70 m, roll length: 70 m, width: 110 mm, color: black





1014119

https://www.phoenixcontact.com/us/products/1014119

BM ID-CARTR. BK - Ink cartridge

1044345

https://www.phoenixcontact.com/us/products/1044345



Replacement UV fluid, 23 ml, color: black

BM ID-CARTR. CY - Ink cartridge

1044346

https://www.phoenixcontact.com/us/products/1044346



Replacement UV fluid, 23 ml, color: cyan



1014119

https://www.phoenixcontact.com/us/products/1014119

BM ID-CARTR. YE - Ink cartridge

1044348

https://www.phoenixcontact.com/us/products/1044348



Replacement UV fluid, 23 ml, color: yellow

BLUEMARK CLED-FLUID-CARTR. - Ink cartridge

5146662

https://www.phoenixcontact.com/us/products/5146662

Cartridge, for replacement, 20 ml UV color, black, including cleaning cartridge





https://www.phoenixcontact.com/us/products/1014119



BLUEMARK FLUID-CARTRIDGE - Ink cartridge

5147421

https://www.phoenixcontact.com/us/products/5147421

Cartridge, for replacement, 28 ml UV color, black including cleaning cartridge



TMP-UCT-MAG26 - Magazine

0803370

https://www.phoenixcontact.com/us/products/0803370







https://www.phoenixcontact.com/us/products/1014119



BM ID-MAG20 - Magazine

1044356

https://www.phoenixcontact.com/us/products/1044356



Infeed magazine for accommodating a max. of 20 UniCard sheets

BM ID-MAG40 - Magazine

1044357

https://www.phoenixcontact.com/us/products/1044357



Infeed magazine for accommodating a maxi. of 40 UniCard sheets



1014119


https://www.phoenixcontact.com/us/products/1014119

TOPMARK LASER-MAG UCT-A - Magazine

0803141

https://www.phoenixcontact.com/us/products/0803141

Magazine for the TOPMARK LASER, for accommodating UCT material automatically



TOPMARK LASER-MAG UCT-M - Magazine

0803143

https://www.phoenixcontact.com/us/products/0803143

Magazine for the TOPMARK LASER, for accommodating UCT material manually





1014119

https://www.phoenixcontact.com/us/products/1014119

KMK HP (60X15) - Cable marker carrier

0830722

https://www.phoenixcontact.com/us/products/0830722

Cable marker carrier, transparent, unlabeled, mounting type: Assembly with cable ties, cable diameter: \geq 9 mm, lettering field size: 60 x 15 mm



KMK UV (60X15) - Cable marker carrier

1014108

https://www.phoenixcontact.com/us/products/1014108

Cable marker carrier, transparent, unlabeled, mounting type: Assembly with cable ties, cable diameter: ≥ 9 mm, lettering field size: 60 x 15 mm





https://www.phoenixcontact.com/us/products/1014119



THERMOMARK CARD - Thermal transfer printer

5146464

https://www.phoenixcontact.com/us/products/5146464



Thermal transfer printer for cards

BLUEMARK CLED - Printer

5147999

https://www.phoenixcontact.com/us/products/5147999



Printers with LED-UV technology for printing plastic labels in UniCard format.




1014119

https://www.phoenixcontact.com/us/products/1014119

THERMOMARK CARD-UCT-MAG26 - Magazine

0802988

https://www.phoenixcontact.com/us/products/0802988





Phoenix Contact 2024 © - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com