



Connectors > Rectangular Connectors > Rectangular Contact Inserts > Hybrid Module: Male & female inserts



Rectangular Connector Insert Type: **Insert for Contacts**

Contact Type: **Pin**

Termination Method to Wire & Cable: **Crimp**

Connector System: **Wire-to-Wire**

Number of Positions: **11**

[All Hybrid Module: Male & female inserts \(21\)](#)

Features

Product Type Features

Connector & Contact Terminates To	Wire & Cable
Rectangular Connector Insert Type	Insert for Contacts
Connector System	Wire-to-Wire
Sealable	Yes

Configuration Features

Number of Positions	11
---------------------	----

Body Features

Primary Product Material	Composite
--------------------------	-----------

Contact Features

Contact Type	Pin
Contact Current Rating (Max)	13 A

Termination Features

Termination Method to Wire & Cable	Crimp
------------------------------------	-------

Mechanical Attachment

Connector Mounting Type	Cable Mount (Free-Hanging)
-------------------------	----------------------------

Housing Features



Centerline (Pitch)	2.62 mm, 4.4 mm[.103 in][.173 in]
--------------------	-----------------------------------

Dimensions

Wire Size	.15 – .4 mm², .61 – 1.21 mm²
-----------	------------------------------

Usage Conditions

Operating Temperature Range	-55 – 175 °C[-67 – 347 °F]
-----------------------------	----------------------------

Operation/Application

Circuit Application	Power, Signal & High Speed Data
---------------------	---------------------------------

Packaging Features

Packaging Quantity	1
Packaging Method	Package

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant with Exemptions
EU ELV Directive 2000/53/EC	Out of Scope
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUNE 2024 (241) SVHC > Threshold: Pb (1.2% in alloy) Dodecamethylcyclohexasiloxane (D6) (1% in component) Decamethylcyclopentasiloxane (D5) (1% in component) Octamethylcyclotetrasiloxane (D4) (1% in component) Article Safe Usage Statements: Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these



limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) ‘Guidance on requirements for substances in articles’ posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Customers Also Bought

TE Part #42404-1

250 FASTON FLAG REC 18-12 AWG NPST

TE Part #D369-P99-NP0

369 9 WAY PLUG, NO CONTACTS, PIN

TE Part #ZPF000000000099713

DMC-MD 20 N

TE Part #ZPF000000000113629

DMC-MD 26 N-K-S-T

TE Part #ZPF000000000015306

DMC-M 20-22 PN

TE Part #620001-000

D-100-00

TE Part #ZPF000000000018795

FDBA 53H 10-6 PN-K

TE Part #NB14354001

VERSAFIT-3/4-0-FSP

TE Part #ZPF000000000103303

787-8009-00

TE Part #ZPF000000000000206

006-0893-16

Documents

Product Drawings

DMC-M 99-01 PN

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_ZPF00000000099684_1.2d_dxf.zip

English



Customer View Model

[ENG_CVM_CVM_ZPF000000000099684_1.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_ZPF000000000099684_1.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

[DMC-M Series Single Module EN4165](#)

English