





1. MATERIAL: GLASS FILED THERMO PLASTIC
POLYESTER (94V-0),
COLOR: BLACK
2. INSTRUCTION SHEET: 408-78197
3. CIRCUIT NUMBER IS CONSISTED ROW ID
AND CIRCUIT ID
EX: A1, A2, B1, B2
REFER TO SHEET 6

REVISIONS


P	LTR	DESCRIPTION	DATE	DWN	APVD
	A	RELEASED	14SEP2022	Y.O	T.S
	B	REVISED	09MAY2023	H.O	T.S
	C	REVISED	31OCT2023	H.O	T.S




BLUE	Y	9	8-2375951-9
	X		7-2375951-9
NATURAL	Y	9	6-2375951-9
	X		5-2375951-9
BLACK	Y	9	2-2375951-9
	X		1-2375951-9
BLUE	Y	7	8-2375951-7
	X		7-2375951-7
NATURAL	Y	7	6-2375951-7
	X		5-2375951-7
BLACK	Y	7	2-2375951-7
	X		1-2375951-7
BLUE	Y	5	8-2375951-5
	X		7-2375951-5
NATURAL	Y	5	6-2375951-5
	X		5-2375951-5
BLACK	Y	5	2-2375951-5
	X		1-2375951-5
BLUE	Y	3	8-2375951-3
	X		7-2375951-3
NATURAL	Y	3	6-2375951-3
	X		5-2375951-3
BLACK	Y	3	2-2375951-3
	X		1-2375951-3
BLUE	Y	2	8-2375951-2
	X		7-2375951-2
NATURAL	Y	2	6-2375951-2
	X		5-2375951-2
BLACK	Y	2	2-2375951-2
	X		1-2375951-2
COLOR	KEYING	POSN	PART NUMBER



2-2375951-2
Y KEY 2POSN








1-2375951-2
X KEY 2POSN


THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN Y. OKADA 02JUL2020	 TE Connectivity		
DIMENSIONS: mm		CHK T. SHIMOYASU 02JUL2020			
		APVD E. IKEMATSU 02JUL2020			
TOLERANCES UNLESS OTHERWISE SPECIFIED: ± 0.5 , $\pm 3^\circ$		PRODUCT SPEC 108-140257			
MATERIAL SEE NOTE		FINISH -	APPLICATION SPEC -		NAME TAB HOUSING, D1000 SLIM, DYNAMIC -
-		WEIGHT -	CUSTOMER DRAWING		SIZE A3
			SCALE 4:1		CAGE CODE 00779
			DRAWING NO C-2375951		RESTRICTED TO -
			SHEET 1 OF 6		REV C

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-



2-2375951-3
Y KEY 3POSN



1-2375951-3
X KEY 3POSN

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:
mm

MATERIAL
SEE NOTE

TOLERANCES UNLESS OTHERWISE SPECIFIED:
 ± 0.5 , $\pm 3^\circ$

0 PLC	$\pm$
1 PLC	± 0.5
2 PLC	± 0.13
3 PLC	± 0.013
4 PLC	± 0.0001
ANGLES	$\pm$
FINISH	-

DWN
Y. OKADA
02JUL2020

CHK
T. SHIMOYASU
02JUL2020

APVD
E. IKEMATSU
02JUL2020

PRODUCT SPEC
108-140257

APPLICATION SPEC
-

WEIGHT
-

CUSTOMER DRAWING






TE Connectivity

NAME
TAB HOUSING,
D1000 SLIM, DYNAMIC
-

SIZE A3	CAGE CODE 00779	DRAWING NO C-2375951	RESTRICTED TO -
------------	--------------------	-------------------------	--------------------


SCALE 4:1	SHEET 2 OF 6	REV C
--------------	-----------------	----------

P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-





1-2375951-5
X KEY 5POSN

2-2375951-5
Y KEY 5POSN


THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN H.OSABE 09MAY2023	 TE Connectivity								
		CHK T.SHIMOYASU 09MAY2023									
DIMENSIONS: mm	TOLERANCES UNLESS OTHERWISE SPECIFIED: ± 0.5 , $\pm 3^\circ$	APVD T.SHIMOYASU 09MAY2023	NAME TAB HOUSING, D1000 SLIM, DYNAMIC -								
	0 PLC $\pm$ 1 PLC ± 0.5 2 PLC ± 0.13 3 PLC ± 0.013 4 PLC ± 0.0001 ANGLES $\pm$	PRODUCT SPEC 108-140257									
MATERIAL SEE NOTE -		APPLICATION SPEC -	SIZE		CAGE CODE		DRAWING NO		RESTRICTED TO		
		WEIGHT -		A3		00779		C-2375951		-	
		CUSTOMER DRAWING		SCALE 4:1		SHEET 3 OF 6		REV C			

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-



ROW ID



CIRCUIT ID

19.62


8.7

2.9


9.9

KEYING MARK

CAVITY MARK




2-2375951-7
Y KEY 7POSN





1-2375951-7
X KEY 7POSN


8.27


10.57



COMPANY LOGO





THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN H.OSABE	09MAY2023	 TE Connectivity		
		CHK T.SHIMOYASU	09MAY2023			
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED: ± 0.5 , $\pm 3^\circ$		NAME TAB HOUSING, D1000 SLIM, DYNAMIC		
		APVD T.SHIMOYASU				
		PRODUCT SPEC				
		APPLICATION SPEC -		SIZE A3		
		WEIGHT -				
		MATERIAL SEE NOTE		FINISH -		DRAWING NO C-2375951
-		-		RESTRICTED TO -		
				SHEET 4 OF 6		

DIMENSIONS:		TOLERANCES UNLESS OTHERWISE SPECIFIED:	
mm		$\pm 0.5, \pm 3^\circ$	
		0 PLC	$\pm$
		1 PLC	± 0.5
		2 PLC	± 0.13
		3 PLC	± 0.013
		4 PLC	± 0.0001
MATERIAL SEE NOTE		FINISH	-
			-


REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-









2-2375951-9
Y KEY 9 POSN

1-2375951-9
X KEY 9 POSN

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN H.OSABE	09MAY2023	TE Connectivity			
DIMENSIONS: mm	TOLERANCES UNLESS OTHERWISE SPECIFIED: ±0.5, ±3°	CHK T.SHIMOYASU	09MAY2023				
		APVD T.SHIMOYASU	09MAY2023				
		PRODUCT SPEC 108-140257		NAME TAB HOUSING, D1000 SLIM, DYNAMIC -			
		APPLICATION SPEC -					
		WEIGHT -					
		CUSTOMER DRAWING					
MATERIAL SEE NOTE -		FINISH - -		SIZE A3	CAGE CODE 00779	DRAWING NO C-2375951	RESTRICTED TO -
				SCALE 4:1	SHEET 5	OF 6	REV C

P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN Y. OKADA	02JUL2020	TE Connectivity			
DIMENSIONS: mm	TOLERANCES UNLESS OTHERWISE SPECIFIED: ± 0.5 , $\pm 3^\circ$	CHK T. SHIMOYASU	02JUL2020				
		APVD E. IKEMATSU	02JUL2020				
		PRODUCT SPEC 108-140257		NAME TAB HOUSING, DI000 SLIM, DYNAMIC -			
		APPLICATION SPEC -					
		WEIGHT -					
MATERIAL SEE NOTE -		FINISH - -		SIZE A3	CAGE CODE 00779	DRAWING NO C-2375951	RESTRICTED TO -
CUSTOMER DRAWING				SCALE 6:1	SHEET 6	OF 6	REV C