



Connectors > Connector Accessories > Connector Hardware



Hardware Accessory Function: Latching, Locking & Retention, Mounting

Connector Hardware Accessory Type: Screw Kit

Primary Product Material: Stainless Steel

Operating Temperature (Max): 105 °C [221 °F]

Operating Temperature Range: -55 – 105 °C [-67 – 221 °F]

Features

Product Type Features

Hardware Accessory Function	Latching, Locking & Retention, Mounting
Connector Hardware Accessory Type	Screw Kit

Body Features

Primary Product Material	Stainless Steel
--------------------------	-----------------

Usage Conditions

Operating Temperature (Max)	105 °C[221 °F]
Operating Temperature Range	-55 – 105 °C[-67 – 221 °F]

Packaging Features

Packaging Quantity	1
Packaging Method	Bag

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant



China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) ‘Guidance on requirements for substances in articles’ posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts

TE Part # 1600960-1

CONT 8-10AWG PWR BLANK STRIP

Customers Also Bought

TE Part #53884-4
HSG ASSY,PWR LK,SR52,1 POS,RED

TE Part #3-350820-2
ULTRAFAST 250 ASSY REC 16-14 TPBR LP

TE Part #2-1445085-4
micro mnl hdr assy s/row au lf

TE Part #881545-2
SHUNT LP W/HANDLE 2 POS 30AU



TE Part #1-1600960-8
CONT 8-10 AWG PWR, STD PLATE &

TE Part #2-520181-2
ULTRA-FAST 187 ASY REC 22-18 AWG
TPBR

TE Part #1600903-1
2NDARY RCPT PWR VERT BLKHED MT

TE Part #53892-4
CONTACT,PWR LK,SRS1,LS PC,CRMP

TE Part #160914-2
FF 250 REC 4-6MM2 TPBR

TE Part #5531216-5
CONTACT MINI TANDEM SPRING L

Documents

CAD Files

Customer View Model

ENG_CVM_CVM_1600914-5_3.2d_dxf.zip

English

3D PDF

3D

Customer View Model

ENG_CVM_CVM_1600914-5_3.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_1600914-5_3.3d_stp.zip

English

By downloading the CAD file I accept and agree to the Terms and Conditions of use.

Product Specifications

Application Specification

English