





PRODUCT
P/N: XXXXX-XXXX

LABEL WITH EACH BAG:




PART NUMBER
ORDER NUMBER
MOLEX
DATE: YYWW

ONE SET PER BAG



50 SETS PER BAG



500 SETS PER CARTON BOX

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION												
DIMENSION UNITS		SCALE		CURRENT REV DESC: NEW RELEASE PER EWR #15848-B				molex PACKAGING SPEC 89707-0317 (DU 500) EWR-15848 PRODUCT CUSTOMER DRAWING				
mm		NTS		EC NO: 750290 DRWN: RYEH 2023/05/18 CHK'D: YCHENG 2023/05/24 APPR: YCHENG 2023/05/24								
GENERAL TOLERANCES (UNLESS SPECIFIED)												
ANGULAR TOL		±	°									
4 PLACES		±										
3 PLACES		±										
2 PLACES		±										
1 PLACE		±		INITIAL REVISION:				DOCUMENT NUMBER		DOC TYPE	DOC PART	REVISION
0 PLACES		±		APPR: YCHENG 2023/05/24				895420089		PSD	000	A
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				THIRD ANGLE PROJECTION		DRAWING	SERIES	MATERIAL NUMBER		CUSTOMER		SHEET NUMBER
						C-SIZE	89542	895420089				1 OF 1

DOCUMENT STATUS	P1	RELEASE DATE	2023/05/24	11:34:23
-----------------	----	--------------	------------	----------

MATERIALS AND FINISHES

BODY, FERRULE , CAP BRASS
PLATED GOLD

CONTACT BERYLLIUM COPPER
PLATED GOLD

INSULATOR TEFLON




RETAINING RING: BERYLLIUM COPPER

SOLDER CABLE
TO CONTACT



LABEL FORMAT FOR
73404-3000

PART NUMBER: 73100-0256
ORDER NUMBER: 73404-3000
MOLEX
DATE: YYWW

SMB PLUG
75 OHM
ACCEPTS PIN
Ø0.38 (.015) ± 0.025 (.001)




RECOMMENDED CABLE STRIP



INSULATOR

CAP



FERRULE

73404-3000	1 PIECE 73100-0256 IN SINGLE BAG WITH LABEL
73100-0256	TRAY
PART NO.	PACKAGING

AS-73597-0047	ASSY. INSTRUCTION
PS-89675-3540	ELECTRO / MECH. PERFORM.
SPECIFICATION	DESCRIPTION

DOCUMENT STATUS	P1	RELEASE DATE	2020/12/02	02:24:23
-----------------	----	--------------	------------	----------

FUNCTIONAL SYMBOLS F_A = 0 F_C = 0 F_P = 0 DIVISIONAL SYMBOLS	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																	
	DIMENSION UNITS		SCALE		CURRENT REV DESC: ADDED AS ON THE DRAWING PER EWR # 14130-A					molex SMB PLUG RA 75 OHM RG179 MATES TO .015 PIN SMB-PC/RA								
	INCH/MM		NTS															
	GENERAL TOLERANCES (UNLESS SPECIFIED)					EC NO: 649818 DRWN: ELIN 2020/11/11 CHK'D: YCHENG 2020/12/02 APPR: YCHENG 2020/12/02					PRODUCT CUSTOMER DRAWING							
	ANGULAR TOL ± 2.0 °																	
	4 PLACES				INITIAL REVISION: DRWN: SSHAH 2007/12/07 APPR: JWHIENER 2010/12/13					DOCUMENT NUMBER			DOC TYPE		DOC PART	REVISION		
	3 PLACES									SD-73100-0256			PSD		001	B6		
	2 PLACES																	
	1 PLACE																	
	0 PLACES																	
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS					THIRD ANGLE PROJECTION			DRAWING		SERIES		MATERIAL NUMBER		CUSTOMER		SHEET NUMBER		
								C-SIZE		73100		SEE TABLE		GENERAL MARKET		1 OF 1		

molex

SMB PLUG RA 75 OHM
RG179 MATES TO .015 PIN SMB-PC/RA

PRODUCT CUSTOMER DRAWING

DOCUMENT NUMBER
SD-73100-0256
DOC TYPE
PSD
DOC PART
001
REVISION
B6

FORMAT: Integer 0-9999-C																						
12		11		10		9		8		7		6		5		4		3		2		1
REVISION: 3																						