






製品形状
PRODUCT SHAPE


2極
2 CIRCUIT




3極
3 CIRCUIT




4-5極
4-5 CIRCUIT




6-7極
6-7 CIRCUIT




8極
8 CIRCUIT




9-10極
9-10 CIRCUIT




11-16極
11-16 CIRCUIT




基板パターンレイアウト
PCB PATTERN LAYOUT



基板パターンレイアウト(参考)
(参考 : 基板厚1.6mm, メタルマスク厚み0.15mm, マスク開口率100%)
PCB PATTERN LAYOUT (REFERENCE)
(REFERENCE: PCB THICKNESS 1.6mm, STENCIL THICKNESS 0.15mm, APERTURE RATIO 100%)



パターン非推奨エリア
パターンを引き回す際には製品機能に影響がないことを御確認ください。
PATTERN IS NOT RECOMMENDED ON THE HATCHING AREA.
PLEASE CHECK NOT TO HAVE PROBLEM FOR PRODUCT FUNCTION
WHEN SETTING PATTERN ON THE HATCHING AREA.





THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION		CURRENT REV DESC:		molex		
DIMENSION UNITS	SCALE			MICRO-LOCK PLUS 2.0 W/B SINGLE ROW VERTICAL SMT PLUG ASSEMBLY TIN PLATING		
mm	NTS			PRODUCT CUSTOMER DRAWING		
GENERAL TOLERANCES (UNLESS SPECIFIED)		EC NO: 718854 DRWN: SOKUMURA01 CHK'D: SAKIYAMA APPR: MARAI		DOCUMENT NUMBER 5055750001		
ANGULAR TOL ± 3.0 °		2023/02/28 2023/08/04 2023/08/04		DOC TYPE DOC PART REVISION PSD 000 D		
4 PLACES ± 0.2		INITIAL REVISION:				
3 PLACES ± 0.2		DRWN: TENAGASE APPR: TKANEKO				
2 PLACES ± 0.2		2016/06/07 2016/06/23				
1 PLACE ± 0.2						
0 PLACES ± 0.2						
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIRD ANGLE PROJECTION 	DRAWING A3-SIZE	SERIES 505575	MATERIAL NUMBER SEE SHEET 1	CUSTOMER GENERAL
				SHEET NUMBER 2 OF 4		



吸着エリア
SUCTION AREA

カバーテープ無
WITHOUT COVER TAPE
505575**7*


カバーテープ有
WITH COVER TAPE
505575**8*



嵌合状態図
MATED CONNECTORS



5	11.5	16
		15
		14
		13
		12
4	9.5	11
		10
		9
		8
		7
8	4.5	6
		5
		4
6	2.5	3
E	D	2
		極数 CIRCUIT SIZE

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION											
DIMENSION UNITS		SCALE		CURRENT REV DESC:		molex					
mm		NTS									
GENERAL TOLERANCES (UNLESS SPECIFIED)				MICRO-LOCK PLUS 2.0 W/B SINGLE ROW VERTICAL SMT PLUG ASSEMBLY TIN PLATING							
ANGULAR TOL ± 3.0 °											
4 PLACES ± 0.2											
3 PLACES ± 0.2				EC NO: 718854		PRODUCT CUSTOMER DRAWING					
2 PLACES ± 0.2				DRWN: SOKUMURA01 2023/02/28							
1 PLACE ± 0.2				CHK'D: SAKIYAMA 2023/08/04							
0 PLACES ± 0.2				APPR: MARAI 2023/08/04		DOCUMENT NUMBER					
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				INITIAL REVISION:		5055750001		DOC TYPE		DOC PART	
				DRWN: TENAGASE 2016/06/07		PSD		000			
				APPR: TKANEKO 2016/06/23		MATERIAL NUMBER		CUSTOMER		SHEET NUMBER	
				THIRD ANGLE PROJECTION		DRAWING		A3-SIZE		SERIES	
						SEE SHEET 1		GENERAL		3 OF 4	

