

P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-

D

D

C


C

B

B

A

A



8 RECOMMENDED PANEL CUTOUTS

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:
in [mm]

MATERIAL

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC ±
1 PLC ±
2 PLC ±
3 PLC ±.025 [0.64]
4 PLC ±
ANGLES ±0°30'0"
FINISH -

DWN P. BURKE 06JUN2001
CHK K. MCKEE 03JUL2014
APVD D. MEYER 03JUL2014

PRODUCT SPEC
108-151009

APPLICATION SPEC
-

WEIGHT
59.8 (g)

CUSTOMER DRAWING

TE Connectivity

NAME
RECEPTACLE HEADER
12 PIN, 90 DEG
DT SERIES

SIZE
A2

CAGE CODE
4AFU8





DRAWING NO
DT13-12PX

RESTRICTED TO
-


SCALE 2:1 SHEET 2 OF 3 REV D

1471-9 (3/13)




REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-



KEYING ARRANGEMENT
INDICATOR, TYP



DATE CODE



DT13-12PA
COLOR GREY

DT13-12PB
COLOR BLACK

DT13-12PC
COLOR GREEN

DT13-12PD
COLOR BROWN

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN P. BURKE 06JUN2001	TE Connectivity		
DIMENSIONS: in [mm]		CHK K. MCKEE 03JUL2014			
		APVD D. MEYER 03JUL2014	NAME RECEPTACLE HEADER 12 PIN, 90 DEG DT SERIES		
		PRODUCT SPEC 108-151009	SIZE A2		
MATERIAL 		APPLICATION SPEC -	CAGE CODE 4AFU8		DRAWING NO DT13-12PX
TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ± 1 PLC ± 2 PLC ± 3 PLC ±.025 [0.64] 4 PLC ± ANGLES ±0°30'0" FINISH -		WEIGHT 59.8 (g)	RESTRICTED TO -		
CUSTOMER DRAWING			SCALE 2:1	SHEET 3 OF 3	REV D