







NOTES:

1. MATERIAL: SEE TABLE
2. FINISHES: SEE TABLE
3. PRODUCT SPECIFICATION: NOT REQUIRED
4. PACKAGING: NOT REQUIRED
5. MATES WITH: NONE
6. "XX" REFERS TO THE QUANTITY OF CIRCUITS.



4 CIRCUIT SHOWN



6	XX	SCREW, #6-32X.250, PHIL-SLOT, SO, WASHER (-50 OPT)	STEEL	ZN, CLEAR CHROMATE
5	XX	SCREW, #6-32X.250, PHIL-SLOT, BHD, (-49 OPT)	BRASS	NICKEL PLATE
4	XX	SCREW, #6-32X.250, PHIL-SLOT, BHD	STEEL	ZN, CLEAR CHROMATE
3	2	PLATE, MTG.	BRASS	NICKEL PLATE
2	XX	TERMINAL, PC	BRASS	TIN PLATE
1	1	INSULATOR, SR, RAISED PADS	THERMOPLASTIC	BLACK
ITEM	QTY.	DESCRIPTION	MATERIAL	FINISH

EC NO. RELEASED
CLY
CH-K
APPR:

DESCRIPTION

QUALITY SYMBOLS

MAJOR
CRITICAL
SPC

GENERAL TOLERANCES:
(UNLESS SPECIFIED)

	mm	INCH
4 PLACES	±.0015	
3 PLACES	±.038	±.005
2 PLACES	±.13	±.01
1 PLACE	±.3	
ANGULAR:	±2°	

DRAFT WHERE APPLICABLE MUST
REMAIN WITHIN DIMENSIONSSCALE
2:1DESIGN UNITS
☐ mm ☒ INCHDRAWN BY & DATE
C. YORK 03-01-05

CHECKED BY & DATE

APPROVED BY & DATE

CAD FILENAME
725XX-PTHIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX
INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION.THIRD ANGLE
PROJECTION

TITLE:
9.53 [1.375] SR BTS, PC ASSY,
RAISED PADS

MOLEX INCORPORATED

MATERIAL NO.
SEE CHARTDRAWING NO.
SD-38720-006SHEET NO.
1 OF 2SIZE
B

