




2-conductor through terminal block

Item No.: 284-904



2-conductor through terminal block

Marking

RoHS ☒
Compliant

Business data

Supplier	WAGO
Item no.	284-904
GTIN / EAN	4044918305778
Content	1
Order amount	25
Customer item number	

Notes



Technical data

Miscellaneous

Packaging type	BOX
Ratings per	IEC/EN 60947-7-1
Rated voltage (III / 3) [V]	800 [V]
Rated impulse voltage (III / 3) [kV]	8 [kV]
Rated current [A]	57 [A]
Legend (ratings)	(III / 3) Overvoltage category III / Pollution degree 3

Technical data	
Type of wiring	Front-entry wiring
Total number of connection points	2
Total number of potentials	1
Number of levels	1
Connection technology	CAGE CLAMP®
Actuation type	Operating tool
Connectable conductor materials	Copper
Solid conductor	0.2 ... 10 mm ² / 24 ... 8 AWG
Fine-stranded conductor	0.2 ... 10 mm ² / 24 ... 8 AWG
Strip length	12 ... 13 mm / 0.47 ... 0.51 Inch
Width	10 mm / 0.394 Inch
Height from upper-edge of DIN-35 rail	35 mm / 1.378 Inch
Depth	78 mm / 3.071 Inch
Design	horizontal
Type of mounting	Carrier rail 35 x 15
Marking level	Center marking
Color	blue
Insulating material	Polyamide 66 (PA 66)
Fire load [MJ]	0.348 [MJ]
Weight [g]	23.206 [g]
Main product function	Through term. block
Product type	Through rail-mount term. blocks

Images & drawings



Address

WAGO Kontakttechnik GmbH & Co. KG

Hansastr. 27

32423 Minden

Telefon: 0571/887-0

Fax: 0571/887-169

<http://www.wago.com>

© WAGO Kontakttechnik GmbH & Co. KG

Technische Änderungen und Irrtümer vorbehalten.