
TE Internal #: 5145098-1

Board-to-Board, 120 Position, 1.27 mm [.05 in] Centerline, Vertical, Natural, Height 15.49 mm [.61 in], PCI & PCI Express Connectors

View on TE.com >



Connectors > PCB Connectors > Card Edge Connectors > PCI & PCI Express Connectors



Connector System: Board-to-Board

Number of Positions: 120

Centerline (Pitch): 1.27 mm [.05 in]

Contact Mating Area Plating Material Thickness: [30 µin]

PCB Mount Orientation: Vertical

Features

Product Type Features

Connector & Contact Terminates To	Printed Circuit Board
Connector System	Board-to-Board
Configuration Features	
Number of PCB Mount Retention Features	2
Number of Positions	120
PCB Mount Orientation	Vertical
Ejector	Without
Electrical Characteristics	
Operating Voltage	203 VAC
Body Features	
PCB Retention Feature Material	Brass
PCB Retention Feature Plating Material	Tin

14.353 g

Natural

Contact Features

Product Weight

Primary Product Color



PCB Contact Termination Area Plating Material Thickness	2.54 µm
Contact Mating Area Plating Material	Gold
Contact Underplating Material	Nickel
PCB Contact Termination Area Plating Material	Tin
Contact Base Material	Phosphor Bronze
	30 μίη
Termination Features	
Termination Method to PCB	Surface Mount
Mechanical Attachment	
PCB Mount Retention Type	Hold-Down Post
Connector Mounting Type	Board Mount
Housing Features	
Housing Material	High Temperature Thermoplastic
Centerline (Pitch)	1.27 mm[.05 in]
Dimensions	
Connector Length	3.44 mm[.135 in]
PCB Thickness (Accepted)	.62 mm[.024 in]
Connector Height	15.49 mm[.61 in]
Connector Width	.35 mm[.014 in]
Usage Conditions	
Operating Temperature Range	-55 – 85 °C[-67 – 185 °F]
Operation/Application	
Circuit Application	Signal
Industry Standards	
Bus Type	PCI
Packaging Features	
Packaging Quantity	32
Packaging Method	Box & Carton

Product Compliance

For compliance documentation, visit the product page on TE.com>



EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Reflow solder capable to 245°C

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-onreach

Compatible Parts




CONNECTOR ASSY, 60 DUAL POSITI



TE Part # 5-2337939-4 PCIE GEN4 CON, SMT, 164POS, 30u", MYLAR,HT



TE Part # 1734774-1 PCI EXP 3.1L 36 POS WHT G/F



Customers Also Bought




















Documents

Product Drawings

CONNECTOR ASSEMBLY, DUAL POSIT

English

CAD Files

3D PDF

English

Customer View Model

ENG_CVM_5145098-1_O.2d_dxf.zip

English

Customer View Model

ENG_CVM_5145098-1_O.3d_igs.zip

English

Customer View Model

ENG_CVM_5145098-1_O.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Product Specifications

Application Specification

English