



Connectors > Contacts > Connector Contacts



Contact Type: **Socket**  
Contact Mating Area Plating Material: **Gold Flash**  
Operating Voltage: **250 VDC**  
Contact Retention Within Housing: **With**

Features

Product Type Features

Sealable	No
----------	----

Electrical Characteristics

Operating Voltage	250 VDC
-------------------	---------

Contact Features

Mating Pin Diameter	9.06 mm[.357 in]
Contact Underplating Material Thickness	1.06 µm[40 µin]
Contact Mating Area Plating Material Thickness	.254 µm[10 µin]
Contact Orientation	Straight
Contact Underplating Material	Nickel
Contact Type	Socket
Contact Mating Area Plating Material	Gold Flash
Contact Retention Within Housing	With
Contact Size	Size 0
Contact Base Material	Copper Alloy
Contact Current Rating (Max)	200 A



Termination Features

Product Terminates To	Busbar
-----------------------	--------

Mechanical Attachment

Wire Insulation Support	Without
-------------------------	---------

Usage Conditions

Operating Temperature Range	-40 – 105 °C[-40 – 221 °F]
-----------------------------	----------------------------

Operation/Application

Circuit Application	Power
---------------------	-------

Packaging Features

Packaging Quantity	100
Packaging Method	Package

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) ‘Guidance on requirements for substances in articles’ posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>



### Compatible Parts

TE Part # 1766811-1  
CONTACT,PIN,#0

Also in the Series

ELCON Drawer

Connector Contacts(35)

Connector Hardware(2)

Rectangular Power Connectors(27)

### Customers Also Bought

TE Part #66597-2  
III+ PIN,18-14,30AU/FL,STRIP

TE Part #1-1469492-3  
MULTIGIG RT 9MM GUIDE/ESD 90 DEG

TE Part #1-1469492-1  
MULTIGIG RT 9MM GUIDE/ESD 0 DEG

TE Part #1-1469492-7  
MULTIGIG RT 9MM GUIDE/ESD 270 DEG

TE Part #1410946-1  
MULTI-GIG SOC. CAP SCREW,  
CUSTOMIZED HDW

TE Part #6450843-6  
MBXLE R/A HEADER 7ACP

TE Part #2-36153-2  
PIDG R 22-16 COMM 22-18 MIL 10

### Documents

Product Drawings

CONTACT,SKT,SIZE #0

English

CAD Files



3D PDF

3D

Customer View Model

ENG\_CVM\_CVM\_6648416-1\_A.2d\_dxf.zip

English

Customer View Model

ENG\_CVM\_CVM\_6648416-1\_A.3d\_igs.zip

English

Customer View Model

ENG\_CVM\_CVM\_6648416-1\_A.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

POWER\_CONNECTORS\_CATALOG\_SEC02\_CABLE\_MOUNTED

English

AMP & ELCON Power Connector Layout Forms Datasheet 6-1773444-7

English

Product Specifications

Application Specification

English