

# EB 6-10/DR NAT - Insertion bridge




5020771

<https://www.phoenixcontact.com/us/products/5020771>

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.

Insertion bridge, pitch: 10.25 mm, number of positions: 6, color: gray



## Commercial data

Item number	5020771
Packing unit	10 pc
Minimum order quantity	1 pc
Product key	BE1Z2X
GTIN	4017918095130
Weight per piece (including packing)	9.23 g
Weight per piece (excluding packing)	9.23 g
Country of origin	PL

# EB 6-10/DR NAT - Insertion bridge



5020771

<https://www.phoenixcontact.com/us/products/5020771>

## Technical data

### Product properties

Product type	Insertion bridge
Number of positions	6
Pitch	10.25 mm

### Dimensions

Pitch	10.25 mm
-------	----------

### Material specifications

Color	gray
Material	PA 6.6
Flammability rating according to UL 94	V2

# EB 6-10/DR NAT - Insertion bridge



5020771

<https://www.phoenixcontact.com/us/products/5020771>

## Classifications

### ECLASS

ECLASS-11.0	27141140
-------------	----------

### ETIM

ETIM 8.0	EC000489
----------	----------

### UNSPSC

UNSPSC 21.0	39121400
-------------	----------

# EB 6-10/DR NAT - Insertion bridge



5020771

<https://www.phoenixcontact.com/us/products/5020771>

## Environmental product compliance

EU RoHS	
Fulfills EU RoHS substance requirements	Yes, No exemptions
China RoHS	
Environment friendly use period (EFUP)	EFUP-E
	No hazardous substances above the limits
EU REACH SVHC	
REACH candidate substance (CAS No.)	No substance above 0.1 wt%

Phoenix Contact 2024 © - all rights reserved  
<https://www.phoenixcontact.com>

Phoenix Contact USA  
586 Fulling Mill Road  
Middletown, PA 17057, United States  
(+717) 944-1300  
[info@phoenixcon.com](mailto:info@phoenixcon.com)