# AEGA577NN00000201000 ✓ ACTIVE



TE Internal #: AEA577N00000201000 Cable-to-Panel, 17 Position, Signal, Panel Mount, Electrodeposited Nickel, Zinc Alloy, PBT GF, 17 Signal Positions, Standard Circular Connectors

View on TE.com >



Connectors > Circular Connectors > Standard Circular Connectors











Connector System: Cable-to-Panel

Connector Mounting Type: Panel Mount

Number of Positions: 17

Sealable: No

Circuit Application: Signal

#### **Features**

#### Product Type Features

**Environmental Protection** 

Shell Plating Material

Shell Base Material

Product Type	Connector Assembly
Connector System	Cable-to-Panel
Sealable	No
Circular Connector Type	Receptacle
Shell Type	Metal
Configuration Features	
Number of Positions	17
Number of Signal Positions	17
Electrical Characteristics	
Operating Voltage	125 VAC
Body Features	

IP67

Zinc Alloy

Electrodeposited Nickel



Circular Connector I	nsulation Material Type	PBT GF
	hodiacion maconar Typo	1 0 1 0 1

#### Mechanical Attachment

Mating Retention Type	Screw
Panel Mount Feature Type	Flange with Mounting Holes
Connector Mounting Type	Panel Mount

### **Housing Features**

Circular Connector Shell Size	23
Alignment Keyed	0°

#### **Usage Conditions**

Operating Temperature Range	-20 - 130 °C[-4 - 266 °F]

### Operation/Application

Durability Rating	500 Cycles
Circuit Application	Signal
Shielded	Yes

### **Industry Standards**

UL Flammability Rating	UL 94V-0
Compatible With Approved Standards Products	UL

# **Product Compliance**

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC
Halogen Content	Not Yet Reviewed for halogen content
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these

Cable-to-Panel, 17 Position, Signal, Panel Mount, Electrodeposited Nickel, Zinc Alloy, PBT GF, 17 Signal Positions, Standard Circular Connectors



limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

# Customers Also Bought









TE Part #AEA110N00000200000 623 RECEPTACLE, SPEEDTEC-READY





## Documents

**CAD Files** 

3D PDF

3D

Customer View Model

ENG\_CVM\_CVM\_AEA577N00000201000\_A.2d\_dxf.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_AEA577N00000201000\_A.3d\_igs.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_AEA577N00000201000\_A.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages

AEA577N00000201000

English

fuer Datenblaetter, die online konfigurierbar sind

### AEGA577NN00000201000

Cable-to-Panel, 17 Position, Signal, Panel Mount, Electrodeposited Nickel, Zinc Alloy, PBT GF, 17 Signal Positions, Standard Circular Connectors



German