

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number:

5031591110

Status:


Active

Overview:

CLIK-Mate Wire-to-Board Connectors

Description:

1.50mm Pitch CLIK-Mate Wire-to-Board PCB Receptacle, Single Row, Through Hole, Vertical, Tin Plating, without Peg, 11 Circuits



Documents:

3D Model

Drawing (PDF)

Product Specification PS-503159-001-001 (PDF)

Application Specification AS-502578-001-001 (PDF)

Application Specification AS-502578-002-001 (PDF)

Packaging Specification SPK-503159-001-001 (PDF)

RoHS Certificate of Compliance (PDF)

|                                |                                      |
|--------------------------------|--------------------------------------|
| General                        |                                      |
| Product Family                 | PCB Receptacles                      |
| Series                         | 503159                               |
| Application                    | Signal, Wire-to-Board                |
| Overview                       | CLIK-Mate Wire-to-Board Connectors   |
| Product Name                   | CLIK-Mate                            |
| UPC                            | 883906079086                         |
| Physical                       |                                      |
| Circuits (Loaded)              | 11                                   |
| Circuits (maximum)             | 11                                   |
| Color - Resin                  | Beige                                |
| Durability (mating cycles max) | 30                                   |
| Glow-Wire Capable              | No                                   |
| Guide to Mating Part           | Yes                                  |
| Keying to Mating Part          | Yes                                  |
| Lock to Mating Part            | Yes                                  |
| Material - Metal               | Copper Alloy                         |
| Material - Plating Mating      | Tin                                  |
| Material - Plating Termination | Tin                                  |
| Net Weight                     | 890.001/mg                           |
| Number of Rows                 | 1                                    |
| Orientation                    | Vertical                             |
| PCB Locator                    | No                                   |
| PCB Retention                  | Yes                                  |
| PCB Thickness - Recommended    | 1.50mm, 2.00mm                       |
| Packaging Type                 | Tray                                 |
| Pitch - Mating Interface       | 1.50mm                               |
| Polarized to Mating Part       | Yes                                  |
| Polarized to PCB               | Yes                                  |
| Stackable                      | No                                   |
| Temperature Range - Operating  | -40° to +105°C                       |
| Termination Interface: Style   | Through Hole                         |
| Electrical                     |                                      |
| Current - Maximum per Contact  | 2.0A                                 |
| Voltage - Maximum              | 100V                                 |
| Material Info                  |                                      |
| Reference - Drawing Numbers    |                                      |
| Application Specification      | AS-502578-001-001, AS-502578-002-001 |
| Packaging Specification        | SPK-503159-001-001                   |
| Product Specification          | PS-503159-001-001                    |
| Sales Drawing                  | SD-503159-002                        |

EU ELV

Not Relevant

EU RoHS

China RoHS

Compliant

REACH SVHC

Not Contained Per - ED/61/2018 (27 June 2018)

Halogen-Free

Status

Not Low-Halogen

For more information, please visit [Contact US](#)

China ROHS

Green Image

ELV

Not Relevant

RoHS Phthalates

Not Contained

Search Parts in this Series

503159 Series

Mates With

502578 Crimp Housing . 502579 Crimp Terminal

This document was generated on 10/01/2018

**PLEASE CHECK [WWW.MOLEX.COM](http://WWW.MOLEX.COM) FOR LATEST PART INFORMATION**