

Part Number: 457501112 **Product Description : Mini-Fit Plus Crimp** 

Terminal, 20-18 AWG, Bag, Copper (Cu) Alloy,

Tin (Sn)

Series Number: 45750 Status: Active

**Product Category:** Crimp Terminals Packaging Alternative: 457501111 (Reel)

### **Documents & Resources**

#### **Drawings**

Drawing 457501112\_sd.pdf

Packaging Design Drawing PK-5556-003-001.pdf

### **Specifications**

Product Specification PS-45750-001-001.pdf

### **Product Environment Compliance**

### Compliance

GADSL/IMDS	Compliant with Exemption 44; 34; 33
China RoHS	•
EU ELV	Not Relevant
Low-Halogen Status	Low-Halogen per IEC 61249-2-21
REACH SVHC	Not Contained per D(2024)4144-DC (27 June 2024)
EU RoHS	Compliant per EU 2015/863

#### Multiple Part Product Compliance Statements

- Eu RoHS
- REACH SVHC
- Low-Halogen

### Multiple Part Industry Compliance Documents

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

### EU RoHS Certificate of Compliance

## **Part Details**

### General

Status	Active
Category	Crimp Terminals
Series	45750
Description	Mini-Fit Plus Crimp Terminal, 20-18 AWG, Bag, Copper (Cu) Alloy, Tin (Sn)
Application	Power, Wire-to-Board, Wire-to-Wire
Comments	Current = 13A max. per circuit when header is mated to a receptacle loaded with 45750 series terminals crimped to 16 AWG wire. See Molex product specification PS-45750-001 for additional current de-rating information. Series 45750 is Hot- Swappable
Product Family	Mini-Fit Family Power Connectors
Product Name	Mini-Fit Plus
UPC	822350286022

### Electrical

Current - Maximum per Contact	13.0A
Voltage - Maximum	600V

# Physical

100
Female
Copper Alloy
Tin
Tin
0.150/g
Bag
2.540µm
2.540µm
Crimp or Compression
1.80-3.10mm

Wire Size (AWG)	18, 20
Wire Size mm²	N/A

### **Solder Process Data**

Lead-Free Process Capability	N/A
------------------------------	-----

## Use with Part(s)

Description	Part Number
Mini-Fit TPA Dual Row Receptacle Housings	<u>30067</u>
Mini-Fit BMI Dual Row Receptacle Housings	<u>42474</u>
Mini-Fit BMI Dual Row Receptacle Housings	<u>43760</u>
Mini-Fit BMI Dual Row Receptacle Housings	<u>44516</u>
Mini-Fit Jr. Receptacle Housings	5557

# **Application Tooling**

### Global

Description	Part Number
Extraction Tool for Mini-Fit Jr. Terminals	<u>11030044</u>
PremiumGrade Hand Crimp Tool for Mini-Fit Jr. Male and Female Terminals, 24-18 AWG	<u>638190901</u>

This document was generated on Sep 17, 2024