

### CGS | CGS TJT

TE Internal #: 2176250-4

Power Resistor, 3.3 ohm, 500 W, Wire Wound, 2 Termination, ±260

ppm/°C, 5 %, Flying Leads Termination, Loose Piece - Box, 1


Resistor, CGS TJT

View on TE.com >



09/22/2024 05:25PM | Page 1

Passive Components > Resistors > Chassis Mount Resistors



Resistor Type: Power Resistor Resistance Class: Up to  $1k\Omega$  Resistance Value:  $3.3 \Omega$  Power Rating: 500 W

Element Type: Wire Wound

### **Features**

#### **Product Type Features**

Chassis Mount Resistor Termination Type

Mechanical Attachment

Resistor Type Power Resistor   Element Type Wire Wound   Configuration Features   Number of Resistors 1   Electrical Characteristics   Resistance Class Up to 1kΩ   Resistance Value 3.3 Ω   Power Rating 500 W   Passive Component Tolerance 5 %   Termination Features   Number of Terminations 2	Product Type Features	
Configuration Features         Number of Resistors       1         Electrical Characteristics       Up to $1k\Omega$ Resistance Class       Up to $1k\Omega$ Resistance Value       3.3 $\Omega$ Power Rating       500 W         Passive Component Tolerance       5 %         Termination Features	Resistor Type	Power Resistor
Number of Resistors 1  Electrical Characteristics  Resistance Class Up to $1k\Omega$ Resistance Value $3.3~\Omega$ Power Rating $500~W$ Passive Component Tolerance $5~\%$ Termination Features	Element Type	Wire Wound
Electrical Characteristics  Resistance Class  Up to $1k\Omega$ Resistance Value  3.3 $\Omega$ Power Rating  500 W  Passive Component Tolerance  5 %  Termination Features	Configuration Features	
Resistance ClassUp to $1k\Omega$ Resistance Value $3.3\Omega$ Power Rating $500W$ Passive Component Tolerance $5\%$ Termination Features	Number of Resistors	1
Resistance Value       3.3 Ω         Power Rating       500 W         Passive Component Tolerance       5 %         Termination Features	Electrical Characteristics	
Power Rating 500 W  Passive Component Tolerance 5 %  Termination Features	Resistance Class	Up to $1k\Omega$
Passive Component Tolerance 5 %  Termination Features	Resistance Value	3.3 Ω
Termination Features	Power Rating	500 W
	Passive Component Tolerance	5 %
Number of Terminations 2	Termination Features	
	Number of Terminations	2

Flying Leads



Panel Mount Feature Type	Flange with Mounting Holes
Dimensions	
Product Height	10 mm[.394 in]
Product Length	330 mm[12.992 in]
Product Width	80 mm[3.149 in]
Usage Conditions	
Operating Temperature Range	-25 – 250 °C
Temperature Coefficient	±260 ppm/°C
Packaging Features	
Packaging Method	Loose Piece - Box

### **Product Compliance**

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Hand solderable with lead free solder

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

# Compatible Parts










## Also in the Series | CGS TJT



## Customers Also Bought













### **Documents**

**Product Drawings** TJT 500W 3R3 5%

English

**CAD Files** 

3D PDF

3D



**Customer View Model** 

ENG\_CVM\_CVM\_2176250-4\_BA.2d\_dxf.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_2176250-4\_BA.3d\_igs.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_2176250-4\_BA.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

### Datasheets & Catalog Pages

**ALUMINIUM ENCLOSED POWER RESISTORS - Type TJT Series** 

English

TJT-0715

English